

Table 1: Oscillator strengths for lines arising from the 5s5p5d-5s5p6s-5p³ levels of Sn II

Transition		Wavelength (Experimental)	f-value	
Upper level	Lower level	$\lambda(\text{\AA})$	This work	
5s5p(³ P)5d ² D _{3/2}	5s5p ² ⁴ P _{1/2}	1593.4	0.00318	
	5s5p ² ⁴ P _{3/2}	1643.2	0.00093	
	5s ² (¹ S) 6s ² S _{1/2}	1910.7	0.00078	
	5s5p ² ² D _{3/2}	1984.9	0.01090	
	5s5p ² ² D _{5/2}	2009.6	0.00830	
	5s ² (¹ S) 5d ² D _{3/2}	2650.5	0.00067	
	5s ² (¹ S) 5d ² D _{5/2}	2690.0	0.00027	
	5s5p ² ² P _{1/2}	3476.1	0.00002	
	5s5p ² ² P _{3/2}	3635.1	0.00039	
	5s ² (¹ S) 7s ² S _{1/2}	4358.6	0.00036	
	5s ² (¹ S) 6d ² D _{5/2}	5299.4	0.00036	
	5s5p(³ P)6s ² P _{1/2}	5s5p ² ⁴ P _{1/2}	1484.7	0.00937
		5s5p ² ⁴ P _{3/2}	1527.9	0.00283
		5s ² (¹ S) 6s ² S _{1/2}	1756.4	0.00029
5s5p ² ² D _{3/2}		1819.0	0.0267	
5s ² (¹ S) 5d ² D _{3/2}		2357.7	0.0425	
5s5p ² ² S _{1/2}		2975.0	0.00011	
5s5p ² ² P _{1/2}		2997.3	0.0316	
5s5p ² ² P _{3/2}		3115.2	0.00115	
5s ² (¹ S) 7s ² S _{1/2}		3632.2	0.00188	
5s ² (¹ S) 6d ² D _{3/2}		4241.4	0.00048	
5s 5p(³ P)5d ⁴ D _{3/2}		5s5p ² ⁴ P _{1/2}	1360.2	1.17
		5s5p ² ⁴ P _{3/2}	1396.4	0.24
		5s5p ² ⁴ P _{5/2}	1440.0	0.00000
		5s ² (¹ S) 6s ² S _{1/2}	1584.9	0.00017
	5s5p ² ² D _{3/2}	1635.7	0.0129	
	5s5p ² ² D _{5/2}	1652.4	0.00004	
	5s ² (¹ S) 5d ² D _{3/2}	2058.6	0.00031	
	5s ² (¹ S) 5d ² D _{5/2}	2086.2	0.00645	
	5s5p ² ² S _{1/2}	2514.1	0.00026	
	5s5p ² ² P _{1/2}	2530.0	0.00031	
	5s5p ² ² P _{1/2}	2613.5	0.00616	
	5s ² (¹ S) 7s ² S _{1/2}	2967.3	0.00016	
	5s 5p(³ P)5d ⁴ D _{1/2}	5s5p ² ⁴ P _{1/2}	1358.7	0.95
		5s5p ² ⁴ P _{3/2}	1394.8	0.0298
5s ² (¹ S) 6s ² S _{1/2}		1582.8	0.00006	
5s5p ² ² D _{3/2}		1633.4	0.00017	
5s ² (¹ S) 5d ² D _{3/2}		2055.1	0.0096	
5s5p ² ² S _{1/2}		2508.9	0.00057	
5s5p ² ² P _{1/2}		2524.7	0.00255	
5s5p ² ² P _{3/2}		2607.8	0.00008	
5s 5p(³ P)5d ⁴ P _{5/2}		5s5p ² ⁴ P _{3/2}	1391.1	0.821
		5s5p ² ⁴ P _{5/2}	1438.4	0.0026
		5s5p ² ² D _{3/2}	1628.4	0.00028
		5s5p ² ² D _{5/2}	1645.0	0.0194
		5s ² (¹ S) 5d ² D _{3/2}	2047.2	0.00223
		5s ² (¹ S) 5d ² D _{5/2}	2074.4	0.00002
	5s5p ² ² P _{3/2}	2595.6	0.0010	
5s 5p(³ P)5d ⁴ D _{7/2}	5s5p ² ⁴ P _{5/2}	1393.5	1.13	

Table 1. Continued.

Transition		Wavelength	Oscillator Strengths
5s 5p(³ P)5d	⁴ P _{5/2}	1586.6	0.0209
	5s ² (¹ S) 8d ² D _{5/2}	5978.1	0.00039
	5s ² (¹ S) 7g ² G _{9/2}	7063.7	0.00018
	⁴ P _{3/2}	1303.9	0.00618
	⁴ P _{3/2}	1337.1	0.349
	⁴ P _{5/2}	1380.7	0.173
	5s ² (¹ S) 6s ² S _{1/2}	1508.9	0.00006
	² D _{3/2}	1554.9	0.00003
	² D _{5/2}	1570.0	0.00231
	5s ² (¹ S) 5d ² D _{3/2}	1932.3	0.00024
5s 5p(³ P)5d	² D _{5/2}	1956.6	0.00006
	² S _{1/2}	2328.2	0.00021
	² P _{3/2}	2413.2	0.00133
	⁴ P _{3/2}	1317.9	0.00045
	⁴ P _{5/2}	1360.2	0.00106
	² D _{3/2}	1528.9	0.659
	² D _{5/2}	1543.6	0.0385
	5s ² (¹ S) 5d ² D _{3/2}	1892.5	0.194
	5s ² (¹ S) 5d ² D _{5/2}	1915.7	0.00649
	5p ³ ⁴ S _{3/2}	² P _{3/2}	2351.4
⁴ P _{1/2}		1279.4	0.353
⁴ P _{3/2}		1311.3	0.374
⁴ P _{5/2}		1353.2	0.316
5s ² (¹ S) 6s ² S _{1/2}		1476.2	0.00017
² D _{3/2}		1520.1	0.00902
² D _{5/2}		1534.6	0.0827
5s ² (¹ S) 5d ² D _{3/2}		1878.9	0.00333
5s ² (¹ S) 5d ² D _{5/2}		1901.9	0.0187
5s 5p(¹ P)5d		² S _{1/2}	2251.1
	² P _{1/2}	2263.8	0.00993
	² P _{3/2}	2330.5	0.00003
	⁴ P _{1/2}	1166.8	0.00554
	⁴ P _{3/2}	1193.3	0.00406
	⁴ P _{5/2}	1227.9	0.0008
	5s ² (¹ S) 6s ² S _{1/2}	1328.3	0.00005
	² D _{3/2}	1363.8	1.09
	² D _{5/2}	1375.4	0.0477
	5s ² (¹ S) 5d ² D _{3/2}	1645.7	0.00046
5s 5p(¹ P)5d	² D _{5/2}	1663.3	0.0015
	² S _{1/2}	1924.5	0.0058
	² P _{1/2}	1933.8	0.129
	² P _{3/2}	1982.2	0.0149
	⁴ P _{3/2}	1185.6	0.0056
	⁴ P _{5/2}	1219.8	0.0135
	² D _{3/2}	1353.8	0.143
	² D _{5/2}	1365.3	0.993
	5s ² (¹ S) 5d ² D _{3/2}	1631.2	0.0153
	5s ² (¹ S) 5d ² D _{5/2}	1648.5	0.00089
5s 5p(¹ P)5d	² P _{3/2}	1961.1	0.119
	5s ² (¹ S) 8d ² D _{3/2}	3707.1	0.00068
	5s ² (¹ S) 7g ² G _{7/2}	4217.9	0.0004
	5s ² (¹ S) 8g ² S _{7/2}	4631.7	0.00009

Table 2: Lifetimes (in ns) of Sn II levels

Level	This work	Other authors	
		Theoretical	Experimental
$5s^2 ({}^1S)4f \ 2F_{5/2}$	3.2	3.2^a	5.0 ± 1.0^a , 5.2 ± 0.5^b , 4.6 ± 1.0^c 3.2 ± 0.5^d , 9.0 ± 0.7^e
$5s^2 ({}^1S)4f \ 2F_{7/2}$	3.4	3.4^a	5.0 ± 0.5^b , 6.9 ± 1.0^a
$5s5p({}^3P)5d \ 2D_{3/2}$	18.78		
$5s5p({}^3P)6s \ 2P_{1/2}$	3.5		
$5s \ 5p({}^3P)5d \ 4D_{3/2}$	0.33		
$5s \ 5p({}^3P)5d \ 4D_{1/2}$	0.27		
$5s \ 5p({}^3P)5d \ 4P_{5/2}$	0.51		
$5s \ 5p({}^3P)5d \ 4D_{7/2}$	0.34		
$5s \ 5p({}^3P)5d \ 4P_{3/2}$	0.45		
$5s \ 5p({}^3P)5d \ 2F_{5/2}$	0.62		
$5p^3 \ 4S_{3/2}$	0.23		
$5s \ 5p({}^1P)5d \ 2D_{3/2}$	0.23		
$5s \ 5p({}^1P)5d \ 2D_{5/2}$	0.24		

^a Alonso-Medina, A., & Colón, C. (2000)

^b Gorshkov, V. N., & Verolainen, Y. F. (1985)

^c Schectman, R. L. et al (2000)

^d Wujec, T., & Musielok, J. (1976)

^e Miller, M. H. et al (1979)

References

- Alonso-Medina, A., & Colón, C. 2000, Phys. Scr., 61, 646
Gorshkov, V. N., & Verolainen, Y. F. 1985, Opt. Spectrosc., 59, 694
Miller, M. H., Roig, R. A., & Bengtson, R. D. 1979, Phys. Rev. A, 20, 499
Schectman, R. L., Cheng, S., Curtis, L.J., Federman, S. R., Fritts, M.C., & Irving, R. E. 2000, ApJ, 542, 400
Wujec, T., & Musielok, J. 1976, A&A, 50, 405