

New effective recombination coefficients for nebular N II lines [★]

X. Fang¹, P. J. Storey² and X.-W. Liu^{1,3}

¹ Department of Astronomy, School of Physics, Peking University, Beijing 100871, P. R. China
e-mail: fangx@vega.bac.pku.edu.cn

² Department of Physics and Astronomy, University College London, Gower Street, London WC1E 6BT, UK

³ The Kavli Institute for Astronomy and Astrophysics, Peking University, Beijing 100871, P. R. China

Received / Accepted

ABSTRACT

Aims. In nebular astrophysics, there has been a long-standing dichotomy in plasma diagnostics between abundance determinations using the traditional method based on collisionally excited lines (CELs), on the one, hand and (optical) recombination lines/continuum, on the other. A number of mechanisms have been proposed to explain the dichotomy. Deep spectroscopy and recombination line analysis of emission line nebulae (planetary nebulae and H II regions) in the past decade have pointed to the existence of another previously unknown component of cold, H-deficient material as the culprit. Better constraints are needed on the physical conditions (electron temperature and density), chemical composition, mass, and spatial distribution of the postulated H-deficient inclusions in order to unravel their astrophysical origins. This requires knowledge of the relevant atomic parameters, most importantly the effective recombination coefficients of abundant heavy element ions such as C II, O II, N II, and Ne II, appropriate for the physical conditions prevailing in those cold inclusions (e.g. $T_e \leq 1,000$ K).

Methods. Here we report new *ab initio* calculations of the effective recombination coefficients for the N II recombination spectrum. We have taken into account the density dependence of the coefficients arising from the relative populations of the fine-structure levels of the ground term of the recombining ion ($^2P^o_{1/2}$ and $^2P^o_{3/2}$ in the case of N III), an elaboration that has not been attempted before for this ion, and it opens up the possibility of electron density determination via recombination line analysis. Photoionization cross-sections, bound state energies, and the oscillator strengths of N II with $n \leq 11$ and $l \leq 4$ have been obtained using the close-coupling R-matrix method in the intermediate coupling scheme. Photoionization data were computed that accurately map out the near-threshold resonances and were used to derive recombination coefficients, including radiative and dielectronic recombination. Also new is including the effects of dielectronic recombination via high- n resonances lying between the $^2P^o_{1/2}$ and $^2P^o_{3/2}$ levels. The new calculations are valid for temperatures down to an unprecedentedly low level (approximately 100 K). The newly calculated effective recombination coefficients allow us to construct plasma diagnostics based on the measured strengths of the N II optical recombination lines (ORLs).

Results. The derived effective recombination coefficients are fitted with analytic formulae as a function of electron temperature for different electron densities. The dependence of the emissivities of the strongest transitions of N II on electron density and temperature is illustrated. Potential applications of the current data to electron density and temperature diagnostics for photoionized gaseous nebulae are discussed. We also present a method of determining electron temperature and density simultaneously.

Key words. atomic data – line: formation – H II regions – ISM: atoms – planetary nebulae: general

1. Introduction

The principal means of electron temperature and density diagnostics and heavy-element abundance determinations in nebular plasmas has, until recently, been measurement of collisionally excited lines (CELs). The emissivities of CELs have, however, an exponential dependence on electron temperature and, consequently, so do the heavy element abundances deduced from them. An alternative method of determining heavy element abundances is to divide the intensities of ORLs emitted by heavy element ions with those by hydrogen. Such ratios are only weakly dependent on temperature. In planetary nebulae (PNe), abundances of C, N, and O derived from ORLs have been shown to be systematically larger than those derived from CELs typically by a factor of 2. Discrepancies of much larger magnitudes, say by more than a factor of 5, are also found for

a small fraction of PNe (about 10%; Liu et al. 1995, 2000, 2001, 2006b; Liu et al. 2004; Luo et al. 2001). In the most extreme case, the abundance discrepancy factor (ADF) reaches a record value of 70 (Liu et al. 2006). There is strong evidence that nebulae contain another component of metal-rich, cold plasma, probably in the form of H-deficient inclusions embedded in the diffuse gas (Liu et al. 2000). The existence of cold inclusions provides a natural explanation to the long-standing dichotomy of abundance determinations and plasma diagnostics (Liu 2003, 2006a, 2006b). The prerequisite for reliable determinations of recombination line abundances is accurate effective recombination coefficients for heavy element recombination lines. In this paper, we present new effective recombination coefficients for the recombination spectrum of N II.

Radiative recombination coefficients of N II have been given by Péquignot et al. (1991). Nussbaumer & Storey (1984) tabulate dielectronic recombination coefficients of N II obtained from a model in which resonance states are represented by bound-state wave functions. Escalante & Victor (1990) calculate effective recombination coefficients for C I and N II lines using an

Send offprint requests to: X. Fang

* Complete Tables 3 – 6 in electronic form only are available at the CDS via anonymous ftp to cdarc.u-strasbg.fr (130.79.128.5) or via <http://cdsweb.u-strasbg.fr/Abstract.html>.

atomic model potential approximation for transition probabilities and recombination cross-sections. They then add the contribution from dielectronic recombination using the results of Nussbaumer & Storey (1984).

In the most recent work of N II by Kisielius & Storey (2002), they follow the approach of Storey (1994) who, in dealing with O II, uses a unified method for the treatment of radiative and dielectronic recombination by directly calculating recombination coefficients from photoionization cross-sections of each initial state. They also incorporate improvements introduced by Kisielius et al. (1998) in their work on Ne II. The N^+ photoionization cross-sections were calculated in LS -coupling using the *ab initio* methods developed for the Opacity Project (Seaton 1987; Berrington et al. 1987) and the Iron Project (Hummer et al. 1993), hereafter referred to as the OP methods. The calculations employed the R-matrix formulation of the close-coupling method, and the resultant cross-sections are of higher quality. In the photoionization calculations of Kisielius & Storey (2002), for the energy ranges in which the resonances make main contributions to the total recombination, an adaptive energy mesh was used to map out all the strong resonances near thresholds. This approach has also been adopted in our current calculations, and it will be described in more details in a later section. In the work of Kisielius & Storey (2002), transition probabilities for all low-lying bound states were also calculated using the close-coupling method, so that the bound-bound and bound-free radiative data used for calculating the recombination coefficients formed a self-consistent set of data and were expected to be significantly more accurate than those employed in earlier work.

Here we report new calculations of the effective recombination coefficients for the N II recombination spectrum. Hitherto few high quality atomic data were available to diagnose plasmas of very low temperatures (≤ 1000 K), such as the cold, H-deficient inclusions postulated to exist in PNe (Liu et al. 2000). We have calculated the effective recombination coefficients for the N^+ ion down to an unprecedentedly low temperature (about 100 K). At such low temperatures, dielectronic recombination via high- n resonances between the N^{2+} ground $^2P^o_{1/2}$ and $^2P^o_{3/2}$ fine-structure levels contributes significantly to the total recombination coefficient. We include such effects in our calculations. We also take into account the density dependence of the coefficients through the level populations of the fine-structure levels of the ground state of the recombining ion ($^2P^o_{1/2,3/2}$ in the case of N^{2+}). That opens up the possibility of electron density determinations via recombination line analysis. With the exception of the calculations of Kisielius & Storey (1999) on O III recombination lines, all previous work on nebular recombination lines has been in LS -coupling and therefore it tacitly assumed that the levels of the ground state are populated in proportion to their statistical weights. Photoionization cross-sections, bound state energies and oscillator strengths of N II with $n \leq 11$ and $l \leq 4$ have been obtained using the R-matrix method in the intermediate coupling scheme. The photoionization data are used to derive recombination coefficients, including contributions from radiative and dielectronic recombination. The results are applicable to PNe, H II regions and nova shells for a wide range of electron temperature and density.

2. Atomic data for N^+

2.1. The N^+ term scheme

The principal series of N II is $2s^22p(^2P^o)nl$, which gives rise to singlet and triplet terms. Also interspersed are members of the

series $2s2p^2(^4P)nl$ ($n = 3, 4$) giving rise to triplet and quintet terms. Higher members of this series lie above the first ionization limit, and hence may give rise to low-temperature dielectronic recombination. There are a few members of the $2s2p^2(^2D)nl$ and $2s2p^2(^2S)nl$ series located above the first ionization threshold which also give rise to resonance structures in the photoionization cross-sections for singlets and triplets. For photon energies above the second ionization threshold, the main resonance structures are due to the $2s2p^2(^2D)nl$ series with some interlopers from the $2s2p^2(^2S)nl$ and $2s2p^2(^2P)nl$ series (Kisielius & Storey 2002).

2.2. New R-matrix calculation

We have carried out a new calculation of bound state energies, oscillator strengths and photoionization cross-sections for N II states with $n \leq 11$ using the OP methods (Hummer et al. 1993). The N^{2+} target configuration set was generated with the general purpose atomic structure code SUPERSTRUCTURE (Eissner et al. 1974) with modifications of Nussbaumer & Storey (1978). The target radial wave functions of N^{2+} were then generated with another atomic structure code AUTOSTRUCTURE¹, which, developed from SUPERSTRUCTURE and capable of treating collisions, is able to calculate autoionization rates, photoionization cross-sections, etc. The original theory of AUTOSTRUCTURE is described by Badnell (1986). The wave functions of the nineteen target terms were expanded in terms of the 21 electron configurations $1s^22s^22p$, $1s^22s2p^2$, $1s^22p^3$, $1s^22s^2\bar{3}s$, $1s^22s^2\bar{3}p$, $1s^22s^2\bar{3}d$, $1s^22s2p\bar{3}s$, $1s^22s2p\bar{3}p$, $1s^22s2p\bar{3}d$, $1s^22p^2\bar{3}s$, $1s^22p^2\bar{3}p$, $1s^22p^2\bar{3}d$, $1s^22s\bar{3}d^2$, $1s^22p\bar{3}d^2$, $1s^22s^24s$, $1s^22s^24d$, $1s^22s2p4s$, $1s^22s2p4p$, $1s^22s2p4d$, $1s^22s2p4f$, $1s^22p^24p$, where $1s$, $2s$ and $2p$ are spectroscopic orbitals and $\bar{3}l$ and $4l'$ ($l = 0, 1, 2$ and $l' = 0, 1, 2, 3$) are correlation orbitals. The one-electron radial functions for the $1s$, $2s$ and $2p$ orbitals were calculated in adjustable Thomas-Fermi potentials, while the radial functions for the remaining orbitals were calculated in Coulomb potentials of variable nuclear charge, $Z_{nl} = 7|\lambda_{nl}|$. The potential scaling parameters λ_{nl} were determined by minimizing the sum of the energies of the eight energetically lowest target states in our model. We obtained for the potential scaling parameters: $\lambda_{1s} = 1.4279$, $\lambda_{2s} = 1.2840$, $\lambda_{2p} = 1.1818$, $\lambda_{\bar{3}s} = -0.9696$, $\lambda_{\bar{3}p} = -0.9054$, $\lambda_{\bar{3}d} = -1.0924$, $\lambda_{\bar{4}s} = -1.3871$, $\lambda_{\bar{4}p} = -1.3821$, $\lambda_{\bar{4}d} = -1.5797$ and $\lambda_{\bar{4}f} = -1.9837$.

In Table 1, we compare experimental target state energies (Eriksson 1983) as well as values calculated by Kisielius & Storey (2002) with our results for the eight lowest target terms that belong to the three lowest configurations, $2s^22p$, $2s2p^2$ and $2p^3$. We use the experimental target energies in the calculation of the Hamiltonian matrix of the $(N + 1)$ electron system and in the calculation of energy levels, oscillator strengths and photoionization cross-sections of N II. We use nineteen target terms in our R-matrix calculation where we add selected terms from the seven configurations $1s^22s^2\bar{3}s$, $1s^22s^2\bar{3}p$, $1s^22s^2\bar{3}d$, $1s^22s2p\bar{3}s$, $1s^22s2p\bar{3}p$, $1s^22s2p\bar{3}d$ and $1s^22p^2\bar{3}p$ in order to increase the dipole polarizability of the terms of the $2s^22p$ and $2s2p^2$ configurations of the N^{2+} target. These additional terms provide the main contributions to the dipole polarizability of the $1s^22s^22p^2P^o$ and $1s^22s2p^24P$ states and significant contributions to the polarizability of $1s^22s2p^22D$, 2S and 2P . The chosen target terms are listed in Table 2, which shows that our calculated target

¹ AUTOSTRUCTURE is developed by the Department of Physics at the University of Strathclyde, Glasgow, Scotland. The code is available from the website <http://amdp.phys.strath.ac.uk/autos>.

Table 1. Comparison of energies (in Ry) for the N^{2+} target states

Configuration	Term	present	KS2002 ^a	Experimental ^b
$1s^22s^22p$	$^2P^o$	0.000000	0.000000	0.000000
$1s^22s2p^2$	4P	0.509051	0.51771	0.52091
	2D	0.933243	0.92246	0.91960
	2S	1.235909	1.20597	1.19279
$1s^22p^3$	2P	1.362871	1.33866	1.32898
	$^4S^o$	1.706032	1.70403	1.70123
	$^2D^o$	1.872797	1.85796	1.84962
	$^2P^o$	2.144377	2.11771	2.09865

^a Theoretical calculations by Kisielius & Storey (2002).

^b Eriksson (1983).

Table 2. The N^{2+} target terms

Configuration	Term
$1s^22s^22p$	$^2P^o$
$1s^22s2p^2$	4P
	2D
	2S
	2P
$1s^22p^3$	$^4S^o$
	$^2D^o$
	$^2P^o$
$1s^22s^2\bar{3}s$	2S
$1s^22s2p(^3P^o)\bar{3}s$	$^4P^o$
	$^2P^o$
	2D
	2P
	$^2P^o$
	4P
	2D
	$^2P^o$
	$^4D^o$
	$^4P^o$

energies are in slightly worse agreement with experiment than those of Kisielius & Storey (2002) although it should be noted that their energies were calculated in LS -coupling, whereas ours are weighted averages of fine-structure level energies. The configuration interaction in our target is less extensive than in theirs due to the additional computational constraints imposed by an intermediate coupling calculation as opposed to an LS -coupling one. We do, however, consider that our set of target states represents the polarizability of the important N^{2+} states better than does the target of Kisielius & Storey (2002).

2.3. Energy levels of N^+

Experimental energy levels for N^+ have been given by Eriksson (1983) for members of the series $2s^22p(^2P^o)nl$ with $n \leq 16$ and $l \leq 4$, for the series $2s2p^2(^4P^e)nl$ with $n \leq 12$ and $l \leq 4$ and for the series $2s2p^2(^2D^e)3l, 4p$ although some levels are missing. Energy levels for the states $^3P^e_{2,1,0}$ belonging to the equivalent electron configuration $2s^22p^4$ are also presented. We use these

experimental data as a benchmark for our N^{2+} energy level calculation.

The current calculations of energy levels include only the states belonging to the configurations $2s^22p(^2P^o)nl, 2s2p^2(^4P^e)nl$ and possibly $2s2p^2(^2D^e)nl$ with ionization energies less than E_0 and total orbital angular momentum quantum number $L \leq 8$, where J_C is the total angular momentum quantum number of the core electrons. Every single energy level calculated by *ab initio* methods is further identified with the help of the experimental energy level tables of Eriksson (1983), and is used in preference to quantum defect extrapolation from experimentally known lower states. The bound state energies for the lowest levels are calculated using R-matrix codes, with an effective principal quantum number range set to be $0.5 \leq \nu \leq 10.5$, and the codes are run with a searching step of $\delta\nu = 0.01$. We assume that the subsequent iteration converges on a final energy when $\Delta E < 1 \times 10^{-5}$ Ryd. We only keep the final energy levels with $n \leq 11$ and $l \leq 4$, and delete the ng levels with $n > 6$, because of numerical instabilities in the codes. In total, 377 levels are obtained. The photoionization cross-sections from these bound states are calculated later using outer region R-matrix codes.

For states with $11 < n \leq n_d$, and $l \leq 3$, where calculated energies exist for lower members of the series, a quantum defect has been calculated for the highest known member (usually with $n = 11$), and this quantum defect is used to determine the energies of all higher terms.

Finally, if neither of the above methods can be used, the state is assumed to have a zero quantum defect.

2.4. Bound-bound radiative data

Radiative transition probabilities are taken from three sources,

(1) *Ab initio* calculations: We have computed values of weighted oscillator strengths, gf , for all transitions between bound states with ionization energies less than or equal to E_0 (corresponding to $n = 11$ in the principal series of N^+), with total orbital angular momentum quantum number $L \leq 8$, and with total angular momentum quantum number $J \leq 6$. The data are calculated in the intermediate coupling scheme, so there are transitions between states of different total spins. Two-electron transitions, which involve a change of core state, are also included.

(2) Coulomb approximation: For pairs of levels where oscillator strengths are not computed by the *ab initio* method, but where one or both of the states have a non-zero quantum defect, the dipole radial integrals required for the calculation of transition probabilities are calculated using the Coulomb approximation. Details are given by Storey (1994).

(3) Hydrogenic approximation: For pairs of levels with a zero quantum defect hydrogenic dipole radial integrals are calculated, using direct recursion on the matrix elements themselves as described by Storey & Hummmer (1991).

2.5. Photoionization cross-sections and recombination coefficients

The recombination coefficient for each level $nlsL[K]^{\pi}_J$ is calculated directly from the photoionization cross-sections for that state. There are three approximations in which the photoionization data are obtained.

(1) Photoionization cross-sections are computed for all the 377 states with ionization energy less than or equal to E_0 , $L \leq 8$

and $J \leq 6$. We obtain the recombination coefficient directly by integrating the appropriate R-matrix photoionization cross-sections.

(2) Coulomb approximation: As in the bound-bound case, the Coulomb approximation is used for states where no OP data are available, but which have a non-zero quantum defect. The calculation of photoionization data using Coulomb functions has been described by Burgess & Seaton (1960) and Peach (1967).

(3) For all states for which the R-matrix photoionization cross-sections have not been calculated explicitly, the hydrogenic approximation to the photoionization cross-sections is evaluated, using the routines of Storey & Hummer (1991) to generate radiative data in hydrogenic systems.

2.6. Energy mesh for N II photoionization cross-sections

The photoionization cross-sections for N II generated by the Opacity Project (OP) method were based on a quantum defect mesh with 100 points per unit increase in the effective quantum number derived from the next threshold. In contrast to the OP calculations, we use a variable step mesh for photoionization cross-section calculations for a particular energy region above the $2^2P^o_{3/2}$ threshold, which is appropriate to dielectronic recombination in nebular physical conditions. This energy mesh delineates all resonances to a prescribed accuracy (Kisielius et al. 1998; Kisielius & Storey 2002). This detailed consideration of the energy mesh was undertaken for the region from the $2s^22p(^2P^o_{3/2})$ limit up to 0.160 Ryd ($n = 5$) below the $2s2p(^4P_{1/2})$ limit, since this region contains the main contribution to the total recombination at the temperatures of interest for the triplet and singlet series.

From 0.160 Ryd below the $2s2p(^4P_{1/2})$ limit to 0.0331 Ryd below the $2s2p(^4P_{1/2})$ limit, we use a quantum defect mesh with an increment of 0.01 in effective principal quantum number. The energy 0.160 Ryd corresponds to a principal quantum number of five relative to the next threshold, and 0.0331 Ryd corresponds to eleven. In total about 600 points are used in this region. For the region from 0.0331 Ryd ($n = 11$) below the $2s2p(^4P_{1/2})$ limit up to the $2s2p(^4P_{5/2})$ limit, we use the Gailitis average (Gailitis 1963). We use the method for this part of photoionization calculations because of the very dense resonances in this narrow energy region. About 100 points are used.

In the region from the $2s2p(^4P_{5/2})$ limit up to 0.0331 Ryd ($n = 11$) below the $2s2p(^2D_{3/2})$ limit, a quantum defect mesh is again used, with an increment of 0.01 in effective principal quantum number. Here 0.0331 Ryd corresponds to a principal quantum number of eleven relative to the next threshold, $2s2p(^2D_{3/2})$. There are about 800 points used in this region. For the energetically lowest region between the two ground fine-structure levels of N III, $2s^22p(^2P^o_{1/2})$ and $2s^22p(^2P^o_{3/2})$, we use linear extrapolation from a few points lying right above the $2s^22p(^2P^o_{3/2})$ threshold. About 100 points are used in this region.

During the calculation of photoionization cross-sections, we check for every bound states to make sure that the cross-section data of different energy areas all join smoothly. Figure 1 shows the photoionization cross-sections calculated from the five lowest levels $3P^e_0$, $3P^e_1$, $3P^e_2$, $1D^e_2$ and $1S^e_0$ belonging to the ground configuration $1s^22s^22p^2$ of N⁺. Photoionization cross-sections calculated for the five different energy regions have been joined together.




Fig. 1. (a) Photoionization cross-sections from the lowest level of N II: $2s^22p^2\ 3P^e_{J=0}$. The data calculated by different methods for the five energy regions have been joined together. The insert zooms in a particular energy area, and the mesh points used for the photoionization calculations are shown in the inset.




Fig. 1. – Continued. (b) Photoionization cross-sections from the level of N II: $2s^22p^2\ 3P^e_{J=1}$. See also caption to Fig. 1 (a).




Fig. 1. – Continued. (c) Photoionization cross-sections from the level of N II: $2s^22p^2\ 3P^e_{J=2}$. See also caption to Fig. 1 (a).

3. Calculation of N⁺ population

3.1. The N⁺ populations

The calculation of populations is a three stage process to compute departure coefficients, $b(J_C; nl K J)$, defined in terms of populations by

$$\left(\frac{N(J_C; nl K J)}{N_e N_+(J_C)} \right) = \left(\frac{N(J_C; nl K J)}{N_e N_+(J_C)} \right)_S b(J_C; nl K J), \quad (1)$$




Fig. 1. – *Continued.* (d) Photoionization cross-sections from the level of N II: $2s^2 2p^2 \ ^1D^e_{J=2}$. See also caption to Fig. 1 (a).




Fig. 1. – *Continued.* (e) Photoionization cross-sections from the level of N II: $2s^2 2p^2 \ ^1S^e_{J=0}$. See also caption to Fig. 1 (a).

where J_C is an N^{2+} core state and the subscript S refers to the value of the ratio given by the Saha and Boltzmann equations, and N_e and $N_+(J_C)$ are the number densities of electrons and recombining ions, respectively. We distinguish two boundaries in principal quantum number, n_d and n_l . For $n \leq n_d$ collisional processes are negligible compared to radiative decays and can be omitted from the calculation of the populations. For higher n a full collisional-radiative treatment of the populations is necessary as described by Hummer & Storey (1987) and Storey & Hummer (1995) with some additions to treat dielectronic recombination. The boundary at $n = n_l$ is defined such that for $n > n_l$ the redistribution of population due to l -changing collisions is rapid enough to assume that the populations obey the Boltzmann distribution for a given n and hence that $b_{nl} = b_n$ for all l .

The three stages of the calculation are as follows:

Stage 1: A calculation of $b(J_C; n)$ is made for all $n < 1000$, using the techniques and atomic rate coefficients described by Hummer & Storey (1987) and Storey & Hummer (1995) with the addition of l -averaged autoionization and dielectronic capture rates computed with AUTOSTRUCTURE for states of ($^2P^o_{3/2}$) parentage that lie above the ionization limit. For $n > 1000$, we assume $b_n = 1$. The results of this calculation provide the values of b for $n > n_l$ and the initial values for $n \leq n_l$ for Stage 2.

Stage 2: A calculation of $b(J_C; nl K J)$ is made for all $n \leq n_l$ using the same collisional-radiative treatment as in Stage 1 but now resolved by total J . The combined results of Stages 1 and 2 provide the values of b for $n > n_d$.

Stage 3: For the energies less than that which corresponds to $n = n_d$ in the principal series, departure coefficients $b(J_C; nl K J)$ are computed for states of all series. Since only spontaneous radiative decays link these states, the populations are obtained by a step-wise solution from the energetically highest to the lowest state.

3.2. Dielectronic recombination within the $^2P^o$ parents

Within the $^2P^o$ parents, the contribution by dielectronic recombination to the total recombination is shown to become significant at very low temperatures (≤ 250 K), due to recombination into high-lying bound states of the $^2P^o_{3/2}$ parent from the $^2P^o_{1/2}$ continuum states. We incorporate this low-temperature process into our calculation of the N^+ populations. Figure 2 is a schematic diagram illustrating N II dielectronic capture, autoionization and radiative decays. The electrons captured to the high- n autoionizing levels decay to low- n bound states through cascades, and optical recombination lines are emitted. Radiative transitions which change parent, such as $(^2P^o_{3/2})n_1 l_1 - (^2P^o_{1/2})n_0 l_0$, are included for those states for which R-matrix calculated values are present. Higher states are treated by hydrogenic or Coulomb approximations which do not allow parent changing transitions.

In Figure 2, three multiplets of N II are presented as examples: V3 $2s^2 2p 3p \ ^3D^e - 2s^2 2p 3s \ ^3P^o$, the strongest $3p - 3s$ transition, V19 $2s^2 2p 3d \ ^3F^o - 2s^2 2p 3p \ ^3D^e$, the strongest $3d - 3p$ transition, and V39 $2s^2 2p 4f G[7/2, 9/2]^e - 2s^2 2p 3d \ ^3F^o$, the strongest $4f - 3d$ transition. The results for these three multiplets are analysed in Section 4.3.

3.3. The $^2P^o$ parent populations

The contribution to the total recombination coefficient of a state depends on the relative populations of the $^2P^o_{1/2}$ and $^2P^o_{3/2}$ parent levels, which generally dominate the populations of the recombining ion N^{2+} under typical nebular physical conditions. The relative populations of the two fine-structure levels deviate from the statistical weight ratio, 1 : 2, which is assumed in all work hitherto on this ion. The deviation affects the populations of the high Rydberg states, and consequently total dielectronic recombination coefficients at low-density and low-temperature conditions.

We model the N^{2+} populations with a five level atom comprising the two levels of the $^2P^o$ term and the three levels of the 4P term, although it should be noted that the populations of the three 4P levels are almost negligible in the nebular conditions considered here (Section 4.5). The relative populations are assumed to be determined only by collisional excitation, collisional de-excitation and spontaneous radiative decay. Transition probabilities were taken from Fang et al. (1993) and thermally averaged collision strengths from Nussbaumer & Storey (1979) and Butler & Storey (private communication).

Figure 3 shows the fractional populations of the $N^{2+} \ ^2P^o_{1/2}$ and $^2P^o_{3/2}$ fine-structure levels at several electron temperatures and as a function of electron density, ranging from 10^2 to 10^6 cm^{-3} , applicable to PNe and H II regions. The fractional populations vary significantly below 10^4 cm^{-3} and converge to the thermalized values at higher densities.




Fig. 2. Schematic figure showing the low-temperature (≤ 250 K) dielectronic recombination of N II through the fine-structure autoionizing levels between the two lowest ionization thresholds of N III $2P^o_{1/2}$ and $2P^o_{3/2}$. The electrons captured to the high- n autoionizing levels decay to low- n bound states through cascades and optical recombination lines (ORLs) are thus emitted. Here Multiplets V3, V19 and V39 are presented as examples.

3.4. The Cases A and B

Baker & Menzel (1938) define the Cases A and B with reference to the recombination spectrum of hydrogen. In N II, there are five low-lying levels belonging to the ground configuration $2s^2 2p^2$, $^3P^e_{0,1,2}$, $^1D^e_2$ and $^1S^e_0$. Just as in Kisielius & Storey (2002), we define two cases for N II. In Case A, all emission lines are assumed to be optically thin. In Case B, lines terminating on the three lowest levels $^3P^e_{0,1,2}$ are assumed to be optically thick and no radiative decays to these levels are permitted when calculating the population structure. The latter case is generally a better approximation for most nebulae.

4. Results and discussion

4.1. Effective recombination coefficients

The population structure of N^+ has been calculated for electron temperature $\log T_e[\text{K}] = 2.1 \sim 4.3$, with a step of 0.1 in logarithm, and for the electron density $N_e = 10^2 \sim 10^6 \text{ cm}^{-3}$, also with a step of 0.1 in logarithm. Constrained by the range of the exponential factors involved in the calculation of the departure coefficients using the Saha-Boltzmann equation, calculation of the effective recombination coefficients starts from 125 K ($\log T_e = 2.1$). For electron densities greater than 10^6 cm^{-3} , as pointed out by Kisielius & Storey (2002), it is necessary to include l -changing collisions for $n < 11$. This is however beyond the scope of the current treatment.

In Tables 3, 4, 5 and 6 we present the effective recombination coefficient, $\alpha_{\text{eff}}(\lambda)$, in units of $\text{cm}^3 \text{ s}^{-1}$, for strongest N II transitions with valence electron orbital angular momentum quantum number $l \leq 5$, at electron densities $N_e = 10^2, 10^3, 10^4$ and 10^5

cm^{-3} , respectively, in Case B. The effective recombination coefficient is defined such that the emissivity $\epsilon(\lambda)$, in a transition of wavelength λ is given by

$$\epsilon(\lambda) = N_e N_+ \alpha_{\text{eff}}(\lambda) \frac{hc}{\lambda} \quad [\text{ergs cm}^{-3} \text{ s}^{-1}]. \quad (2)$$

Transitions included in the tables are selected according to the following criteria:

- (1) $\lambda \geq 912 \text{ \AA}$;
- (2) $\alpha_{\text{eff}}(\lambda) \geq 1.0 \times 10^{-14} \text{ cm}^3 \text{ s}^{-1}$ at $T_e = 1000 \text{ K}$ for all N_e 's, and $\geq 1.0 \times 10^{-15} \text{ cm}^3 \text{ s}^{-1}$ at all T_e 's and N_e 's;

(3) All fine-structure components are presented for multiplets from the 3d - 3p and 3p - 3s configurations. For the 4f - 3d configurations, a few selected multiplets are listed, but only V38 and V39 includes all the individual components. These transitions fall in the visible part of the spectrum and among them are the strongest recombination lines of N II.

In Tables 3, 4, 5 and 6, the wavelengths of all the 4 - 3 and 3 - 3 transitions and majority of the 5 - 4 and 5 - 3 transitions are experimentally known. All the wavelengths of the 6 - 5 and 6 - 4 transitions are predicted. Our calculated wavelengths, derived from the experimental energies, agree with the experimentally known wavelengths within 0.001%. Our predicted wavelengths for experimentally unknown transitions agree with those predicted by Hirata & Horaguchi (1995) within 0.007% except for one 6d - 3p transition wavelength which differs by 0.24 \AA . However, this transition is spectroscopically less important compared to the 4 - 3 and 3 - 3 ones.

In these tables, we use the pair-coupling notation $L[K]_J^r$ for the states belonging to the $(^2P^o)nf$ and ng configurations, as in Eriksson (1983). As shown by Cowan (1981), pair-coupling is




Fig. 3. Fractional populations of the $N^{2+} 2P^o_{1/2}$ and $2P^o_{3/2}$ parent levels. The red solid and blue dashed curves represent the populations of the $2P^o_{1/2}$ and $2P^o_{3/2}$ levels, respectively. Four temperature cases, 200 K, 1,000 K, 5,000 K and 10,000 K are shown.

probably appropriate for the states of intermediate- l ($l = 3, 4$). The same notation is adopted for the ($2P^o$) nh configurations. For states belonging to low- l ($l \leq 2$) configurations, LS -coupling notation $2S+1L^{\pi}$ is used.

4.2. Effective recombination coefficient fits

We fit the effective recombination coefficients as a function of electron temperature in logarithmic space with analytical expressions for selected transitions, using a non-linear least-square algorithm. Tables 7, 8, 9, 10, 11, 12, 13 and 14 present fit parameters and maximum deviations $\delta[\%]$ for four densities, $N_e = 10^2$, 10^3 , 10^4 and 10^5 cm^{-3} . Only strongest optical transitions are presented, including multiplets V3, V5, V19, V20, V28, V29, V38 and V39. As the dependence of recombination coefficient on T_e at electron temperatures below 10,000 K is different from that at high temperatures (10,000 ~ 20,000 K in our case), we use different expressions for the two temperature regimes.

For the low-temperature regime, $T_e < 10,000 \text{ K}$, effective recombination coefficients are dominated by contribution from radiative recombination α_{rad} , which has a relatively simple dependence on electron temperature, $\alpha_{\text{rad}} \propto T_e^{-a}$, where $a \sim 1$. At low temperatures, dielectronic recombination through low-lying autoionizing states are also important for ions such as C II, N II, O II, Ne II (Storey 1981, 1983; Nussbaumer & Storey 1983, 1984, 1986, 1987). Considering the fact that direct radiative recombination rate is nearly a linear function of temperature in logarithm, and the deviation introduced by dielectronic recom-

bination, we use a five-order polynomial expression to fit the effective recombination coefficient,

$$\alpha = a_0 + a_1 t + a_2 t^2 + a_3 t^3 + a_4 t^4 + a_5 t^5, \quad (3)$$

where $\alpha = \log_{10} \alpha_{\text{eff}} + 15$ and $t = \log_{10} T_e$, and a_0, a_1, a_2, a_3, a_4 and a_5 are constants.

For the high-temperature regime, $10,000 \leq T_e \leq 20,000 \text{ K}$, the contribution from dielectronic recombination, α_{DR} , can significantly exceed that of direct radiative recombination (Burgess 1964). Dielectronic recombination coefficient α_{DR} has a complex exponential dependence on T_e (Seaton & Storey 1976; Storey 1981), $\alpha_{\text{DR}} \propto T_e^{-3/2} \exp(-E/kT_e)$, where E is the excitation energy of an autoionizing state, to which a free electron is captured, relative to the ground state of the recombining ion (N^{2+} in our case) and k is the Boltzmann constant. The expression adopted for this temperature regime is,

$$\alpha = (b_0 + b_1 t + b_2 t^2 + b_3 t^3 + b_4 t^4) \times t^{b_5} \times \exp(b_6 t), \quad (4)$$

where $\alpha = \log_{10} \alpha_{\text{eff}} + 15$ and $t = T_e[\text{K}]/10^4$, the reduced electron temperature, and $b_0, b_1, b_2, b_3, b_4, b_5$ and b_6 are constants.

In order to make the data fits accurate for the high-temperature regime, $10,000 \leq T_e \leq 20,000 \text{ K}$, where the original calculations are carried out for only four temperature cases ($\log T_e[\text{K}] = 4.0, 4.1, 4.2$ and 4.3), nine more temperature cases are calculated. For the temperature region $\log T_e[\text{K}] = 3.9 \sim 4.0$, two more temperature cases are also calculated, so that the data fits near 10,000 K are accurate enough. Figure 4 is an example of

the fit to the effective recombination coefficients of the N II V3 $2s^2 2p 3p^3 D^e_3 - 2s^2 2p 3s^3 P^o_2$ $\lambda 5679.56$ transition.

By using different expressions for the two temperature regimes, we manage to control the maximum fitting errors to well within 0.5 per cent.

4.3. Relative intensities within N II multiplets

As mentioned in the Section 3.4 above, the populations of the ground fine-structure levels $^2P^o_{1/2,3/2}$ of the recombining ion N²⁺ vary with electron density under typical nebular conditions. The variations are reflected in the relative intensities of the resultant recombination lines of N II, which arise from upper levels with the same orbital angular momentum quantum number l but of different parentage, i.e., $^2P^o_{1/2}$ and $^2P^o_{3/2}$ in the current case. A number of such recombination lines have been observed in photoionized gaseous nebulae including PNe and H II regions, and their intensity ratios can thus be used for density diagnostics.

As the relative populations of $^2P^o_{1/2,3/2}$ vary with N_e , so do the fractional intensities of individual fine-structure components within a given multiplet of N II. The most prominent N II multiplets in the optical include: V3 $2s^2 2p 3p^3 D^e - 2s^2 2p 3s^3 P^o$, V19 $2s^2 2p 3d^3 F^o - 2s^2 2p 3p^3 D^e$ and V39 $2s^2 2p 4f G[7/2,9/2]^e - 2s^2 2p 3d^3 F^o$.

4.3.1. $2s^2 2p 3p^3 D^e - 2s^2 2p 3s^3 P^o$ (V3)

The fractional intensities of fine-structure components of Multiplet V3, $2s^2 2p 3p^3 D^e - 2s^2 2p 3s^3 P^o$, are presented in Figure 5. The strongest component is $\lambda 5679.56$, which forms from core $^2P^o_{3/2}$ capturing an electron plus cascades from higher states, while the second strongest component $\lambda 5666.63$ can form, in addition, from recombination of core $^2P^o_{1/2}$.

For the target N III, the population of the fine-structure level $^2P^o_{3/2}$ relative to $^2P^o_{1/2}$ increases with electron density N_e due to collisional excitation, and consequently, so does the intensity of the $\lambda 5679.56$ line relative to the $\lambda 5666.63$ line. Their intensity ratio peaks around $N_e = 2,000 \text{ cm}^{-3}$, the critical density N_c of the level $^2P^o_{3/2}$, and then decreases as N_e increases further. The relative intensities of all components converge to constant values at high densities ($\geq 10^5 - 10^6 \text{ cm}^{-3}$), as the relative populations of the ground fine-structure levels of the target N III approach the Boltzmann distribution.

The line ratio $I(\lambda 5679.56)/I(\lambda 5666.63)$ thus serves as a density diagnostic for nebulae of low and intermediate densities, $N_e \leq 10^5 \text{ cm}^{-3}$. At very low electron temperatures, where kT_e is comparable to the $^2P^o_{1/2} - ^2P^o_{3/2}$ energy separation, the sensitivity to density in the components of V3 is reduced. This arises because, at very low temperatures, the states ($^2P^o_{3/2}$)nl are populated more significantly by dielectronic capture from the ($^2P^o_{1/2}$)kl continuum than by direct recombination on N²⁺ ($^2P^o_{3/2}$). The density dependence of the population distribution between the $^2P^o_{1/2}$ and $^2P^o_{3/2}$ is then of less importance.

4.3.2. $2s^2 2p 3d^3 F^o - 2s^2 2p 3p^3 D^e$ (V19)

The fractional intensities of fine-structure components of Multiplet V19, $2s^2 2p 3d^3 F^o - 2s^2 2p 3p^3 D^e$, are presented in Figure 6. The strongest component, $\lambda 5005.15$, forms exclusively from recombination of target $^2P^o_{3/2}$ plus cascades, while the second and third strongest components of almost identical wave-

lengths, $\lambda 5001.48$ and $\lambda 5001.14$, can form, in addition, from recombination of the ground target $^2P^o_{1/2}$.

At very low densities of about 10^2 cm^{-3} , $^2P^o_{1/2}$ dominates the population of N III, and this is manifested by the intensity of the $\lambda 5005.15$ line being lower than the $\lambda 5001.48$ line and than $\lambda 5001.14$ by a further amount. As electron density increases, the intensity of the $\lambda 5005.15$ line relative to the $\lambda 5005.48/15$ lines increases and peaks around $2,000 \text{ cm}^{-3}$. At densities above 10^5 cm^{-3} , the fractional populations of all components converge to constant values. The trends are similar to Multiplet V3 discussed above.

The intensity ratio $I(\lambda 5005.15)/I(\lambda 5001.48 + \lambda 5001.14)$ serves as another potential density diagnostic. In reality, however, given the closeness in wavelength of the $\lambda 5005.15$ line to the [O III] $\lambda 5007$ nebular line, which is often several orders of magnitude (3 - 4) brighter, accurate measurement of $\lambda 5005.15$ line is essentially impossible.

4.3.3. $2s^2 2p 4f G[7/2,9/2]^e - 2s^2 2p 3d^3 F^o$ (V39)

The fractional intensities of fine-structure components of Multiplet V39, $2s^2 2p 4f G[7/2,9/2]^e - 2s^2 2p 3d^3 F^o$, are presented in Figure 7. The strongest component $\lambda 4041.31$ forms exclusively from recombination of target $^2P^o_{3/2}$ plus cascades from higher states, while the second and third strongest components, $\lambda 4035.08$ and $\lambda 4043.53$, which have comparable intensities, can form, in addition, from recombination of target $^2P^o_{1/2}$.

The behaviour of the intensity of the $\lambda 4041.31$ line relative to those of the $\lambda 4035.08$ and $\lambda 4043.53$ lines as a function of electron density is quite similar to those of their counterparts of Multiplets V3 and V19 discussed above.

The line ratios $I(\lambda 4041.31)/I(\lambda 4035.08)$ and $I(\lambda 4041.31)/I(\lambda 4043.53)$ can in principle serve as additional density diagnostics. There are however complications in their applications:

(1) All fine-structure components of Multiplet V39 $2s^2 2p 4f G[7/2,9/2]^e - 2s^2 2p 3d^3 F^o$ are extremely faint. The strongest component $\lambda 4041.31$ is 2 - 3 times fainter than $\lambda 5679.56$, the strongest component of V3, while the latter is typically one thousand times fainter than H β in a real nebula.

(2) The $\lambda 4041.31$ line is blended with the O II recombination line $\lambda 4041.29$ of Multiplet V50c $2p^2 4f F[2]^o_{5/2} - 2p^2 3d^4 F^e_{5/2}$, while the $\lambda 4035.08$ line is blended with the O II lines $\lambda 4035.07$ of Multiplet V50b $2p^2 4f F[3]^o_{5/2} - 2p^2 3d^4 F^e_{5/2}$ and $\lambda 4035.49$ of Multiplet V50b $2p^2 4f F[3]^o_{7/2} - 2p^2 3d^4 F^e_{5/2}$.

4.4. Plasma diagnostics

Unlike the UV and optical CELs, whose emissivities have an exponential dependence on T_e (Osterbrock & Ferland 2006), emissivities of heavy element ORLs have only a relatively weak, power-law dependence on T_e . The dependence varies for lines originating from levels of different orbital angular momentum quantum number l . Thus the relative intensities of ORLs can also be used to derive electron temperature, provided very accurate measurements can be secured (Liu 2003; Liu et al. 2004; Tsamis et al. (2004)). In the case of N II, the intensity ratio of $\lambda 5679.56$ and $\lambda 4041.31$ lines, the strongest components of Multiplets V3 $3p^3 D^e - 3s^3 P^o$ and V39 $4f G[9/2]^e - 3d^3 F^o$, respectively, has a relatively strong temperature dependence, and thus can serve as a temperature diagnostic. As shown in Section 4.3 above, the N II line ratio $I(\lambda 5679.56)/I(\lambda 5666.63)$ is a good density diagnostic. Combining the two line ra-




Fig. 4. Analysis fit to the effective recombination coefficients for the N II V3 $3p\ ^3D_3 - 3s\ ^3P_0\ \lambda 5679.56$ line, at $N_e = 1000\ \text{cm}^{-3}$. Sub-figure (a) shows the data fit for the low-temperature regime $T_e < 10,000\ \text{K}$, and Sub-figure (b) for the high-temperature regime $10,000 \leq T_e \leq 20,000\ \text{K}$. In both Sub-figures, solid lines are fitting equations (Equ. 3 for Sub-figure (a) and Equ. 4 for (b)), and plus signs “+” are the calculated data for all the temperatures.

tios thus allows one to determine T_e and N_e simultaneously. Figure 8 shows the loci of N II recombination line ratios $I(\lambda 5679.56)/I(\lambda 5666.63)$ and $I(\lambda 5679.56)/I(\lambda 4041.31)$ for different electron temperatures and densities. With high quality measurements of the two line ratios, one can readout T_e and N_e directly from the diagram.

Ions such as N II and O II have a rich optical recombination line spectrum. Rather than relying on specific line ratios, it is probably beneficial and more robust to determine T_e and N_e by fitting all lines with a good measurement and free from blending simultaneously. Details about this approach and its application to photoionized gaseous nebulae will be the subject of a subsequent paper.

4.5. Population of excited states of N^{2+}

In the current calculations of the effective recombination coefficients of N II, we have assumed that only the ground fine-structure levels of the recombining ion, $N^{2+}\ 2s^2 2p\ ^2P^o_{1/2,3/2}$, are populated. This is a good approximation under typical nebular conditions. The first excited spectral term of N^{2+} , $2s2p^2\ ^4P$, lies $57\ 161.7\ \text{cm}^{-1}$ above the ground term (Eriksson 1983), and the population of this term is 1.75×10^{-6} relative to that of the ground term $^2P^o$ even at the highest temperature and density considered in the current work, $T_e = 20,000\ \text{K}$ and $N_e = 10^6\ \text{cm}^{-3}$. Recombination from the $2s2p^2\ ^4P$ term is thus completely negligible.

4.6. Total recombination coefficients

Calculations presented in the current work are carried out in intermediate coupling in Case B, representing a significant improvement compared to Kisielius & Storey (2002), in which the calculations are entirely in LS -coupling. In our calculations, we have also considered the fact that the ground term of N^{2+} comprises two fine-structure levels, $^2P^o_{1/2}$ and $^2P^o_{3/2}$, and the populations of those two levels deviate from the Boltzmann distribution under typical nebular densities. We thus treat the recombination of the high- l states using the close-coupling photoion-

ization data incorporating the population distribution among the $^2P^o_J$ levels. The critical electron density, at which the rates of collisional de-excitation and radiative decay from $^2P^o_{3/2}$ to $^2P^o_{1/2}$ are equal, is approximately $2,000\ \text{cm}^{-3}$. At this density, our calculation shows that the populations of the $^2P^o_{1/2}$ and $^2P^o_{3/2}$ levels differ from their Boltzmann values by approximately 34% at $T_e = 10,000\ \text{K}$. The difference given by Kisielius & Storey (2002) at this density is 30%.

In Table 15, we compare our direct recombination coefficients with those calculated by Nahar (1995) and by Kisielius & Storey (2002). The calculations of Nahar (1995) and Kisielius & Storey (2002) are both in LS -coupling, and the N II states are not J -resolved. Their direct recombination coefficients are all to spectral term $^{2S+1}L^{\pi}$. Our present calculations are in intermediate coupling, and recombinations are all to J -resolved levels. In order to compare to their results, we sum the direct recombination coefficients to all the fine-structure levels belonging to individual spectral terms.

At 1,000 K, the differences between the results of Kisielius & Storey (2002) and ours are less than 10% for most cases, except for the state $2s2p^3\ ^3S^o$. For this state, our direct recombination coefficient is 50% larger than that of Kisielius & Storey (2002).

At this temperature (1,000 K is about 0.1 eV), we believe we have found out the exact energy positions for all the resonances below 0.1 Ryd above the ionization threshold of N III $2p\ ^2P^o_{1/2}$. This region contains most of the important resonances that dominate the total recombination rate. In our photoionization calculations, all resonances from those of widths as narrow as 10^{-9} Ryd to those of widths as wide as 10^{-4} Ryd, are properly resolved using a highly adaptive energy mesh. There are typically about 22 points sampling each resonance. In the calculation by Kisielius & Storey (2002), the number is about ten, while in Nahar (1995) a fixed interval of 0.0004 Ryd is used in this energy range.

The three low-lying resonances, 3P , 3D and 3F belonging to the $2s2p^2(^4P)3d$ configuration, are situated between 0.075 and 0.085 Ryd above the ionization threshold of $^2P^o_{1/2}$ (Kisielius & Storey 2002). For the state $2s2p^3\ ^3S^o$, one of the main sources of recombination is from the term 3P belonging to the $2s2p^2(^4P)3d$




Fig. 5. Fractional intensities of components of Multiplet V3: $2s^22p3p^3D^e - 2s^22p3s^3P^o$. The numbers in brackets following the wavelength labels are the total angular momentum quantum numbers $J_2 - J_1$ of the upper to lower levels of the transition. Components from upper levels of the same total angular momentum quantum number J are represented by same colour and line type. Four temperature cases, $\log_{10}T_e = 2.5, 3.0, 3.5$ and 4.0 K, are presented.

configuration. There are three fine-structure resonance levels of the 3P term with quantum numbers $J = 0, 1$ and 2 . The full widths of these three resonances are 1.02×10^{-4} Ryd for $^3P_0^e$, 1.35×10^{-5} Ryd for $^3P_1^e$ and 1.42×10^{-5} Ryd for $^3P_2^e$. The steps of energy mesh adopted for the three resonances are: 4.64×10^{-6} Ryd for $^3P_0^e$, 6.14×10^{-7} Ryd for $^3P_1^e$ and 6.46×10^{-7} Ryd for $^3P_2^e$.

Our calculations are carried out entirely in intermediate coupling. This leads to a high recombination rate to the $2s2p^3^3S^o$ state, produced by radiative intercombination transitions (transitions between levels of different total spins) from levels above the ionization threshold to the $2s2p^3^3S^o$ level. The widths of such intercombination transitions are usually much narrower than those of allowed transitions. For example, the resonance level $^5P^e_1$ belonging to the configuration $2s2p^2(^4P)3d$ lies about 0.051 Ryd above the ionization threshold, and it can decay to the level $2s2p^3^3S^o_1$ via an intercombination transition. The width of this resonance is 2.49×10^{-9} Ryd, and the energy interval of the photoionization mesh is set to 1.13×10^{-10} Ryd. Intercombination transitions were not considered in Kisielius & Storey (2002), given the calculations were in LS -coupling.

At $1,000$ K, the differences between the calculations of Nahar (1995) and ours are smaller than 10% , except for states belonging to the $2s2p^3$ configuration.

At $10,000$ K, the differences between the calculations of Kisielius & Storey (2002) and ours are all better than 10% . The agreement for the state $2s2p^3^3S^o$ is particularly good.

At this temperature, the differences between the results of Nahar (1995) and ours are within 15% , except for states $^3S^o$, $^3P^o$ and $^3D^o$ belonging to the configuration $2s2p^3$, where the differences are larger than 30% . The large discrepancies are likely to be caused by the coarse energy mesh adopted by Nahar (1995) for the photoionization calculations, leading to the recombination rates to states belonging to the $2s2p^3$ configuration being underestimated.

In Table 15, we compare our total direct recombination coefficients, which are the sum of all the direct recombination coefficients to individual atomic levels with $n \leq 35$, with those of Nahar (1995) and Kisielius & Storey (2002). At $1,000$ K, our total recombination coefficient is 13 per cent lower than that of Kisielius & Storey (2002). That is probably because the sum only reaches up to $n = 35$. At $10,000$ K, our total recombination coefficient is higher than the other two.

5. Conclusion

Effective recombination coefficients for the N^+ recombination line spectrum have been calculated in Case B for a wide range of electron density and temperature. The results are fitted with analytical formulae as a function of electron temperature for different electron densities, to an accuracy of better than 0.5% .




Fig. 6. Same as Fig. 5 but for Multiplet V19: $2s^22p3d^3F^o - 2s^22p3p^3D^e$.

The high quality basic atomic data adopted in the current work, including photoionization cross-sections, bound-bound transition probabilities, and bound state energy values, were obtained from R-matrix calculations for all bound states with $n \leq 11$ in the intermediate coupling scheme. All major resonances near the ionization thresholds were properly resolved. In calculating the N II level populations, we took into account the fact that the populations of the ground fine-structure levels of the recombining ion N^{2+} deviate from the Boltzmann distribution. Fine-structure dielectronic recombination, which occurs through high Rydberg states lying between the doublet $2P^o_{1/2,3/2}$ thresholds and is very effective at low temperatures (≤ 250 K), was also included in the current investigation. The calculations extend to $l \leq 4$.

The effective recombination coefficients for the N II recombination spectrum presented in the current work represent recombination processes under typical nebular conditions. The sensitivity of individual lines within a multiplet to the density and temperature of the emitting medium opens up the possibility of electron temperature and density diagnostics and abundance determinations which were not possible with earlier theory.

References

- Badnell, N. R., 1986, *J. Phys. B* 19, 3827
 Baker, J. G., Menzel, D. H., 1938, *ApJ* 88, 52
 Berrington, K. A., Burke, P. G., Butler, K., Seaton, M. J., Storey, P. J., Taylor, K. T., Yu Yan, 1987, *J. Phys. B* 20, 6379
 Burgess, A., Seaton, M. J., 1960, *MNRAS* 120, 121
 Burgess, A., 1964, *ApJ* 139, 776
 Cowan, R. D. 1981, *The Theory of Atomic Structure and Spectra* (Berkeley, CA: University of California Press)
 Eissner, W., Jones, M., Nussbaumer, H., 1974, *Comp. Phys. Commun.* 8, 270
 Eriksson, K. B. S., 1983, *Physica Scripta* 28, 593
 Escalante, V., Victor, G. A., 1990, *ApJS* 73, 513
 Fang, Z., Kwong, V. H. S., Parkinson, W. H., 1993, *ApJ* 413, L141
 Gailitis, M., 1963, *Sov. Phys. JETP* 17, 1328
 Hirata, R., Horaguchi, T., 1995, *Atomic Spectral Line List*, Kyoto University
 Hummer, D. G., Berrington, K. A., Eissner, W., Pradhan, A. K., Saraph, H. E., Tully, J. A., 1993, *A&A* 279, 298
 Hummer, D. G., Storey, P. J., 1987, *MNRAS* 224, 801
 Kisielius, R., Storey, P. J., 1999, *A&AS*, 137, 157
 Kisielius, R., Storey, P. J., Davey, A. R., Neale, L., 1998, *A&AS* 133, 257
 Kisielius, R., Storey, P. J., 2002, *A&A* 387, 1135
 Liu, X.-W., 2003, In: Kwok, S., Dopita, M., Sutherland, R. (eds.), *IAU Symp. #209, Planetary Nebulae: Their evolution and Role in the Universe* (San Francisco: ASP) P.339
 Liu, X.-W., 2006a, In: Walsh, J., Stanghellini, L., Douglas, N. (eds.), *Planetary Nebulae beyond the Milky Way* (Berlin: Springer-Verlag) P.169
 Liu, X.-W., Barlow, M. J., Zhang, Y., Bastin, R. J., Storey, P. J., 2006, *MNRAS* 368, 1959
 Liu, X.-W., 2006b, In: Barlow, M. J., Méndez, R. H. (eds.), *IAU Symp. #234, Planetary Nebulae in our Galaxy and Beyond, Proceedings of IAU Symposium* (Cambridge: Cambridge University Press) P.219
 Liu, X.-W., Storey, P. J., Barlow, M. J., Clegg, R. E. S., 1995, *MNRAS* 272, 369
 Liu, X.-W., Storey, P. J., Barlow, M. J., Danziger, I. J., Cohen, M., Bryce, M., 2000, *MNRAS* 312, 585
 Liu, X.-W., Luo, S.-G., Barlow, M. J., Danziger, I. J., Storey, P. J., 2001, *MNRAS* 327, 141
 Liu, Y., Liu, X.-W., Barlow, M. J., Luo, S.-G., 2004, *MNRAS* 353, 1251
 Luo, S.-G., Liu, X.-W., Barlow, M. J., 2001, *MNRAS* 326, 1049
 Nahar, S. N., 1995, *ApJS* 101, 423
 Nussbaumer, H., Storey, P. J., 1978, *A&A* 64, 139
 Nussbaumer, H., Storey, P. J., 1979, *A&A* 71, L5
 Nussbaumer, H., Storey, P. J., 1983, *A&A* 126, 75




Fig. 7. Same as Fig. 5 but for Multiplet V39: $2s^22p4fG[7/2,9/2]^e - 2s^22p3d^3F^o$.

- Nussbaumer, H., Storey, P. J., 1984, A&AS 56, 293
 Nussbaumer, H., Storey, P. J., 1986, A&AS 64, 545
 Nussbaumer, H., Storey, P. J., 1987, A&AS 69, 123
 Osterbrock, D. E., Ferland, G. J., 2006, Astrophysics of Gaseous Nebulae and Active Galactic Nuclei, 2nd edition (Sausalito, California: University Science Books) Chapter 5, p.108
 Peach, G., 1967, Mem. R. Astron. Soc. 71, 1
 Péquignot, D., Petitjean, P., Boisson, C., 1991, A&A 251, 680
 Seaton, M. J., 1987, J. Phys. B 20, 6363
 Seaton, M. J., Storey, P. J., 1976, Atomic Processes and Applications (Amsterdam: North-Holland Publishing Company) p.134
 Storey, P. J., 1981, A&A 195, 27
 Storey, P. J., 1983, IAU Symp. 103. Planetary nebulae, ed. D.R. Flower, Reidel, Dordrecht, p.199
 Storey, P. J., 1994, A&A 282, 999
 Storey, P. J., Hummer, D. G., 1991, Comp. Phys. Commun. 66, 129
 Storey, P. J., Hummer, D. G., 1995, MNRAS 272, 41
 Tsamis, Y. G., Barlow, M. J., Liu, X.-W., Storey, P. J., Danziger, I. J., 2004, MNRAS, 353, 953




Fig. 8. Loci of the N II recombination line ratios $I(\lambda 5679.56)/I(\lambda 5666.63)$ and $I(\lambda 5679.56)/I(\lambda 4041.31)$ for different T_e 's and N_e 's.

Table 3. Case B effective recombination coefficients [$10^{-15} \text{ cm}^3 \text{ s}^{-1}$] for electron density $N_e = 10^2 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	T_e [K]							
		125	500	1000	5000	10,000	15,000	20,000	
6h – 5g									
2p6h $I[13/2]_6^e - 2p5g H[11/2]_5^o$	18622.57	1.54e+3	3.44e+2	1.43e+2	1.47e+1	5.24e+0	2.88e+0	1.84e+0	
2p6h $H[11/2]_6^e - 2p5g G[9/2]_5^o$	18481.01	1.71e+3	3.75e+2	1.55e+2	1.66e+1	6.01e+0	3.33e+0	2.14e+0	
2p6h $H[11/2]_5^e - 2p5g G[9/2]_4^o$	17964.67	1.42e+3	3.12e+2	1.29e+2	1.38e+1	5.00e+0	2.76e+0	1.78e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18480.67	1.37e+3	3.02e+2	1.25e+2	1.32e+1	4.80e+0	2.65e+0	1.70e+0	
2p6h $G[9/2]_4^e - 2p5g F[7/2]_3^o$	18549.42	1.09e+3	2.40e+2	9.94e+1	1.05e+1	3.82e+0	2.11e+0	1.36e+0	
2p6h $G[7/2]_4^e - 2p5g F[5/2]_3^o$	18679.36	9.71e+2	2.18e+2	9.02e+1	9.19e+0	3.24e+0	1.78e+0	1.14e+0	
2p6h $I[13/2]_7^e - 2p5g H[11/2]_6^o$	18622.64	1.80e+3	4.02e+2	1.67e+2	1.72e+1	6.12e+0	3.36e+0	2.15e+0	
2p6h $H[9/2]_4^e - 2p5g G[7/2]_3^o$	18533.26	1.59e+3	3.97e+2	2.04e+2	3.69e+1	1.59e+1	9.50e+0	6.43e+0	
2p6h $I[11/2]_6^e - 2p5g H[9/2]_5^o$	18546.53	2.41e+3	6.04e+2	3.10e+2	5.61e+1	2.41e+1	1.44e+1	9.78e+0	
2p6h $I[11/2]_5^e - 2p5g H[9/2]_4^o$	19170.43	2.01e+3	5.02e+2	2.58e+2	4.66e+1	2.01e+1	1.20e+1	8.12e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18533.26	2.00e+3	5.00e+2	2.57e+2	4.64e+1	2.00e+1	1.19e+1	8.09e+0	
6g – 5f									
2p6g $G[9/2]_4^o - 2p5f F[7/2]_3^e$	17930.73	2.74e+2	8.54e+1	5.08e+1	1.34e+1	6.66e+0	4.29e+0	3.07e+0	
2p6g $G[9/2]_5^o - 2p5f F[7/2]_4^e$	18277.37	3.41e+2	1.06e+2	6.32e+1	1.66e+1	8.27e+0	5.33e+0	3.82e+0	
2p6g $F[7/2]_3^o - 2p5f D[5/2]_2^e$	18230.35	2.01e+2	6.25e+1	3.72e+1	9.79e+0	4.87e+0	3.14e+0	2.24e+0	
2p6g $F[7/2]_4^o - 2p5f D[5/2]_3^e$	18222.01	2.64e+2	8.22e+1	4.89e+1	1.29e+1	6.41e+0	4.13e+0	2.95e+0	
6g – 4f									
2p6g $G[9/2]_4^o - 2p4f F[7/2]_3^e$	6413.23	2.55e+2	7.95e+1	4.73e+1	1.25e+1	6.20e+0	4.00e+0	2.86e+0	
2p6g $G[9/2]_5^o - 2p4f G[7/2]_4^e$	6556.32	1.56e+2	4.87e+1	2.90e+1	7.64e+0	3.80e+0	2.45e+0	1.76e+0	
2p6g $G[9/2]_5^o - 2p4f F[7/2]_4^e$	6456.97	3.26e+2	1.02e+2	6.05e+1	1.59e+1	7.93e+0	5.11e+0	3.66e+0	
2p6g $F[7/2]_3^o - 2p4f D[5/2]_2^e$	6446.53	2.24e+2	6.97e+1	4.15e+1	1.09e+1	5.43e+0	3.50e+0	2.49e+0	
2p6g $F[7/2]_4^o - 2p4f D[5/2]_3^e$	6445.34	2.96e+2	9.23e+1	5.49e+1	1.45e+1	7.19e+0	4.63e+0	3.31e+0	
6f – 3d									
2p6f $F[7/2]_4^e - 2p3d(^3F_3^o)$	2504.19	* ²	3.72e+2	5.57e+1	3.09e+1	9.20e+0	5.09e+0	3.53e+0	2.75e+0
2p6f $F[7/2]_3^e - 2p3d(^3F_2^o)$	2500.67	*	4.32e+2	6.44e+1	3.58e+1	1.07e+1	5.94e+0	4.13e+0	3.22e+0
2p6f $F[5/2]_2^e - 2p3d(^3D^o)$	2560.24	*	2.90e+2	4.28e+1	2.36e+1	6.97e+0	3.85e+0	2.66e+0	2.03e+0
2p6f $F[5/2]_3^e - 2p3d(^3D_2^o)$	2561.95	*	2.67e+2	3.94e+1	2.18e+1	6.45e+0	3.57e+0	2.47e+0	1.93e+0

² The asterisk “*” denotes this transition wavelength was derived from the experimentally known energies of the upper and lower states. The asterisks in Tables 4, 5 and 6 have the same meaning.

Table 3. Continued.

Transition	$\lambda[\text{\AA}]$	T_e [K]							
		125	500	1000	5000	10,000	15,000	20,000	
6d – 3p 2p6d($^3F_3^o$) – 2p3p($^3D_2^e$)	1680.27	2.15e+2	3.37e+1	1.94e+1	6.84e+0	4.33e+0	3.42e+0	3.65e+0	
5g – 4f									
2p5g $F[5/2]_3^o$ – 2p4f $D[3/2]_2^e$	10108.45	*	1.06e+3	2.44e+2	1.03e+2	1.08e+1	3.86e+0	2.12e+0	1.37e+0
2p5g $H[11/2]_5^o$ – 2p4f $G[9/2]_5^e$	10023.27	*	2.39e+3	5.48e+2	2.30e+2	2.45e+1	8.82e+0	4.86e+0	3.11e+0
2p5g $H[11/2]_5^o$ – 2p4f $G[9/2]_4^e$	10035.44	*	1.92e+3	4.41e+2	1.86e+2	1.98e+1	7.11e+0	3.92e+0	2.52e+0
2p5g $G[9/2]_4^o$ – 2p4f $G[7/2]_3^e$	9941.81	*	6.30e+2	1.67e+2	8.94e+1	1.84e+1	8.42e+0	5.20e+0	3.61e+0
2p5g $G[9/2]_4^o$ – 2p4f $F[7/2]_3^e$	9718.59	*	1.95e+3	5.17e+2	2.77e+2	5.72e+1	2.61e+1	1.61e+1	1.12e+1
2p5g $G[7/2]_3^o$ – 2p4f $F[5/2]_3^e$	10070.12	*	1.03e+3	2.32e+2	9.74e+1	1.07e+1	3.94e+0	2.20e+0	1.43e+0
2p5g $H[9/2]_2^o$ – 2p4f $G[7/2]_4^e$	9969.33	*	1.60e+3	3.58e+2	1.50e+2	1.66e+1	6.10e+0	3.40e+0	2.21e+0
2p5g $G[7/2]_4^o$ – 2p4f $F[5/2]_3^e$	10085.72	*	1.40e+3	3.15e+2	1.32e+2	1.45e+1	5.35e+0	2.98e+0	1.94e+0
2p5g $G[9/2]_2^o$ – 2p4f $G[7/2]_4^e$	10126.15	*	8.05e+2	2.13e+2	1.14e+2	2.36e+1	1.08e+1	6.64e+0	4.61e+0
2p5g $G[9/2]_5^o$ – 2p4f $F[7/2]_4^e$	9891.10	*	2.47e+3	6.54e+2	3.51e+2	7.24e+1	3.30e+1	2.04e+1	1.42e+1
2p5g $H[9/2]_2^o$ – 2p4f $G[7/2]_5^e$	10118.53	*	1.31e+3	2.94e+2	1.23e+2	1.36e+1	5.01e+0	2.79e+0	1.81e+0
2p5g $F[7/2]_3^o$ – 2p4f $D[5/2]_2^e$	9868.20	*	1.65e+3	4.36e+2	2.34e+2	4.82e+1	2.20e+1	1.36e+1	9.41e+0
2p5g $F[7/2]_4^o$ – 2p4f $F[5/2]_3^e$	10250.19	*	3.60e+2	9.52e+1	5.11e+1	1.05e+1	4.80e+0	2.96e+0	2.05e+0
2p5g $F[7/2]_4^o$ – 2p4f $D[5/2]_3^e$	9865.42	*	2.18e+3	5.78e+2	3.10e+2	6.38e+1	2.91e+1	1.80e+1	1.25e+1
5f – 4d									
2p5f $F[7/2]_4^e$ – 2p4d($^3D_3^o$)	9281.06	*	4.14e+2	7.22e+1	4.03e+1	1.12e+1	5.99e+0	4.06e+0	3.10e+0
2p5f $F[7/2]_5^e$ – 2p4d($^3D_2^o$)	8772.93	*	3.05e+2	5.31e+1	2.98e+1	8.34e+0	4.46e+0	3.03e+0	2.32e+0
2p5f $F[5/2]_2^e$ – 2p4d($^3D_1^o$)	9242.02	*	3.31e+2	5.72e+1	3.19e+1	8.86e+0	4.72e+0	3.20e+0	2.42e+0
2p5f $F[5/2]_3^e$ – 2p4d($^1D_2^o$)	8983.28	*	3.15e+2	5.44e+1	3.04e+1	8.45e+0	4.50e+0	3.05e+0	2.33e+0
5f – 3d									
2p5f $G[9/2]_5^e$ – 2p3d($^3F_4^o$)	2885.27	*	4.16e+2	1.08e+2	4.89e+1	6.38e+0	2.53e+0	1.49e+0	1.09e+0
2p5f $D[5/2]_3^e$ – 2p3d($^3P_2^o$)	3082.20	*	2.35e+2	6.20e+1	3.06e+1	5.91e+0	2.86e+0	1.86e+0	1.36e+0
2p5f $G[7/2]_4^e$ – 2p3d($^3F_3^o$)	2884.25	*	1.71e+2	4.44e+1	2.19e+1	4.22e+0	2.04e+0	1.34e+0	1.07e+0
2p5f $G[7/2]_5^e$ – 2p3d($^3F_2^o$)	2879.75	*	1.76e+2	4.58e+1	2.25e+1	4.32e+0	2.09e+0	1.38e+0	1.10e+0
2p5f $F[7/2]_4^e$ – 2p3d($^3D_3^o$)	2976.97	*	8.57e+2	1.49e+2	8.35e+1	2.33e+1	1.24e+1	8.41e+0	6.41e+0
2p5f $G[7/2]_4^e$ – 2p3d($^3F_3^o$)	2897.50	*	5.26e+2	9.16e+1	5.12e+1	1.43e+1	7.61e+0	5.16e+0	3.93e+0
2p5f $F[7/2]_3^e$ – 2p3d($^1D_2^o$)	2942.23	*	3.95e+2	6.88e+1	3.85e+1	1.08e+1	5.77e+0	3.92e+0	3.00e+0
2p5f $G[7/2]_3^e$ – 2p3d($^3F_2^o$)	2892.87	*	6.23e+2	1.09e+2	6.08e+1	1.70e+1	9.10e+0	6.18e+0	4.73e+0
2p5f $F[5/2]_2^e$ – 2p3d($^3D_1^o$)	2973.60	*	6.39e+2	1.10e+2	6.15e+1	1.71e+1	9.11e+0	6.17e+0	4.67e+0
2p5f $F[5/2]_3^e$ – 2p3d($^3D_2^o$)	2975.95	*	5.96e+2	1.03e+2	5.74e+1	1.60e+1	8.52e+0	5.78e+0	4.41e+0
2p5f $F[5/2]_3^e$ – 2p3d($^1D_2^o$)	2943.51	*	3.98e+2	6.88e+1	3.84e+1	1.07e+1	5.70e+0	3.86e+0	2.95e+0
5d – 3p									
2p5d($^3F_3^o$) – 2p3p($^3D_2^e$)	1858.42		6.42e+2	9.05e+1	4.97e+1	1.60e+1	9.81e+0	7.59e+0	7.84e+0
4f – 3d $^1P^o$									
2p4f $D[5/2]_2^e$ – 2p3d($^1P_1^o$)	4694.64	*	6.87e+2	1.67e+2	7.81e+1	1.28e+1	5.73e+0	3.57e+0	2.52e+0
4f – 3d $^3P^o$									
2p4f $D[5/2]_2^e$ – 2p3d($^3P_1^o$)	4442.01	*	5.74e+2	1.40e+2	6.53e+1	1.07e+1	4.79e+0	2.98e+0	2.10e+0
2p4f $D[5/2]_3^e$ – 2p3d($^3P_2^o$)	4432.74	*	2.03e+3	4.95e+2	2.32e+2	3.79e+1	1.70e+1	1.06e+1	7.52e+0
4f – 3d $^3D^o$									
2p4f $D[5/2]_3^e$ – 2p3d($^3D_3^o$)	4179.67	*	4.78e+2	1.17e+2	5.45e+1	8.92e+0	4.01e+0	2.50e+0	1.77e+0
2p4f $F[7/2]_4^e$ – 2p3d($^3D_3^o$)	4199.98	*	4.27e+2	1.06e+2	5.14e+1	9.35e+0	4.34e+0	2.77e+0	2.10e+0
2p4f $F[7/2]_3^e$ – 2p3d($^3D_3^o$)	4195.97	*	2.28e+2	5.67e+1	2.76e+1	5.01e+0	2.33e+0	1.49e+0	1.13e+0
2p4f $F[7/2]_4^e$ – 2p3d($^3D_2^o$)	4241.79	*	4.47e+3	9.60e+2	5.01e+2	1.07e+2	5.15e+1	3.30e+1	2.42e+1
2p4f $F[7/2]_3^e$ – 2p3d($^3D_2^o$)	4242.50	*	2.23e+2	4.79e+1	2.50e+1	5.39e+0	2.59e+0	1.66e+0	1.22e+0
2p4f $F[7/2]_3^e$ – 2p3d($^3D_1^o$)	4237.05	*	1.07e+3	2.29e+2	1.20e+2	2.58e+1	1.24e+1	7.95e+0	5.83e+0
2p4f $F[5/2]_2^e$ – 2p3d($^3D_1^o$)	4236.93	*	2.55e+3	5.57e+2	2.96e+2	6.60e+1	3.20e+1	2.06e+1	1.51e+1
2p4f $F[5/2]_3^e$ – 2p3d($^3D_2^o$)	4241.76	*	2.45e+3	5.36e+2	2.85e+2	6.34e+1	3.06e+1	1.97e+1	1.45e+1
4f – 3d $^1F^o$									
2p4f $G[9/2]_4^e$ – 2p3d($^1F_3^o$)	4530.41	*	1.78e+3	4.19e+2	1.81e+2	2.09e+1	7.89e+0	4.56e+0	3.28e+0
2p4f $G[7/2]_4^e$ – 2p3d($^1F_3^o$)	4552.52	*	9.63e+2	2.39e+2	1.16e+2	2.11e+1	9.79e+0	6.26e+0	4.74e+0
2p4f $F[5/2]_3^e$ – 2p3d($^1F_3^o$)	4608.09	*	2.55e+2	5.59e+1	2.98e+1	6.62e+0	3.20e+0	2.06e+0	1.51e+0
4f – 3d $^3F^o$									
2p4f $D[3/2]_2^e$ – 2p3d($^3F_3^o$)	4011.82	*	2.45e+0	5.81e–1	2.49e–1	2.79e–2	1.03e–2	5.81e–3	3.81e–3
2p4f $D[3/2]_2^e$ – 2p3d($^3F_2^o$)	4002.28	*	1.15e–1	2.72e–2	1.17e–2	1.31e–3	4.85e–4	2.72e–4	1.79e–4

Table 3. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
2p4f $D[3/2]_1^e - 2p3d(^3F_2^o)$	4002.87	*	3.29e+0	7.75e-1	3.32e-1	3.71e-2	1.37e-2	7.70e-3	5.03e-3
2p4f $D[5/2]_2^e - 2p3d(^3F_3^o)$	4023.95	*	7.42e+0	1.81e+0	8.44e-1	1.38e-1	6.19e-2	3.85e-2	2.72e-2
2p4f $D[5/2]_2^e - 2p3d(^3F_2^o)$	4014.35	*	7.42e-1	1.81e-1	8.44e-2	1.38e-2	6.19e-3	3.85e-3	2.72e-3
2p4f $D[5/2]_3^e - 2p3d(^3F_4^o)$	4037.96	*	1.77e+1	4.31e+0	2.01e+0	3.30e-1	1.48e-1	9.23e-2	6.54e-2
2p4f $D[5/2]_3^e - 2p3d(^3F_3^o)$	4024.71	*	4.37e-1	1.07e-1	4.98e-2	8.16e-3	3.66e-3	2.28e-3	1.62e-3
2p4f $D[5/2]_3^e - 2p3d(^3F_2^o)$	4015.11	*	1.37e-2	3.34e-3	1.56e-3	2.56e-4	1.15e-4	7.15e-5	5.07e-5
2p4f $G[9/2]_4^e - 2p3d(^3F_4^o)$	4039.34	*	5.22e+1	1.23e+1	5.29e+0	6.11e-1	2.31e-1	1.34e-1	9.62e-2
2p4f $G[9/2]_4^e - 2p3d(^3F_3^o)$	4026.08	*	8.35e+2	1.96e+2	8.45e+1	9.77e+0	3.70e+0	2.14e+0	1.54e+0
2p4f $G[9/2]_5^e - 2p3d(^3F_4^o)$	4041.31	*	3.34e+3	7.86e+2	3.37e+2	3.80e+1	1.41e+1	8.02e+0	5.57e+0
2p4f $G[7/2]_4^e - 2p3d(^3F_4^o)$	4056.91	*	3.35e+2	8.30e+1	4.04e+1	7.34e+0	3.40e+0	2.18e+0	1.65e+0
2p4f $G[7/2]_4^e - 2p3d(^3F_3^o)$	4043.53	*	1.91e+3	4.73e+2	2.30e+2	4.18e+1	1.94e+1	1.24e+1	9.38e+0
2p4f $G[7/2]_4^e - 2p3d(^3F_2^o)$	4058.16	*	8.42e+0	2.09e+0	1.02e+0	1.85e-1	8.58e-2	5.49e-2	4.16e-2
2p4f $G[7/2]_3^e - 2p3d(^3F_3^o)$	4044.78	*	3.05e+2	7.58e+1	3.68e+1	6.69e+0	3.11e+0	1.99e+0	1.51e+0
2p4f $G[7/2]_3^e - 2p3d(^3F_2^o)$	4035.08	*	2.03e+3	5.04e+2	2.45e+2	4.45e+1	2.06e+1	1.32e+1	1.00e+1
2p4f $F[7/2]_4^e - 2p3d(^3F_4^o)$	4095.90	*	3.43e+2	7.36e+1	3.84e+1	8.24e+0	3.95e+0	2.53e+0	1.85e+0
2p4f $F[7/2]_4^e - 2p3d(^3F_3^o)$	4082.27	*	8.50e+2	1.82e+2	9.51e+1	2.04e+1	9.79e+0	6.28e+0	4.59e+0
2p4f $F[7/2]_3^e - 2p3d(^3F_4^o)$	4096.57	*	1.28e+1	2.74e+0	1.43e+0	3.09e-1	1.48e-1	9.52e-2	6.97e-2
2p4f $F[7/2]_3^e - 2p3d(^3F_3^o)$	4082.93	*	5.02e+1	1.08e+1	5.63e+0	1.21e+0	5.83e-1	3.75e-1	2.75e-1
2p4f $F[7/2]_3^e - 2p3d(^3F_2^o)$	4073.05	*	9.85e+2	2.11e+2	1.10e+2	2.38e+1	1.14e+1	7.34e+0	5.38e+0
2p4f $F[5/2]_2^e - 2p3d(^3F_3^o)$	4086.83	*	3.18e+1	6.95e+0	3.70e+0	8.24e-1	3.99e-1	2.57e-1	1.88e-1
2p4f $F[5/2]_2^e - 2p3d(^3F_2^o)$	4076.93	*	3.05e+2	6.68e+1	3.55e+1	7.92e+0	3.83e+0	2.47e+0	1.81e+0
2p4f $F[5/2]_3^e - 2p3d(^3F_4^o)$	4100.97	*	1.11e+1	2.43e+0	1.29e+0	2.87e-1	1.39e-1	8.95e-2	6.57e-2
2p4f $F[5/2]_3^e - 2p3d(^3F_3^o)$	4087.31	*	2.16e+2	4.74e+1	2.52e+1	5.61e+0	2.71e+0	1.75e+0	1.28e+0
2p4f $F[5/2]_3^e - 2p3d(^3F_2^o)$	4077.40	*	4.02e-1	8.80e-2	4.68e-2	1.04e-2	5.03e-3	3.24e-3	2.38e-3
4f - 3d $^1D^o$									
2p4f $F[7/2]_3^e - 2p3d(^1D_2^o)$	4171.60	*	2.05e+3	4.39e+2	2.29e+2	4.95e+1	2.38e+1	1.53e+1	1.12e+1
2p4f $F[5/2]_2^e - 2p3d(^1D_2^o)$	4175.66	*	3.75e+2	8.19e+1	4.36e+1	9.71e+0	4.70e+0	3.03e+0	2.22e+0
2p4f $F[5/2]_3^e - 2p3d(^1D_2^o)$	4176.16	*	1.56e+3	3.43e+2	1.82e+2	4.05e+1	1.96e+1	1.26e+1	9.27e+0
4d - 4p									
2p4d($^3P_1^o$) - 2p4p($^3S_1^e$)	13858.59	*	1.27e+2	3.06e+1	1.51e+1	3.20e+0	1.72e+0	1.23e+0	1.05e+0
2p4d($^3P_2^o$) - 2p4p($^3S_1^e$)	13947.86	*	2.02e+2	4.72e+1	2.51e+1	6.65e+0	3.85e+0	2.85e+0	2.68e+0
2p4d($^3P_2^o$) - 2p4p($^3P_2^e$)	13425.85	*	1.04e+2	2.43e+1	1.29e+1	3.42e+0	1.98e+0	1.47e+0	1.38e+0
2p4d($^3D_3^o$) - 2p4p($^3P_2^e$)	14195.22	*	3.63e+2	7.42e+1	3.93e+1	1.01e+1	5.57e+0	3.98e+0	3.62e+0
2p4d($^3D_3^o$) - 2p4p($^3D_3^e$)	13436.61	*	1.73e+2	3.53e+1	1.87e+1	4.81e+0	2.65e+0	1.89e+0	1.72e+0
2p4d($^3D_3^o$) - 2p4p($^1P_1^e$)	12349.30	*	3.22e+2	6.24e+1	3.47e+1	1.03e+1	5.94e+0	4.35e+0	3.98e+0
2p4d($^3D_1^o$) - 2p4p($^1P_1^e$)	12389.41	*	2.74e+2	4.07e+1	2.23e+1	6.77e+0	3.93e+0	2.86e+0	2.44e+0
2p4d($^3F_4^o$) - 2p4p($^3D_3^e$)	14358.63	*	3.97e+2	1.03e+2	4.78e+1	7.38e+0	3.32e+0	2.13e+0	1.66e+0
2p4d($^3F_3^o$) - 2p4p($^3D_2^e$)	14337.71	*	1.28e+3	1.82e+2	9.72e+1	2.85e+1	1.68e+1	1.26e+1	1.25e+1
2p4d($^3F_2^o$) - 2p4p($^3D_1^e$)	14364.86	*	3.33e+2	6.06e+1	3.54e+1	1.20e+1	7.36e+0	5.68e+0	5.84e+0
4d - 3p									
2p4d($^3P_2^o$) - 2p3p($^3P_2^e$)	2496.81	*	1.48e+2	3.45e+1	1.83e+1	4.87e+0	2.82e+0	2.09e+0	1.96e+0
2p4d($^3D_3^o$) - 2p3p($^3P_2^e$)	2522.24	*	6.15e+2	1.26e+2	6.66e+1	1.71e+1	9.44e+0	6.75e+0	6.14e+0
2p4d($^3D_2^o$) - 2p3p($^3S_1^e$)	2416.25	*	3.94e+2	7.64e+1	4.24e+1	1.26e+1	7.26e+0	5.32e+0	4.87e+0
2p4d($^3D_1^o$) - 2p3p($^3P_0^e$)	2520.21	*	4.15e+2	6.16e+1	3.38e+1	1.03e+1	5.95e+0	4.33e+0	3.70e+0
2p4d($^3D_1^o$) - 2p3p($^3S_1^e$)	2417.78	*	2.87e+2	4.26e+1	2.34e+1	7.09e+0	4.12e+0	2.99e+0	2.56e+0
2p4d($^3F_4^o$) - 2p3p($^3D_3^e$)	2317.04	*	3.81e+2	9.86e+1	4.60e+1	7.09e+0	3.19e+0	2.04e+0	1.60e+0
2p4d($^3F_3^o$) - 2p3p($^3D_2^e$)	2316.49	*	1.20e+3	1.72e+2	9.15e+1	2.69e+1	1.58e+1	1.19e+1	1.18e+1
2p4d($^3F_2^o$) - 2p3p($^3D_1^e$)	2316.68	*	3.28e+2	5.98e+1	3.49e+1	1.19e+1	7.26e+0	5.60e+0	5.76e+0
4p - 3d									
2p4p($^3S_1^e$) - 2p3d($^3P_2^o$)	6809.98	*	9.47e+1	2.28e+1	1.18e+1	2.98e+0	1.78e+0	1.36e+0	1.28e+0
2p4p($^3D_3^e$) - 2p3d($^3F_4^o$)	6167.75	*	3.07e+2	7.09e+1	3.46e+1	6.84e+0	3.57e+0	2.52e+0	2.22e+0
2p4p($^3D_2^e$) - 2p3d($^3F_3^o$)	6173.31	*	6.54e+2	9.52e+1	5.17e+1	1.63e+1	1.02e+1	7.96e+0	7.74e+0
2p4p($^3D_1^e$) - 2p3d($^3F_2^o$)	6170.16	*	2.44e+2	4.41e+1	2.59e+1	9.47e+0	6.26e+0	5.07e+0	4.97e+0
4p $^3D^e$ - 3s $^3P^o$									
2p4p($^3D_3^e$) - 2p3s($^3P_2^o$)	1859.26	*	3.00e+2	6.93e+1	3.38e+1	6.68e+0	3.48e+0	2.47e+0	2.17e+0
2p4p($^3D_2^e$) - 2p3s($^3P_1^o$)	1857.87	*	4.43e+2	6.44e+1	3.50e+1	1.10e+1	6.87e+0	5.38e+0	5.24e+0
2p4p($^3D_1^e$) - 2p3s($^3P_0^o$)	1858.55	*	1.35e+2	2.44e+1	1.43e+1	5.24e+0	3.46e+0	2.80e+0	2.75e+0
4p $^3D^e$ - 4s $^3P^o$									
2p4p($^3D_3^e$) - 2p4s($^3P_2^o$)	16256.20	*	1.05e+2	2.42e+1	1.18e+1	2.34e+0	1.22e+0	8.63e-1	7.60e-1

Table 3. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
4s $^3P^o - 3p$ $^3D^e$ 2p4s($^3P_2^o$) - 2p3p($^3D_3^e$)	3328.72	*	1.15e+2	2.55e+1	1.27e+1	3.05e+0	1.86e+0	1.47e+0	1.44e+0
3d $^3P^o - 3p$ $^1P^e$ 2p3d($^3P_0^o$) - 2p3p($^1P_1^e$)	4109.59	*	4.16e+2	9.90e+1	4.37e+1	5.80e+0	2.50e+0	1.66e+0	1.42e+0
2p3d($^3P_1^o$) - 2p3p($^1P_1^e$)	4114.33	*	1.51e+3	3.57e+2	1.66e+2	2.80e+1	1.35e+1	9.19e+0	7.74e+0
2p3d($^3P_2^o$) - 2p3p($^1P_1^e$)	4123.12	*	3.04e+3	7.18e+2	3.53e+2	7.28e+1	3.76e+1	2.63e+1	2.31e+1
3d $^3P^o - 3p$ $^3P^e$ (V29) 2p3d($^3P_0^o$) - 2p3p($^3P_1^e$)	5454.21	*	1.81e-4	4.32e-5	1.91e-5	2.53e-6	1.09e-6	7.25e-7	6.17e-7
2p3d($^3P_1^o$) - 2p3p($^3P_2^e$)	5480.05	*	1.51e+2	3.59e+1	1.67e+1	2.81e+0	1.35e+0	9.23e-1	7.77e-1
2p3d($^3P_2^o$) - 2p3p($^3P_2^e$)	5462.58	*	7.18e-1	1.70e-1	7.93e-2	1.34e-2	6.42e-3	4.39e-3	3.69e-3
2p3d($^3P_1^o$) - 2p3p($^3P_0^e$)	5452.07	*	1.03e+2	2.44e+1	1.13e+1	1.91e+0	9.18e-1	6.27e-1	5.28e-1
2p3d($^3P_2^o$) - 2p3p($^3P_2^e$)	5495.65	*	5.46e+2	1.29e+2	6.34e+1	1.31e+1	6.75e+0	4.72e+0	4.15e+0
2p3d($^3P_2^o$) - 2p3p($^3P_1^e$)	5478.09	*	4.18e-1	9.85e-2	4.85e-2	1.00e-2	5.17e-3	3.61e-3	3.18e-3
3d $^3P^o - 3p$ $^3S^e$ 2p3d($^3P_0^o$) - 2p3p($^3S_1^e$)	4987.38	*	1.42e+2	3.38e+1	1.50e+1	1.98e+0	8.54e-1	5.68e-1	4.84e-1
2p3d($^3P_1^o$) - 2p3p($^3S_1^e$)	4994.37	*	1.53e+2	3.62e+1	1.69e+1	2.84e+0	1.37e+0	9.32e-1	7.85e-1
2p3d($^3P_2^o$) - 2p3p($^3S_1^e$)	5007.33	*	1.40e+2	3.29e+1	1.62e+1	3.34e+0	1.73e+0	1.21e+0	1.06e+0
3d $^3P^o - 3p$ $^3D^e$ 2p3d($^3P_2^o$) - 2p3p($^3D_3^e$)	4507.56	*	1.85e+2	4.36e+1	2.15e+1	4.42e+0	2.28e+0	1.60e+0	1.41e+0
3d $^3D^o - 3p$ $^3P^e$ 2p3d($^3D_3^o$) - 2p3p($^3P_2^e$)	5941.65	*	5.09e+3	1.09e+3	5.65e+2	1.26e+2	6.33e+1	4.27e+1	3.51e+1
2p3d($^3D_2^o$) - 2p3p($^3P_2^e$)	5952.39	*	1.68e-2	3.55e-3	1.88e-3	4.45e-4	2.30e-4	1.58e-4	1.33e-4
2p3d($^3D_2^o$) - 2p3p($^3P_1^e$)	5931.78	*	9.93e+1	2.10e+1	1.11e+1	2.64e+0	1.36e+0	9.37e-1	7.89e-1
2p3d($^3D_1^o$) - 2p3p($^3P_2^e$)	5960.90	*	6.92e+1	1.27e+1	6.79e+0	1.68e+0	8.83e-1	6.09e-1	4.95e-1
2p3d($^3D_1^o$) - 2p3p($^3P_1^e$)	5940.24	*	3.39e+0	6.23e-1	3.32e-1	8.24e-2	4.32e-2	2.98e-2	2.42e-2
2p3d($^3D_1^o$) - 2p3p($^3P_0^e$)	5927.81	*	1.69e+3	3.11e+2	1.66e+2	4.11e+1	2.16e+1	1.49e+1	1.21e+1
3d $^3D^o - 3p$ $^3D^e$ (V20) 2p3d($^3D_3^o$) - 2p3p($^3D_3^e$)	4803.29	*	2.95e+3	6.33e+2	3.28e+2	7.30e+1	3.67e+1	2.48e+1	2.03e+1
2p3d($^3D_3^o$) - 2p3p($^3D_2^e$)	4781.19	*	1.88e+2	4.03e+1	2.09e+1	4.64e+0	2.33e+0	1.58e+0	1.30e+0
2p3d($^3D_2^o$) - 2p3p($^3D_3^e$)	4810.30	*	1.94e-3	4.11e-4	2.18e-4	5.16e-5	2.66e-5	1.83e-5	1.54e-5
2p3d($^3D_2^o$) - 2p3p($^3D_2^e$)	4788.14	*	1.65e-2	3.49e-3	1.85e-3	4.38e-4	2.26e-4	1.56e-4	1.31e-4
2p3d($^3D_1^o$) - 2p3p($^3D_3^e$)	4774.24	*	3.68e+0	7.78e-1	4.12e-1	9.76e-2	5.04e-2	3.47e-2	2.92e-2
2p3d($^3D_1^o$) - 2p3p($^3D_2^e$)	4793.65	*	4.13e+2	7.60e+1	4.05e+1	1.01e+1	5.27e+0	3.63e+0	2.95e+0
2p3d($^3D_1^o$) - 2p3p($^3D_1^e$)	4779.72	*	1.33e+3	2.45e+2	1.31e+2	3.24e+1	1.70e+1	1.17e+1	9.51e+0
3d $^3D^o - 3p$ $^3S^e$ 2p3d($^3D_1^o$) - 2p3p($^3S_1^e$)	5390.69	*	1.58e+3	2.91e+2	1.55e+2	3.85e+1	2.02e+1	1.39e+1	1.13e+1
3d $^1D^o - 3p$ $^3P^e$ 2p3d($^1D_2^o$) - 2p3p($^3P_2^e$)	6086.54	*	9.17e+2	1.64e+2	8.56e+1	2.02e+1	1.04e+1	7.09e+0	5.87e+0
3d $^1D^o - 3p$ $^3S^e$ 2p3d($^1D_2^o$) - 2p3p($^3S_1^e$)	5493.23	*	4.17e+3	7.48e+2	3.90e+2	9.17e+1	4.72e+1	3.23e+1	2.67e+1
3d $^1D^o - 3p$ $^3D^e$ 2p3d($^1D_2^o$) - 2p3p($^3D_3^e$)	4897.54	*	3.54e+2	6.35e+1	3.31e+1	7.79e+0	4.01e+0	2.74e+0	2.27e+0
2p3d($^1D_2^o$) - 2p3p($^3D_2^e$)	4874.57	*	1.87e+3	3.34e+2	1.74e+2	4.10e+1	2.11e+1	1.44e+1	1.20e+1
2p3d($^1D_2^o$) - 2p3p($^3D_1^e$)	4860.17	*	2.37e+2	4.24e+1	2.21e+1	5.20e+0	2.68e+0	1.83e+0	1.52e+0
3d $^3F^o - 3p$ $^3D^e$ (V19) 2p3d($^3F_4^o$) - 2p3p($^3D_3^e$)	5005.15	*	5.94e+3	1.43e+3	6.44e+2	8.98e+1	3.81e+1	2.40e+1	1.93e+1
2p3d($^3F_3^o$) - 2p3p($^3D_3^e$)	5025.66	*	9.57e+2	1.72e+2	8.70e+1	2.01e+1	1.07e+1	7.69e+0	7.16e+0
2p3d($^3F_3^o$) - 2p3p($^3D_2^e$)	5001.47	*	9.43e+3	1.70e+3	8.57e+2	1.98e+2	1.06e+2	7.57e+1	7.05e+1
2p3d($^3F_2^o$) - 2p3p($^3D_3^e$)	5040.71	*	1.98e+1	4.02e+0	2.14e+0	5.56e-1	3.08e-1	2.26e-1	2.17e-1
2p3d($^3F_2^o$) - 2p3p($^3D_2^e$)	5016.38	*	8.55e+2	1.73e+2	9.22e+1	2.40e+1	1.33e+1	9.74e+0	9.33e+0
2p3d($^3F_2^o$) - 2p3p($^3D_1^e$)	5001.13	*	5.18e+3	1.05e+3	5.59e+2	1.45e+2	8.04e+1	5.90e+1	5.65e+1
3p $^1S^e - 3s$ $^1P^o$ 2p3p($^1S_0^e$) - 2p3s($^1P_1^o$)	3437.14	*	1.10e+2	3.04e+1	1.71e+1	5.57e+0	3.79e+0	3.29e+0	3.31e+0

Table 3. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
$2p3p(^1P_1^e) - 2p3s(^1P_1^o)$	6482.05	*	1.27e+2	2.64e+1	1.28e+1	2.61e+0	1.40e+0	1.04e+0	9.56e-1
$3p^1P^e - 3s^3P^o$									
$2p3p(^1P_1^e) - 2p3s(^3P_2^o)$	6435.61	*	1.16e+3	2.42e+2	1.17e+2	2.40e+1	1.29e+1	9.53e+0	8.78e+0
$2p3p(^1P_1^e) - 2p3s(^3P_1^o)$	6379.62	*	6.78e+2	1.41e+2	6.84e+1	1.40e+1	7.50e+0	5.56e+0	5.12e+0
$2p3p(^1P_1^e) - 2p3s(^3P_0^o)$	6366.79	*	2.87e+2	5.97e+1	2.89e+1	5.92e+0	3.17e+0	2.35e+0	2.17e+0
$3p^1P^e - 2s2p^3^3P^o$									
$2p3p(^1P_1^e) - 2s2p^3(^3P_0^o)$	1805.47	*	5.08e+2	1.06e+2	5.13e+1	1.05e+1	5.63e+0	4.17e+0	3.84e+0
$2p3p(^1P_1^e) - 2s2p^3(^3P_2^o)$	1805.28	*	2.48e+3	5.17e+2	2.50e+2	5.12e+1	2.75e+1	2.03e+1	1.87e+1
$2p3p(^1P_1^e) - 2s2p^3(^3P_1^o)$	1805.24	*	1.52e+3	3.16e+2	1.53e+2	3.13e+1	1.68e+1	1.24e+1	1.15e+1
$2s2p^3^3P^o - 2p^2^1D^e$									
$2s2p^3(^3P_2^o) - 2p^2(^1D_2^e)$	1064.95	*	7.66e+3	1.59e+3	7.76e+2	3.19e+2	2.94e+2	2.50e+2	2.20e+2
$2s2p^3(^3P_1^o) - 2p^2(^1D_2^e)$	1064.96	*	4.40e+3	8.12e+2	4.18e+2	1.63e+2	1.41e+2	1.20e+2	1.10e+2
$2s2p^3^3P^o - 2p^2^1S^e$									
$2s2p^3(^3P_1^o) - 2P^2(^1S_0^e)$	1306.71	*	1.89e+3	3.49e+2	1.80e+2	7.03e+1	6.05e+1	5.17e+1	4.73e+1
$2s2p^3^3D^o - 2p^2^1S^e$									
$2s2p^3(^3D_1^o) - 2P^2(^1S_0^e)$	1678.89	*	1.31e+3	2.42e+2	1.33e+2	1.18e+2	1.15e+2	9.79e+1	8.53e+1
$2s2p^3^3D^o - 2p^2^1D^e$									
$2s2p^3(^3D_1^o) - 2p^2(^1D_2^e)$	1299.79	*	2.11e+3	3.89e+2	2.14e+2	1.90e+2	1.85e+2	1.57e+2	1.37e+2
$2s2p^3(^3D_2^o) - 2p^2(^1D_2^e)$	1299.81	*	5.85e+3	1.08e+3	5.79e+2	4.52e+2	4.24e+2	3.57e+2	3.11e+2
$2s2p^3(^3D_3^o) - 2p^2(^1D_2^e)$	1300.04	*	5.93e+3	1.17e+3	5.98e+2	4.29e+2	3.86e+2	3.16e+2	2.72e+2

Table 4. Same as Table 3 but for $N_e = 10^3 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	$T_e [\text{K}]$							
		125	500	1000	5000	10,000	15,000	20,000	
6h – 5g									
2p6h $I[13/2]_6^e - 2p5g H[11/2]_5^o$	18622.57	1.60e+3	3.30e+2	1.47e+2	1.95e+1	7.54e+0	4.27e+0	2.78e+0	
2p6h $H[11/2]_6^e - 2p5g G[9/2]_5^o$	18481.01	1.59e+3	3.23e+2	1.44e+2	1.91e+1	7.41e+0	4.21e+0	2.75e+0	
2p6h $H[11/2]_5^e - 2p5g G[9/2]_4^o$	17964.67	1.32e+3	2.69e+2	1.19e+2	1.59e+1	6.16e+0	3.50e+0	2.28e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18480.67	1.29e+3	2.63e+2	1.17e+2	1.56e+1	6.04e+0	3.43e+0	2.23e+0	
2p6h $G[9/2]_5^e - 2p5g F[7/2]_4^o$	18549.42	1.03e+3	2.10e+2	9.32e+1	1.24e+1	4.80e+0	2.73e+0	1.78e+0	
2p6h $G[7/2]_4^e - 2p5g F[5/2]_3^o$	18679.36	1.03e+3	2.12e+2	9.46e+1	1.26e+1	4.85e+0	2.74e+0	1.78e+0	
2p6h $I[13/2]_7^e - 2p5g H[11/2]_6^o$	18622.64	1.87e+3	3.85e+2	1.72e+2	2.28e+1	8.81e+0	4.99e+0	3.25e+0	
2p6h $H[9/2]_4^e - 2p5g G[7/2]_3^o$	18533.26	1.44e+3	2.53e+2	1.22e+2	2.30e+1	1.04e+1	6.38e+0	4.41e+0	
2p6h $I[11/2]_6^e - 2p5g H[9/2]_5^o$	18546.53	2.19e+3	3.85e+2	1.85e+2	3.49e+1	1.58e+1	9.69e+0	6.71e+0	
2p6h $I[11/2]_5^e - 2p5g H[9/2]_4^o$	19170.43	1.82e+3	3.20e+2	1.54e+2	2.90e+1	1.31e+1	8.05e+0	5.57e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18533.26	1.81e+3	3.19e+2	1.53e+2	2.89e+1	1.30e+1	8.02e+0	5.55e+0	
6g – 5f									
2p6g $G[9/2]_4^o - 2p5f F[7/2]_3^e$	17930.73	2.77e+2	5.84e+1	3.19e+1	8.50e+0	4.41e+0	2.92e+0	2.15e+0	
2p6g $G[9/2]_5^o - 2p5f F[7/2]_4^e$	18277.37	3.45e+2	7.26e+1	3.96e+1	1.06e+1	5.48e+0	3.62e+0	2.67e+0	
2p6g $F[7/2]_3^o - 2p5f D[5/2]_2^e$	18230.35	2.03e+2	4.27e+1	2.33e+1	6.23e+0	3.23e+0	2.13e+0	1.56e+0	
2p6g $F[7/2]_4^o - 2p5f D[5/2]_3^e$	18222.01	2.67e+2	5.62e+1	3.07e+1	8.19e+0	4.24e+0	2.81e+0	2.08e+0	
6g – 4f									
2p6g $G[9/2]_4^o - 2p4f F[7/2]_3^e$	6413.23	2.58e+2	5.44e+1	2.97e+1	7.92e+0	4.11e+0	2.72e+0	2.00e+0	
2p6g $G[9/2]_5^o - 2p4f G[7/2]_4^e$	6556.32	1.58e+2	3.33e+1	1.82e+1	4.85e+0	2.52e+0	1.66e+0	1.22e+0	
2p6g $G[9/2]_6^o - 2p4f F[7/2]_5^e$	6456.97	3.31e+2	6.95e+1	3.80e+1	1.01e+1	5.25e+0	3.47e+0	2.56e+0	
2p6g $F[7/2]_3^o - 2p4f D[5/2]_2^e$	6446.53	2.27e+2	4.76e+1	2.60e+1	6.94e+0	3.60e+0	2.38e+0	1.74e+0	
2p6g $F[7/2]_4^o - 2p4f D[5/2]_3^e$	6445.34	3.00e+2	6.31e+1	3.45e+1	9.19e+0	4.77e+0	3.15e+0	2.33e+0	
6f – 3d									
2p6f $F[7/2]_4^e - 2p3d(^3F_3^o)$	2504.19	*	1.99e+2	2.86e+1	1.58e+1	5.16e+0	3.04e+0	2.19e+0	1.77e+0
2p6f $F[7/2]_3^e - 2p3d(^3F_2^o)$	2500.67	*	2.30e+2	3.26e+1	1.80e+1	5.91e+0	3.49e+0	2.52e+0	2.05e+0
2p6f $F[5/2]_3^e - 2p3d(^3D_3^o)$	2560.24	*	1.53e+2	2.19e+1	1.21e+1	3.92e+0	2.31e+0	1.65e+0	1.31e+0
2p6f $F[5/2]_2^e - 2p3d(^3D_2^o)$	2561.95	*	1.41e+2	2.00e+1	1.10e+1	3.59e+0	2.12e+0	1.53e+0	1.26e+0
6d – 3p									
2p6d(^3F_3^o) – 2p3p(^3D_2^e)	1680.27		1.17e+2	1.87e+1	1.10e+1	4.30e+0	2.89e+0	2.45e+0	3.15e+0
5g – 4f									
2p5g $F[5/2]_3^o - 2p4f D[3/2]_2^e$	10108.45	*	1.17e+3	2.53e+2	1.17e+2	1.71e+1	6.89e+0	3.98e+0	2.63e+0
2p5g $H[11/2]_6^o - 2p4f G[9/2]_5^e$	10023.27	*	2.58e+3	5.55e+2	2.56e+2	3.75e+1	1.51e+1	8.71e+0	5.73e+0
2p5g $H[11/2]_5^o - 2p4f G[9/2]_4^e$	10035.44	*	2.08e+3	4.49e+2	2.08e+2	3.04e+1	1.22e+1	7.07e+0	4.67e+0
2p5g $G[9/2]_4^o - 2p4f G[7/2]_3^e$	9941.81	*	5.88e+2	1.09e+2	5.42e+1	1.16e+1	5.53e+0	3.51e+0	2.49e+0
2p5g $G[9/2]_5^o - 2p4f F[7/2]_4^e$	9718.59	*	1.82e+3	3.37e+2	1.68e+2	3.59e+1	1.72e+1	1.09e+1	7.73e+0
2p5g $G[7/2]_3^o - 2p4f F[5/2]_2^e$	10070.12	*	9.98e+2	2.13e+2	9.84e+1	1.45e+1	5.85e+0	3.39e+0	2.25e+0
2p5g $H[9/2]_4^o - 2p4f G[7/2]_3^e$	9969.33	*	1.51e+3	3.23e+2	1.49e+2	2.19e+1	8.84e+0	5.12e+0	3.39e+0
2p5g $G[7/2]_4^o - 2p4f F[5/2]_3^e$	10085.72	*	1.36e+3	2.90e+2	1.34e+2	1.96e+1	7.95e+0	4.61e+0	3.05e+0
2p5g $G[9/2]_3^o - 2p4f G[7/2]_4^e$	10126.15	*	7.51e+2	1.39e+2	6.93e+1	1.48e+1	7.07e+0	4.49e+0	3.18e+0
2p5g $G[9/2]_4^o - 2p4f F[7/2]_5^e$	9891.10	*	2.31e+3	4.26e+2	2.13e+2	4.54e+1	2.17e+1	1.38e+1	9.78e+0
2p5g $H[9/2]_3^o - 2p4f G[7/2]_3^e$	10118.53	*	1.24e+3	2.65e+2	1.22e+2	1.79e+1	7.26e+0	4.21e+0	2.79e+0
2p5g $F[7/2]_3^o - 2p4f D[5/2]_2^e$	9868.20	*	1.54e+3	2.84e+2	1.42e+2	3.03e+1	1.45e+1	9.18e+0	6.51e+0
2p5g $F[7/2]_4^o - 2p4f F[5/2]_3^e$	10250.19	*	3.36e+2	6.20e+1	3.10e+1	6.61e+0	3.16e+0	2.00e+0	1.42e+0
2p5g $F[7/2]_5^o - 2p4f D[5/2]_3^e$	9865.42	*	2.04e+3	3.76e+2	1.88e+2	4.01e+1	1.92e+1	1.22e+1	8.64e+0
5f – 4d									
2p5f $F[7/2]_4^e - 2p4d(^3D_3^o)$	9281.06	*	2.54e+2	4.18e+1	2.29e+1	6.79e+0	3.80e+0	2.66e+0	2.10e+0
2p5f $F[7/2]_3^e - 2p4d(^3F_2^o)$	8772.93	*	1.87e+2	3.05e+1	1.67e+1	4.96e+0	2.79e+0	1.95e+0	1.55e+0
2p5f $F[5/2]_3^e - 2p4d(^3D_3^o)$	9242.02	*	2.02e+2	3.30e+1	1.81e+1	5.35e+0	3.00e+0	2.09e+0	1.64e+0
2p5f $F[5/2]_2^e - 2p4d(^1D_2^o)$	8983.28	*	1.92e+2	3.13e+1	1.71e+1	5.07e+0	2.84e+0	1.99e+0	1.59e+0
5f – 3d									
2p5f $G[9/2]_5^e - 2p3d(^3F_4^o)$	2885.27	*	5.03e+2	1.33e+2	7.08e+1	1.52e+1	7.22e+0	4.61e+0	3.41e+0
2p5f $D[5/2]_3^e - 2p3d(^3P_2^o)$	3082.20	*	2.43e+2	6.11e+1	3.26e+1	7.57e+0	3.80e+0	2.49e+0	1.84e+0
2p5f $G[7/2]_4^e - 2p3d(^3F_3^o)$	2884.25	*	1.71e+2	4.28e+1	2.29e+1	5.33e+0	2.68e+0	1.77e+0	1.38e+0
2p5f $G[7/2]_3^e - 2p3d(^3F_2^o)$	2879.75	*	1.77e+2	4.43e+1	2.36e+1	5.49e+0	2.76e+0	1.83e+0	1.42e+0
2p5f $F[7/2]_5^e - 2p3d(^3D_3^o)$	2976.97	*	5.26e+2	8.65e+1	4.74e+1	1.41e+1	7.87e+0	5.50e+0	4.35e+0
2p5f $G[7/2]_4^e - 2p3d(^3F_3^o)$	2897.50	*	3.23e+2	5.31e+1	2.91e+1	8.62e+0	4.83e+0	3.37e+0	2.67e+0
2p5f $F[7/2]_3^e - 2p3d(^1D_2^o)$	2942.23	*	2.42e+2	3.95e+1	2.16e+1	6.42e+0	3.61e+0	2.52e+0	2.01e+0
2p5f $G[7/2]_5^e - 2p3d(^3F_2^o)$	2892.87	*	3.82e+2	6.23e+1	3.41e+1	1.01e+1	5.69e+0	3.98e+0	3.16e+0
2p5f $F[5/2]_2^e - 2p3d(^3D_3^o)$	2973.60	*	3.89e+2	6.36e+1	3.49e+1	1.03e+1	5.78e+0	4.03e+0	3.17e+0

Table 4. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
2p5f $F[5/2]_3^e - 2p3d(^3D_2^o)$	2975.95	*	3.63e+2	5.92e+1	3.24e+1	9.59e+0	5.37e+0	3.76e+0	3.01e+0
2p5f $F[5/2]_3^e - 2p3d(^1D_2^o)$	2943.51	*	2.43e+2	3.96e+1	2.17e+1	6.42e+0	3.59e+0	2.51e+0	2.02e+0
5d – 3p									
2p5d($^3F_3^o$) – 2p3p($^3D_2^e$)	1858.42		3.26e+2	4.87e+1	2.80e+1	1.03e+1	6.69e+0	5.52e+0	6.78e+0
4f – 3d $^1P^o$									
2p4f $D[5/2]_2^e - 2p3d(^1P_1^o)$	4694.64	*	6.75e+2	1.47e+2	7.18e+1	1.34e+1	6.18e+0	3.88e+0	2.76e+0
4f – 3d $^3P^o$									
2p4f $D[5/2]_2^e - 2p3d(^3P_0^o)$	4442.01	*	5.65e+2	1.23e+2	6.00e+1	1.12e+1	5.17e+0	3.25e+0	2.30e+0
2p4f $D[5/2]_3^e - 2p3d(^3P_2^o)$	4432.74	*	2.00e+3	4.36e+2	2.13e+2	3.97e+1	1.84e+1	1.16e+1	8.27e+0
4f – 3d $^3D^o$									
2p4f $D[5/2]_2^e - 2p3d(^3D_0^o)$	4179.67	*	4.71e+2	1.03e+2	5.01e+1	9.35e+0	4.32e+0	2.72e+0	1.95e+0
2p4f $F[7/2]_4^e - 2p3d(^3D_3^o)$	4199.98	*	4.08e+2	8.71e+1	4.30e+1	8.49e+0	4.03e+0	2.60e+0	1.98e+0
2p4f $F[7/2]_3^e - 2p3d(^3D_2^o)$	4195.97	*	2.19e+2	4.67e+1	2.30e+1	4.54e+0	2.16e+0	1.39e+0	1.06e+0
2p4f $F[7/2]_4^e - 2p3d(^3D_3^o)$	4241.79	*	3.51e+3	6.39e+2	3.23e+2	7.25e+1	3.61e+1	2.37e+1	1.78e+1
2p4f $F[7/2]_3^e - 2p3d(^3D_3^o)$	4242.50	*	1.75e+2	3.17e+1	1.61e+1	3.61e+0	1.80e+0	1.18e+0	8.91e-1
2p4f $F[7/2]_3^e - 2p3d(^3D_2^o)$	4237.05	*	8.35e+2	1.52e+2	7.67e+1	1.72e+1	8.58e+0	5.65e+0	4.26e+0
2p4f $F[5/2]_2^e - 2p3d(^3D_1^o)$	4236.93	*	2.01e+3	3.62e+2	1.84e+2	4.28e+1	2.16e+1	1.43e+1	1.08e+1
2p4f $F[5/2]_3^e - 2p3d(^3D_2^o)$	4241.76	*	1.93e+3	3.48e+2	1.77e+2	4.10e+1	2.06e+1	1.36e+1	1.04e+1
4f – 3d $^1F^o$									
2p4f $G[9/2]_4^e - 2p3d(^1F_3^o)$	4530.41	*	1.95e+3	4.43e+2	2.13e+2	3.55e+1	1.53e+1	9.29e+0	6.74e+0
2p4f $G[7/2]_4^e - 2p3d(^1F_3^o)$	4552.52	*	9.21e+2	1.97e+2	9.69e+1	1.92e+1	9.10e+0	5.88e+0	4.47e+0
2p4f $F[5/2]_3^e - 2p3d(^1F_3^o)$	4608.09	*	2.02e+2	3.63e+1	1.85e+1	4.28e+0	2.15e+0	1.42e+0	1.08e+0
4f – 3d $^3F^o$									
2p4f $D[3/2]_2^e - 2p3d(^3F_3^o)$	4011.82	*	2.77e+0	6.30e-1	3.03e-1	5.01e-2	2.14e-2	1.29e-2	8.73e-3
2p4f $D[3/2]_2^e - 2p3d(^3F_2^o)$	4002.28	*	1.30e-1	2.95e-2	1.42e-2	2.35e-3	1.01e-3	6.02e-4	4.09e-4
2p4f $D[3/2]_1^e - 2p3d(^3F_2^o)$	4002.87	*	3.67e+0	8.32e-1	4.00e-1	6.62e-2	2.84e-2	1.70e-2	1.16e-2
2p4f $D[5/2]_2^e - 2p3d(^3F_3^o)$	4023.95	*	7.30e+0	1.59e+0	7.75e-1	1.45e-1	6.68e-2	4.19e-2	2.98e-2
2p4f $D[5/2]_2^e - 2p3d(^3F_2^o)$	4014.35	*	7.30e-1	1.59e-1	7.76e-2	1.45e-2	6.68e-3	4.19e-3	2.98e-3
2p4f $D[5/2]_3^e - 2p3d(^3F_4^o)$	4037.96	*	1.74e+1	3.79e+0	1.85e+0	3.46e-1	1.60e-1	1.00e-1	7.19e-2
2p4f $D[5/2]_3^e - 2p3d(^3F_3^o)$	4024.71	*	4.30e-1	9.38e-2	4.58e-2	8.55e-3	3.95e-3	2.48e-3	1.78e-3
2p4f $D[5/2]_3^e - 2p3d(^3F_2^o)$	4015.11	*	1.35e-2	2.94e-3	1.44e-3	2.68e-4	1.24e-4	7.79e-5	5.57e-5
2p4f $G[9/2]_4^e - 2p3d(^3F_4^o)$	4039.34	*	5.72e+1	1.30e+1	6.24e+0	1.04e+0	4.47e-1	2.72e-1	1.97e-1
2p4f $G[9/2]_4^e - 2p3d(^3F_3^o)$	4026.08	*	9.15e+2	2.07e+2	9.97e+1	1.66e+1	7.15e+0	4.35e+0	3.16e+0
2p4f $G[9/2]_4^e - 2p3d(^3F_4^o)$	4041.31	*	3.67e+3	8.32e+2	4.00e+2	6.65e+1	2.86e+1	1.74e+1	1.24e+1
2p4f $G[7/2]_4^e - 2p3d(^3F_4^o)$	4056.91	*	3.20e+2	6.83e+1	3.37e+1	6.66e+0	3.17e+0	2.04e+0	1.55e+0
2p4f $G[7/2]_4^e - 2p3d(^3F_3^o)$	4043.53	*	1.82e+3	3.89e+2	1.92e+2	3.79e+1	1.80e+1	1.16e+1	8.84e+0
2p4f $G[7/2]_3^e - 2p3d(^3F_4^o)$	4058.16	*	8.07e+0	1.72e+0	8.49e-1	1.68e-1	7.95e-2	5.14e-2	3.91e-2
2p4f $G[7/2]_3^e - 2p3d(^3F_3^o)$	4044.78	*	2.92e+2	6.24e+1	3.08e+1	6.07e+0	2.88e+0	1.86e+0	1.42e+0
2p4f $G[7/2]_3^e - 2p3d(^3F_2^o)$	4035.08	*	1.94e+3	4.14e+2	2.04e+2	4.03e+1	1.91e+1	1.24e+1	9.40e+0
2p4f $F[7/2]_4^e - 2p3d(^3F_4^o)$	4095.90	*	2.69e+2	4.90e+1	2.48e+1	5.56e+0	2.77e+0	1.82e+0	1.36e+0
2p4f $F[7/2]_4^e - 2p3d(^3F_3^o)$	4082.27	*	6.66e+2	1.22e+2	6.15e+1	1.38e+1	6.86e+0	4.50e+0	3.38e+0
2p4f $F[7/2]_3^e - 2p3d(^3F_4^o)$	4096.57	*	9.99e+0	1.82e+0	9.18e-1	2.06e-1	1.03e-1	6.76e-2	5.10e-2
2p4f $F[7/2]_3^e - 2p3d(^3F_3^o)$	4082.93	*	3.93e+1	7.14e+0	3.61e+0	8.12e-1	4.05e-1	2.66e-1	2.01e-1
2p4f $F[7/2]_3^e - 2p3d(^3F_2^o)$	4073.05	*	7.71e+2	1.40e+2	7.08e+1	1.59e+1	7.93e+0	5.21e+0	3.93e+0
2p4f $F[5/2]_2^e - 2p3d(^3F_3^o)$	4086.83	*	2.51e+1	4.51e+0	2.30e+0	5.34e-1	2.69e-1	1.78e-1	1.34e-1
2p4f $F[5/2]_2^e - 2p3d(^3F_2^o)$	4076.93	*	2.41e+2	4.34e+1	2.21e+1	5.13e+0	2.58e+0	1.71e+0	1.29e+0
2p4f $F[5/2]_3^e - 2p3d(^3F_4^o)$	4100.97	*	8.76e+0	1.58e+0	8.04e-1	1.86e-1	9.35e-2	6.19e-2	4.71e-2
2p4f $F[5/2]_3^e - 2p3d(^3F_3^o)$	4087.31	*	1.71e+2	3.08e+1	1.57e+1	3.63e+0	1.83e+0	1.21e+0	9.19e-1
2p4f $F[5/2]_3^e - 2p3d(^3F_2^o)$	4077.40	*	3.18e-1	5.72e-2	2.91e-2	6.74e-3	3.39e-3	2.24e-3	1.71e-3
4f – 3d $^1D^o$									
2p4f $F[7/2]_3^e - 2p3d(^1D_2^o)$	4171.60	*	1.60e+3	2.91e+2	1.47e+2	3.31e+1	1.65e+1	1.08e+1	8.18e+0
2p4f $F[5/2]_2^e - 2p3d(^1D_2^o)$	4175.66	*	2.95e+2	5.32e+1	2.71e+1	6.29e+0	3.17e+0	2.10e+0	1.58e+0
2p4f $F[5/2]_3^e - 2p3d(^1D_2^o)$	4176.16	*	1.24e+3	2.23e+2	1.13e+2	2.62e+1	1.32e+1	8.73e+0	6.65e+0
4d – 4p									
2p4d($^3P_1^o$) – 2p4p($^3S_1^e$)	13858.59	*	1.20e+2	3.08e+1	1.71e+1	4.61e+0	2.58e+0	1.85e+0	1.60e+0
2p4d($^3P_2^o$) – 2p4p($^3S_1^e$)	13947.86	*	1.70e+2	4.15e+1	2.32e+1	6.84e+0	4.01e+0	3.10e+0	3.57e+0
2p4d($^3P_2^o$) – 2p4p($^3P_2^e$)	13425.85	*	8.74e+1	2.13e+1	1.20e+1	3.52e+0	2.07e+0	1.59e+0	1.84e+0
2p4d($^3D_3^o$) – 2p4p($^3P_2^e$)	14195.22	*	2.69e+2	5.86e+1	3.27e+1	9.59e+0	5.54e+0	4.07e+0	3.88e+0

Table 4. Continued.

Transition	$\lambda[\text{\AA}]$	T_e [K]							
		125	500	1000	5000	10,000	15,000	20,000	
$2p4d(^3D_3^o) - 2p4p(^3D_3^e)$	13436.61	*	1.28e+2	2.78e+1	1.55e+1	4.56e+0	2.63e+0	1.94e+0	1.85e+0
$2p4d(^3D_2^o) - 2p4p(^1P_1^e)$	12349.30	*	2.16e+2	4.34e+1	2.45e+1	7.82e+0	4.71e+0	3.72e+0	4.57e+0
$2p4d(^3D_1^o) - 2p4p(^1P_1^e)$	12389.41	*	1.46e+2	2.22e+1	1.25e+1	4.22e+0	2.61e+0	2.00e+0	2.03e+0
$2p4d(^3F_4^o) - 2p4p(^3D_3^e)$	14358.63	*	4.40e+2	1.21e+2	6.75e+1	1.75e+1	9.55e+0	6.68e+0	5.30e+0
$2p4d(^3F_3^o) - 2p4p(^3D_2^e)$	14337.71	*	6.73e+2	1.05e+2	5.91e+1	1.95e+1	1.21e+1	9.57e+0	1.10e+1
$2p4d(^3F_2^o) - 2p4p(^3D_1^e)$	14364.86	*	2.08e+2	3.63e+1	2.08e+1	7.54e+0	4.85e+0	3.98e+0	4.94e+0
4d - 3p									
$2p4d(^3P_2^o) - 2p3p(^3P_2^e)$	2496.81	*	1.24e+2	3.04e+1	1.70e+1	5.01e+0	2.94e+0	2.27e+0	2.62e+0
$2p4d(^3D_3^o) - 2p3p(^3P_2^e)$	2522.24	*	4.55e+2	9.92e+1	5.53e+1	1.63e+1	9.38e+0	6.89e+0	6.58e+0
$2p4d(^3D_2^o) - 2p3p(^3S_1^e)$	2416.25	*	2.64e+2	5.31e+1	3.00e+1	9.57e+0	5.77e+0	4.55e+0	5.60e+0
$2p4d(^3D_1^o) - 2p3p(^3P_0^e)$	2520.21	*	2.21e+2	3.36e+1	1.89e+1	6.40e+0	3.95e+0	3.04e+0	3.07e+0
$2p4d(^3D_1^o) - 2p3p(^3S_1^e)$	2417.78	*	1.53e+2	2.33e+1	1.31e+1	4.42e+0	2.73e+0	2.10e+0	2.12e+0
$2p4d(^3D_4^o) - 2p3p(^3D_3^e)$	2317.04	*	4.23e+2	1.17e+2	6.49e+1	1.69e+1	9.18e+0	6.42e+0	5.10e+0
$2p4d(^3F_3^o) - 2p3p(^3D_2^e)$	2316.49	*	6.33e+2	9.90e+1	5.56e+1	1.83e+1	1.14e+1	9.01e+0	1.03e+1
$2p4d(^3F_2^o) - 2p3p(^3D_1^e)$	2316.68	*	2.05e+2	3.58e+1	2.06e+1	7.44e+0	4.79e+0	3.93e+0	4.87e+0
4p - 3d									
$2p4p(^3S_1^e) - 2p3d(^3P_2^o)$	6809.98	*	8.48e+1	2.16e+1	1.21e+1	3.60e+0	2.18e+0	1.70e+0	1.72e+0
$2p4p(^3D_3^e) - 2p3d(^3F_4^o)$	6167.75	*	2.85e+2	7.39e+1	4.16e+1	1.18e+1	6.90e+0	5.13e+0	4.51e+0
$2p4p(^3D_2^e) - 2p3d(^3F_3^o)$	6173.31	*	3.45e+2	5.51e+1	3.14e+1	1.12e+1	7.37e+0	6.07e+0	6.65e+0
$2p4p(^3D_1^e) - 2p3d(^3F_2^o)$	6170.16	*	1.50e+2	2.66e+1	1.55e+1	6.11e+0	4.25e+0	3.61e+0	3.99e+0
4p $^3D[e] - 3s$ $^3P^o$									
$2p4p(^3D_3^e) - 2p3s(^3P_2^o)$	1859.26	*	2.79e+2	7.22e+1	4.06e+1	1.15e+1	6.74e+0	5.01e+0	4.40e+0
$2p4p(^3D_2^e) - 2p3s(^3P_1^o)$	1857.87	*	2.34e+2	3.73e+1	2.12e+1	7.56e+0	4.99e+0	4.11e+0	4.50e+0
$2p4p(^3D_1^e) - 2p3s(^3P_0^o)$	1858.55	*	8.28e+1	1.47e+1	8.58e+0	3.38e+0	2.35e+0	1.99e+0	2.20e+0
4p $^3D^e - 4s$ $^3P^o$									
$2p4p(^3D_3^e) - 2p4s(^3P_2^o)$	16256.20	*	9.75e+1	2.53e+1	1.42e+1	4.04e+0	2.36e+0	1.75e+0	1.54e+0
4s $^3P^o - 3p$ $^3D^e$									
$2p4s(^3P_2^o) - 2p3p(^3D_3^e)$	3328.72	*	9.75e+1	2.46e+1	1.40e+1	4.47e+0	2.89e+0	2.36e+0	2.35e+0
3d $^3P^o - 3p$ $^1P^e$									
$2p3d(^3P_0^o) - 2p3p(^1P_1^e)$	4109.59	*	4.50e+2	1.07e+2	5.38e+1	1.07e+1	5.16e+0	3.44e+0	2.75e+0
$2p3d(^3P_1^o) - 2p3p(^1P_1^e)$	4114.33	*	1.52e+3	3.51e+2	1.78e+2	3.74e+1	1.87e+1	1.28e+1	1.08e+1
$2p3d(^3P_2^o) - 2p3p(^1P_1^e)$	4123.12	*	2.80e+3	6.25e+2	3.21e+2	7.30e+1	3.83e+1	2.76e+1	2.83e+1
3d $^3P^o - 3p$ $^3P^e$									
$2p3d(^3P_0^o) - 2p3p(^3P_2^e)$	5454.21	*	1.96e-4	4.66e-5	2.34e-5	4.64e-6	2.25e-6	1.50e-6	1.20e-6
$2p3d(^3P_1^o) - 2p3p(^3P_2^e)$	5480.05	*	1.52e+2	3.53e+1	1.79e+1	3.75e+0	1.88e+0	1.29e+0	1.08e+0
$2p3d(^3P_1^o) - 2p3p(^3P_1^e)$	5462.58	*	7.24e-1	1.68e-1	8.49e-2	1.78e-2	8.94e-3	6.11e-3	5.14e-3
$2p3d(^3P_0^o) - 2p3p(^3P_0^e)$	5452.07	*	1.04e+2	2.39e+1	1.21e+1	2.55e+0	1.28e+0	8.73e-1	7.34e-1
$2p3d(^3P_2^o) - 2p3p(^3P_2^e)$	5495.65	*	5.02e+2	1.12e+2	5.75e+1	1.31e+1	6.87e+0	4.94e+0	5.08e+0
$2p3d(^3P_2^o) - 2p3p(^3P_1^e)$	5478.09	*	3.84e-1	8.58e-2	4.40e-2	1.00e-2	5.26e-3	3.78e-3	3.89e-3
3d $^3P^o - 3p$ $^3S^e$									
$2p3d(^3P_0^o) - 2p3p(^3S_1^e)$	4987.38	*	1.54e+2	3.65e+1	1.84e+1	3.64e+0	1.76e+0	1.18e+0	9.39e-1
$2p3d(^3P_1^o) - 2p3p(^3S_1^e)$	4994.37	*	1.54e+2	3.56e+1	1.80e+1	3.79e+0	1.90e+0	1.30e+0	1.09e+0
$2p3d(^3P_2^o) - 2p3p(^3S_1^e)$	5007.33	*	1.28e+2	2.87e+1	1.47e+1	3.35e+0	1.76e+0	1.27e+0	1.30e+0
3d $^3P^o - 3p$ $^3D^e$									
$2p3d(^3P_2^o) - 2p3p(^3D_3^e)$	4507.56	*	1.70e+2	3.79e+1	1.95e+1	4.43e+0	2.33e+0	1.67e+0	1.72e+0
3d $^3D^o - 3p$ $^3P^e$ (V28)									
$2p3d(^3D_3^o) - 2p3p(^3P_2^e)$	5941.65	*	4.02e+3	7.90e+2	4.10e+2	9.95e+1	5.24e+1	3.66e+1	3.18e+1
$2p3d(^3D_2^o) - 2p3p(^3P_2^e)$	5952.39	*	1.29e-2	2.47e-3	1.29e-3	3.27e-4	1.76e-4	1.26e-4	1.19e-4
$2p3d(^3D_2^o) - 2p3p(^3P_1^e)$	5931.78	*	7.64e+1	1.46e+1	7.66e+0	1.93e+0	1.04e+0	7.47e-1	7.07e-1
$2p3d(^3D_1^o) - 2p3p(^3P_2^e)$	5960.90	*	4.65e+1	7.95e+0	4.18e+0	1.10e+0	6.05e-1	4.35e-1	3.93e-1
$2p3d(^3D_1^o) - 2p3p(^3P_1^e)$	5940.24	*	2.27e+0	3.89e-1	2.04e-1	5.39e-2	2.96e-2	2.13e-2	1.92e-2
$2p3d(^3D_1^o) - 2p3p(^3P_0^o)$	5927.81	*	1.14e+3	1.94e+2	1.02e+2	2.69e+1	1.48e+1	1.06e+1	9.59e+0
3d $^3D^o - 3p$ $^3D^e$									
$2p3d(^3D_3^o) - 2p3p(^3D_3^e)$	4803.29	*	2.33e+3	4.58e+2	2.38e+2	5.77e+1	3.04e+1	2.12e+1	1.85e+1
$2p3d(^3D_3^o) - 2p3p(^3D_2^e)$	4781.19	*	1.48e+2	2.92e+1	1.51e+1	3.67e+0	1.93e+0	1.35e+0	1.17e+0

Table 4. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4810.30	*	1.49e-3	2.86e-4	1.50e-4	3.78e-5	2.04e-5	1.46e-5	1.38e-5
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4788.14	*	1.27e-2	2.43e-3	1.27e-3	3.21e-4	1.73e-4	1.24e-4	1.18e-4
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4774.24	*	2.83e+0	5.42e-1	2.84e-1	7.16e-2	3.86e-2	2.77e-2	2.62e-2
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4793.65	*	2.77e+2	4.75e+1	2.49e+1	6.57e+0	3.61e+0	2.60e+0	2.34e+0
2p3d($^3D_1^o$) – 2p3p($^3D_1^e$)	4779.72	*	8.93e+2	1.53e+2	8.02e+1	2.12e+1	1.16e+1	8.35e+0	7.54e+0
3d $^3D^o$ – 3p $^3S^e$									
2p3d($^3D_1^o$) – 2p3p($^3S_1^e$)	5390.69	*	1.06e+3	1.82e+2	9.55e+1	2.52e+1	1.38e+1	9.94e+0	8.98e+0
3d $^1D^o$ – 3p $^3P^e$									
2p3d($^1D_2^o$) – 2p3p($^3P_2^e$)	6086.54	*	6.07e+2	1.05e+2	5.43e+1	1.37e+1	7.41e+0	5.35e+0	5.31e+0
3d $^1D^o$ – 3p $^3S^e$									
2p3d($^1D_2^o$) – 2p3p($^3S_1^e$)	5493.23	*	2.77e+3	4.76e+2	2.47e+2	6.26e+1	3.37e+1	2.44e+1	2.42e+1
3d $^1D^o$ – 3p $^3D^e$									
2p3d($^1D_2^o$) – 2p3p($^3D_3^e$)	4897.54	*	2.35e+2	4.04e+1	2.10e+1	5.31e+0	2.86e+0	2.07e+0	2.05e+0
2p3d($^1D_2^o$) – 2p3p($^3D_3^e$)	4874.57	*	1.24e+3	2.13e+2	1.11e+2	2.80e+1	1.51e+1	1.09e+1	1.08e+1
2p3d($^1D_2^o$) – 2p3p($^3D_1^e$)	4860.17	*	1.57e+2	2.70e+1	1.40e+1	3.55e+0	1.91e+0	1.38e+0	1.37e+0
3d $^3F^o$ – 3p $^3D^e$									
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	*	6.34e+3	1.51e+3	7.68e+2	1.58e+2	7.72e+1	5.16e+1	4.12e+1
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	*	6.63e+2	1.24e+2	6.41e+1	1.59e+1	8.69e+0	6.40e+0	6.50e+0
2p3d($^3F_3^o$) – 2p3p($^3D_2^e$)	5001.47	*	6.53e+3	1.22e+3	6.31e+2	1.57e+2	8.56e+1	6.30e+1	6.40e+1
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.71	*	1.47e+1	2.77e+0	1.46e+0	3.92e-1	2.23e-1	1.70e-1	1.85e-1
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.38	*	6.31e+2	1.19e+2	6.29e+1	1.69e+1	9.60e+0	7.31e+0	7.99e+0
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.13	*	3.83e+3	7.24e+2	3.81e+2	1.02e+2	5.82e+1	4.43e+1	4.84e+1
3p $^1S^e$ – 3s $^1P^o$									
2p3p($^1S_0^e$) – 2p3s($^1P_1^o$)	3437.14	*	1.01e+2	2.75e+1	1.60e+1	5.60e+0	3.85e+0	3.35e+0	3.39e+0
3p $^1D^e$ – 3s $^1P^o$									
2p3p($^1D_2^e$) – 2p3s($^1P_1^o$)	3995.00	*	4.88e+2	1.30e+2	7.62e+1	2.75e+1	2.02e+1	1.92e+1	2.10e+1
3p $^1D^e$ – 3s $^3P^o$									
2p3p($^1D_2^e$) – 2p3s($^3P_1^o$)	3955.85	*	8.20e+1	2.18e+1	1.28e+1	4.63e+0	3.40e+0	3.22e+0	3.52e+0
3p $^3P^e$ – 3s $^1P^o$									
2p3p($^3P_2^e$) – 2p3s($^1P_1^o$)	4654.53	*	1.33e+2	2.76e+1	1.47e+1	4.05e+0	2.40e+0	1.83e+0	1.72e+0
2p3p($^3P_1^e$) – 2p3s($^1P_1^o$)	4667.21	*	2.75e+2	6.95e+1	4.08e+1	1.50e+1	1.14e+1	1.14e+1	1.28e+1
2p3p($^3P_0^e$) – 2p3s($^1P_1^o$)	4674.91	*	1.52e+2	2.60e+1	1.40e+1	4.31e+0	2.71e+0	2.13e+0	2.04e+0
3p $^3P^e$ – 3s $^3P^o$ (V5)									
2p3p($^3P_2^e$) – 2p3s($^3P_2^o$)	4630.54	*	3.18e+3	6.59e+2	3.51e+2	9.66e+1	5.74e+1	4.36e+1	4.11e+1
2p3p($^3P_2^e$) – 2p3s($^3P_1^o$)	4601.48	*	8.94e+2	1.86e+2	9.88e+1	2.72e+1	1.61e+1	1.23e+1	1.16e+1
2p3p($^3P_1^e$) – 2p3s($^3P_2^o$)	4643.09	*	1.29e-5	3.27e-6	1.92e-6	3.27e-6	1.92e-6	5.33e-7	6.02e-7
2p3p($^3P_1^e$) – 2p3s($^3P_1^o$)	4613.87	*	5.91e+1	1.49e+1	8.75e+0	3.22e+0	2.45e+0	2.44e+0	2.75e+0
2p3p($^3P_1^e$) – 2p3s($^3P_0^o$)	4607.15	*	8.60e-2	2.17e-2	1.27e-2	4.67e-3	3.56e-3	3.54e-3	4.00e-3
2p3p($^3P_0^e$) – 2p3s($^3P_1^o$)	4621.39	*	9.50e+2	1.63e+2	8.77e+1	2.70e+1	1.69e+1	1.33e+1	1.28e+1
3p $^3P^e$ – 2s2p $^3D^o$									
2p3p($^3P_2^e$) – 2s2p($^3D_2^o$)	1275.25	*	4.06e+2	8.44e+1	4.50e+1	1.24e+1	7.34e+0	5.59e+0	5.26e+0
2p3p($^3P_2^e$) – 2s2p($^3D_1^o$)	1275.04	*	2.23e+3	4.63e+2	2.47e+2	6.78e+1	4.03e+1	3.06e+1	2.89e+1
2p3p($^3P_0^e$) – 2s2p($^3D_1^o$)	1276.80	*	6.97e+2	1.19e+2	6.43e+1	1.98e+1	1.24e+1	9.79e+0	9.37e+0
3p $^3S^e$ – 3s $^1P^o$									
2p3p($^3S_1^e$) – 2p3s($^1P_1^o$)	5073.59	*	1.08e+2	2.03e+1	1.08e+1	3.12e+0	1.90e+0	1.49e+0	1.50e+0
3p $^3S^e$ – 3s $^3P^o$									
2p3p($^3S_1^e$) – 2p3s($^3P_2^o$)	5045.10	*	1.32e+3	2.48e+2	1.32e+2	3.81e+1	2.32e+1	1.82e+1	1.83e+1
2p3p($^3S_1^e$) – 2p3s($^3P_1^o$)	5010.62	*	6.10e+2	1.14e+2	6.09e+1	1.76e+1	1.07e+1	8.38e+0	8.43e+0
2p3p($^3S_1^e$) – 2p3s($^3P_0^o$)	5002.70	*	9.63e+2	1.80e+2	9.61e+1	2.77e+1	1.69e+1	1.32e+1	1.33e+1
3p $^3S^e$ – 2s2p $^3D^o$									
2p3p($^3S_1^e$) – 2s2p($^3D_1^o$)	1304.79	*	5.76e+2	1.08e+2	5.75e+1	1.66e+1	1.01e+1	7.91e+0	7.96e+0
2p3p($^3S_1^e$) – 2s2p($^3D_2^o$)	1304.77	*	1.70e+3	3.18e+2	1.70e+2	4.90e+1	2.99e+1	2.34e+1	2.35e+1

Table 4. Continued.

Transition	$\lambda[\text{\AA}]$	T_e [K]							
		125	500	1000	5000	10,000	15,000	20,000	
$3p\ ^3D^e - 3s\ ^3P^o$									
$2p3p(^3D_2^e) - 2p3s(^3P_2^o)$	5679.56	*	7.31e+3	1.68e+3	8.77e+2	2.04e+2	1.09e+2	7.96e+1	7.00e+1
$2p3p(^3D_2^e) - 2p3s(^3P_2^o)$	5710.77	*	1.70e+3	3.03e+2	1.61e+2	4.41e+1	2.60e+1	2.03e+1	2.14e+1
$2p3p(^3D_2^e) - 2p3s(^3P_1^o)$	5666.63	*	4.71e+3	8.39e+2	4.45e+2	1.22e+2	7.19e+1	5.63e+1	5.91e+1
$2p3p(^3D_2^e) - 2p3s(^3P_0^o)$	5730.66	*	9.64e+1	1.79e+1	9.60e+0	2.82e+0	1.72e+0	1.37e+0	1.48e+0
$2p3p(^3D_1^e) - 2p3s(^3P_1^o)$	5686.21	*	1.27e+3	2.35e+2	1.26e+2	3.71e+1	2.26e+1	1.81e+1	1.95e+1
$2p3p(^3D_1^e) - 2p3s(^3P_0^o)$	5676.02	*	2.13e+3	3.95e+2	2.12e+2	6.24e+1	3.80e+1	3.03e+1	3.27e+1
$3p\ ^3D^e - 2s2p\ ^3P^o$									
$2p3p(^3D_2^e) - 2s2p(^3P_2^o)$	1740.31	*	3.05e+3	7.01e+2	3.66e+2	8.49e+1	4.55e+1	3.32e+1	2.92e+1
$2p3p(^3D_2^e) - 2s2p(^3P_2^o)$	1743.23	*	7.32e+2	1.31e+2	6.91e+1	1.90e+1	1.12e+1	8.75e+0	9.19e+0
$2p3p(^3D_2^e) - 2s2p(^3P_1^o)$	1743.20	*	2.25e+3	4.02e+2	2.13e+2	5.85e+1	3.44e+1	2.69e+1	2.83e+1
$2p3p(^3D_2^e) - 2s2p(^3P_0^o)$	1745.26	*	8.77e+2	1.63e+2	8.73e+1	2.57e+1	1.56e+1	1.25e+1	1.35e+1
$2p3p(^3D_1^e) - 2s2p(^3P_1^o)$	1745.05	*	6.46e+2	1.20e+2	6.43e+1	1.89e+1	1.15e+1	9.20e+0	9.92e+0
$3p\ ^3D^e - 2s2p\ ^3D^o$									
$2p3p(^3D_2^e) - 2s2p(^3D_2^o)$	1343.57	*	1.08e+2	2.49e+1	1.30e+1	3.02e+0	1.62e+0	1.18e+0	1.04e+0
$2p3p(^3D_2^e) - 2s2p(^3D_2^o)$	1343.34	*	9.20e+2	2.11e+2	1.10e+2	2.56e+1	1.37e+1	1.00e+1	8.80e+0
$2p3p(^3D_2^e) - 2s2p(^3D_1^o)$	1345.34	*	1.45e+2	2.58e+1	1.37e+1	3.76e+0	2.21e+0	1.73e+0	1.82e+0
$2p3p(^3D_2^e) - 2s2p(^3D_2^o)$	1345.31	*	6.92e+2	1.23e+2	6.54e+1	1.80e+1	1.06e+1	8.27e+0	8.69e+0
$2p3p(^3D_2^e) - 2s2p(^3D_3^o)$	1345.08	*	1.80e+2	3.21e+1	1.70e+1	4.67e+0	2.75e+0	2.15e+0	2.26e+0
$2p3p(^3D_1^e) - 2s2p(^3D_1^o)$	1346.44	*	3.93e+2	7.28e+1	3.91e+1	1.15e+1	7.00e+0	5.59e+0	6.03e+0
$2p3p(^3D_1^e) - 2s2p(^3D_2^o)$	1346.41	*	1.44e+2	2.68e+1	1.44e+1	4.23e+0	2.57e+0	2.05e+0	2.22e+0
$3p\ ^3D^e - 3s\ ^1P^o$									
$2p3p(^3D_2^e) - 2p3s(^1P_1^o)$	5747.30	*	7.52e+2	1.34e+2	7.11e+1	1.95e+1	1.15e+1	8.99e+0	9.44e+0
$2p3p(^3D_1^e) - 2p3s(^1P_1^o)$	5767.45	*	2.69e+2	4.98e+1	2.68e+1	7.86e+0	4.79e+0	3.82e+0	4.13e+0
$3p\ ^1P^e - 3s\ ^1P^o$									
$2p3p(^1P_1^e) - 2p3s(^1P_1^o)$	6482.05	*	1.06e+2	2.29e+1	1.18e+1	2.77e+0	1.51e+0	1.14e+0	1.13e+0
$3p\ ^1P^e - 3s\ ^3P^o$									
$2p3p(^1P_1^e) - 2p3s(^3P_2^o)$	6435.61	*	9.72e+2	2.10e+2	1.08e+2	2.54e+1	1.39e+1	1.04e+1	1.04e+1
$2p3p(^1P_1^e) - 2p3s(^3P_1^o)$	6379.62	*	5.67e+2	1.23e+2	6.33e+1	1.48e+1	8.11e+0	6.08e+0	6.05e+0
$2p3p(^1P_1^e) - 2p3s(^3P_0^o)$	6366.79	*	2.40e+2	5.19e+1	2.68e+1	6.27e+0	3.43e+0	2.57e+0	2.56e+0
$3p\ ^1P^e - 2s2p\ ^3P^o$									
$2p3p(^1P_1^e) - 2s2p(^3P_0^o)$	1805.47	*	4.25e+2	9.20e+1	4.75e+1	1.11e+1	6.09e+0	4.56e+0	4.54e+0
$2p3p(^1P_1^e) - 2s2p(^3P_2^o)$	1805.28	*	2.07e+3	4.49e+2	2.31e+2	5.43e+1	2.97e+1	2.22e+1	2.21e+1
$2p3p(^1P_1^e) - 2s2p(^3P_1^o)$	1805.24	*	1.27e+3	2.74e+2	1.42e+2	3.32e+1	1.82e+1	1.36e+1	1.36e+1
$2s2p\ ^3P^o - 2p^2\ ^1D^e$									
$2s2p(^3P_2^o) - 2p^2(^1D_2^e)$	1064.95	*	6.34e+3	1.38e+3	7.22e+2	3.36e+2	3.09e+2	2.64e+2	2.36e+2
$2s2p(^3P_1^o) - 2p^2(^1D_2^e)$	1064.96	*	3.08e+3	5.90e+2	3.13e+2	1.49e+2	1.35e+2	1.17e+2	1.09e+2
$2s2p\ ^3P^o - 2p^2\ ^1S^e$									
$2s2p(^3P_1^o) - 2p^2(^1S_0^e)$	1306.71	*	1.32e+3	2.54e+2	1.35e+2	6.39e+1	5.81e+1	5.02e+1	4.69e+1
$2s2p\ ^3D^o - 2p^2\ ^1S^e$									
$2s2p(^3D_1^o) - 2p^2(^1S_0^e)$	1678.89	*	8.59e+2	1.60e+2	8.84e+1	9.73e+1	9.67e+1	8.31e+1	7.39e+1
$2s2p\ ^3D^o - 2p^2\ ^1D^e$									
$2s2p(^3D_1^o) - 2p^2(^1D_2^e)$	1299.79	*	1.38e+3	2.56e+2	1.42e+2	1.56e+2	1.56e+2	1.34e+2	1.19e+2
$2s2p(^3D_2^o) - 2p^2(^1D_2^e)$	1299.81	*	3.91e+3	7.52e+2	4.13e+2	4.03e+2	3.89e+2	3.30e+2	2.93e+2
$2s2p(^3D_3^o) - 2p^2(^1D_2^e)$	1300.04	*	4.36e+3	9.19e+2	5.02e+2	4.76e+2	4.45e+2	3.67e+2	3.21e+2

Table 5. Same as Table 3 but for $N_e = 10^4 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	$T_e [\text{K}]$							
		125	500	1000	5000	10,000	15,000	20,000	
6h – 5g									
2p6h $I[13/2]_6^e - 2p5g H[11/2]_5^o$	18622.57	1.34e+3	2.81e+2	1.32e+2	2.06e+1	8.53e+0	5.01e+0	3.35e+0	
2p6h $H[11/2]_6^e - 2p5g G[9/2]_5^o$	18481.01	1.29e+3	2.70e+2	1.26e+2	1.97e+1	8.17e+0	4.81e+0	3.21e+0	
2p6h $H[11/2]_5^e - 2p5g G[9/2]_4^o$	17964.67	1.07e+3	2.24e+2	1.05e+2	1.64e+1	6.79e+0	3.99e+0	2.67e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18480.67	1.05e+3	2.20e+2	1.03e+2	1.61e+1	6.68e+0	3.92e+0	2.63e+0	
2p6h $G[9/2]_5^e - 2p5g F[7/2]_4^o$	18549.42	8.37e+2	1.75e+2	8.21e+1	1.28e+1	5.31e+0	3.12e+0	2.09e+0	
2p6h $G[7/2]_4^e - 2p5g F[5/2]_3^o$	18679.36	8.61e+2	1.81e+2	8.46e+1	1.32e+1	5.48e+0	3.22e+0	2.16e+0	
2p6h $I[13/2]_7^e - 2p5g H[11/2]_6^o$	18622.64	1.56e+3	3.28e+2	1.54e+2	2.40e+1	9.96e+0	5.86e+0	3.92e+0	
2p6h $H[9/2]_4^e - 2p5g G[7/2]_3^o$	18533.26	1.51e+3	2.04e+2	9.02e+1	1.46e+1	6.30e+0	3.80e+0	2.59e+0	
2p6h $I[11/2]_6^e - 2p5g H[9/2]_5^o$	18546.53	2.29e+3	3.09e+2	1.37e+2	2.21e+1	9.57e+0	5.78e+0	3.94e+0	
2p6h $I[11/2]_5^e - 2p5g H[9/2]_4^o$	19170.43	1.90e+3	2.57e+2	1.14e+2	1.84e+1	7.95e+0	4.80e+0	3.28e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18533.26	1.89e+3	2.56e+2	1.13e+2	1.83e+1	7.92e+0	4.78e+0	3.26e+0	
6g – 5f									
2p6g $G[9/2]_4^o - 2p5f F[7/2]_3^e$	17930.73	3.32e+2	5.16e+1	2.54e+1	5.57e+0	2.74e+0	1.77e+0	1.30e+0	
2p6g $G[9/2]_5^o - 2p5f F[7/2]_4^e$	18277.37	4.13e+2	6.41e+1	3.16e+1	6.93e+0	3.41e+0	2.21e+0	1.61e+0	
2p6g $F[7/2]_3^o - 2p5f D[5/2]_2^e$	18230.35	2.44e+2	3.78e+1	1.86e+1	4.08e+0	2.01e+0	1.30e+0	9.45e-1	
2p6g $F[7/2]_4^o - 2p5f D[5/2]_3^e$	18222.01	3.20e+2	4.97e+1	2.45e+1	5.37e+0	2.64e+0	1.71e+0	1.29e+0	
6g – 4f									
2p6g $G[9/2]_4^o - 2p4f F[7/2]_3^e$	6413.23	3.10e+2	4.81e+1	2.37e+1	5.19e+0	2.55e+0	1.65e+0	1.21e+0	
2p6g $G[9/2]_5^o - 2p4f G[7/2]_4^e$	6556.32	1.90e+2	2.95e+1	1.45e+1	3.18e+0	1.57e+0	1.01e+0	7.41e-1	
2p6g $G[9/2]_6^o - 2p4f F[7/2]_5^e$	6456.97	3.96e+2	6.15e+1	3.03e+1	6.64e+0	3.27e+0	2.11e+0	1.55e+0	
2p6g $F[7/2]_3^o - 2p4f D[5/2]_2^e$	6446.53	2.71e+2	4.21e+1	2.07e+1	4.55e+0	2.24e+0	1.45e+0	1.05e+0	
2p6g $F[7/2]_4^o - 2p4f D[5/2]_3^e$	6445.34	3.60e+2	5.58e+1	2.75e+1	6.03e+0	2.97e+0	1.92e+0	1.44e+0	
6f – 3d									
2p6f $F[7/2]_4^e - 2p3d(^3F_3^o)$	2504.19	*	2.22e+2	2.60e+1	1.30e+1	3.54e+0	1.99e+0	1.41e+0	1.16e+0
2p6f $F[7/2]_3^e - 2p3d(^3F_2^o)$	2500.67	*	2.56e+2	2.97e+1	1.48e+1	3.98e+0	2.23e+0	1.58e+0	1.30e+0
2p6f $F[5/2]_3^e - 2p3d(^3D_3^o)$	2560.24	*	1.70e+2	1.98e+1	9.97e+0	2.71e+0	1.53e+0	1.08e+0	8.62e-1
2p6f $F[5/2]_2^e - 2p3d(^3D_2^o)$	2561.95	*	1.57e+2	1.82e+1	9.11e+0	2.46e+0	1.39e+0	9.85e-1	8.51e-1
6d – 3p									
2p6d(^3F_3^o) – 2p3p(^3D_2^e)	1678.78		1.27e+2	3.45e+1	2.03e+1	6.95e+0	4.40e+0	3.36e+0	2.82e+0
5g – 4f									
2p5g $F[5/2]_3^o - 2p4f D[3/2]_2^e$	10108.45	*	1.04e+3	2.28e+2	1.11e+2	1.94e+1	8.50e+0	5.15e+0	3.53e+0
2p5g $H[11/2]_6^o - 2p4f G[9/2]_5^e$	10023.27	*	2.31e+3	5.01e+2	2.43e+2	4.24e+1	1.86e+1	1.12e+1	7.66e+0
2p5g $H[11/2]_5^o - 2p4f G[9/2]_4^e$	10035.44	*	1.84e+3	4.04e+2	1.96e+2	3.45e+1	1.51e+1	9.14e+0	6.26e+0
2p5g $G[9/2]_4^o - 2p4f G[7/2]_3^e$	9941.81	*	6.38e+2	8.98e+1	4.12e+1	7.45e+0	3.40e+0	2.12e+0	1.48e+0
2p5g $G[9/2]_5^o - 2p4f F[7/2]_4^e$	9718.59	*	1.98e+3	2.79e+2	1.28e+2	2.31e+1	1.06e+1	6.56e+0	4.60e+0
2p5g $G[7/2]_3^o - 2p4f F[5/2]_2^e$	10070.12	*	8.60e+2	1.88e+2	9.15e+1	1.61e+1	7.04e+0	4.26e+0	2.92e+0
2p5g $H[9/2]_2^o - 2p4f G[7/2]_4^e$	9969.33	*	1.30e+3	2.84e+2	1.38e+2	2.42e+1	1.06e+1	6.43e+0	4.40e+0
2p5g $G[7/2]_4^o - 2p4f F[5/2]_3^e$	10085.72	*	1.17e+3	2.56e+2	1.24e+2	2.18e+1	9.56e+0	5.79e+0	3.96e+0
2p5g $G[9/2]_3^o - 2p4f G[7/2]_4^e$	10126.15	*	8.15e+2	1.15e+2	5.26e+1	9.51e+0	4.35e+0	2.70e+0	1.90e+0
2p5g $G[9/2]_4^o - 2p4f F[7/2]_5^e$	9891.10	*	2.50e+3	3.52e+2	1.62e+2	2.92e+1	1.33e+1	8.30e+0	5.82e+0
2p5g $H[9/2]_4^o - 2p4f G[7/2]_3^e$	10118.53	*	1.07e+3	2.33e+2	1.13e+2	1.99e+1	8.72e+0	5.28e+0	3.61e+0
2p5g $F[7/2]_3^o - 2p4f D[5/2]_2^e$	9868.20	*	1.67e+3	2.35e+2	1.08e+2	1.95e+1	8.90e+0	5.54e+0	3.88e+0
2p5g $F[7/2]_4^o - 2p4f F[5/2]_3^e$	10250.19	*	3.64e+2	5.13e+1	2.35e+1	4.26e+0	1.94e+0	1.21e+0	8.55e-1
2p5g $F[7/2]_5^o - 2p4f D[5/2]_3^e$	9865.42	*	2.21e+3	3.11e+2	1.43e+2	2.58e+1	1.18e+1	7.34e+0	5.18e+0
5f – 4d									
2p5f $F[7/2]_4^e - 2p4d(^3D_3^o)$	9281.06	*	2.87e+2	3.81e+1	1.92e+1	4.85e+0	2.61e+0	1.80e+0	1.45e+0
2p5f $F[7/2]_3^e - 2p4d(^3F_2^o)$	8772.93	*	2.11e+2	2.77e+1	1.39e+1	3.49e+0	1.87e+0	1.29e+0	1.04e+0
2p5f $F[5/2]_3^e - 2p4d(^3D_3^o)$	9242.02	*	2.27e+2	3.00e+1	1.51e+1	3.83e+0	2.06e+0	1.42e+0	1.13e+0
2p5f $F[5/2]_2^e - 2p4d(^1D_2^o)$	8983.28	*	2.16e+2	2.85e+1	1.43e+1	3.61e+0	1.94e+0	1.34e+0	1.11e+0
5f – 3d									
2p5f $G[9/2]_5^e - 2p3d(^3F_4^o)$	2885.27	*	5.75e+2	1.44e+2	7.87e+1	2.01e+1	1.05e+1	7.10e+0	5.45e+0
2p5f $D[5/2]_3^e - 2p3d(^3P_2^o)$	3082.20	*	2.71e+2	6.27e+1	3.38e+1	8.54e+0	4.47e+0	3.00e+0	2.26e+0
2p5f $G[7/2]_4^e - 2p3d(^3F_3^o)$	2884.25	*	1.89e+2	4.38e+1	2.36e+1	6.00e+0	3.15e+0	2.13e+0	1.66e+0
2p5f $G[7/2]_3^e - 2p3d(^3F_2^o)$	2879.75	*	1.95e+2	4.53e+1	2.45e+1	6.20e+0	3.25e+0	2.20e+0	1.72e+0
2p5f $F[7/2]_4^e - 2p3d(^3D_3^o)$	2976.97	*	5.93e+2	7.88e+1	3.97e+1	1.00e+1	5.41e+0	3.73e+0	2.99e+0
2p5f $G[7/2]_4^e - 2p3d(^3F_3^o)$	2897.50	*	3.64e+2	4.83e+1	2.43e+1	6.16e+0	3.32e+0	2.29e+0	1.84e+0
2p5f $F[7/2]_3^e - 2p3d(^1D_2^o)$	2942.23	*	2.73e+2	3.59e+1	1.80e+1	4.52e+0	2.43e+0	1.67e+0	1.35e+0
2p5f $G[7/2]_3^e - 2p3d(^3F_2^o)$	2892.87	*	4.31e+2	5.67e+1	2.84e+1	7.13e+0	3.83e+0	2.64e+0	2.13e+0
2p5f $F[5/2]_2^e - 2p3d(^3D_3^o)$	2973.60	*	4.37e+2	5.79e+1	2.92e+1	7.39e+0	3.98e+0	2.74e+0	2.18e+0

Table 5. Continued.

Transition	$\lambda[\text{\AA}]$	T_e [K]							
		125	500	1000	5000	10,000	15,000	20,000	
2p5f $F[5/2]_3^e - 2p3d(^3D_2^o)$	2975.95	*	4.09e+2	5.39e+1	2.71e+1	6.83e+0	3.67e+0	2.54e+0	2.11e+0
2p5f $F[5/2]_3^e - 2p3d(^1D_2^o)$	2943.51	*	2.73e+2	3.60e+1	1.81e+1	4.57e+0	2.46e+0	1.70e+0	1.41e+0
5d – 3p									
2p5d($^3F_3^o$) – 2p3p($^3D_2^e$)	1858.42		3.55e+2	4.61e+1	2.50e+1	8.27e+0	5.25e+0	4.42e+0	6.30e+0
4f – 3d $^1P^o$									
2p4f $D[5/2]_2^e - 2p3d(^1P_1^o)$	4694.64	*	6.51e+2	1.34e+2	6.68e+1	1.35e+1	6.40e+0	4.08e+0	2.93e+0
4f – 3d $^3P^o$									
2p4f $D[5/2]_2^e - 2p3d(^3P_0^o)$	4442.01	*	5.44e+2	1.12e+2	5.58e+1	1.13e+1	5.35e+0	3.41e+0	2.45e+0
2p4f $D[5/2]_3^e - 2p3d(^3P_2^o)$	4432.74	*	1.93e+3	3.98e+2	1.98e+2	3.99e+1	1.90e+1	1.22e+1	8.84e+0
4f – 3d $^3D^o$									
2p4f $D[5/2]_2^e - 2p3d(^3D_0^o)$	4179.67	*	4.54e+2	9.37e+1	4.66e+1	9.39e+0	4.48e+0	2.86e+0	2.08e+0
2p4f $F[7/2]_4^e - 2p3d(^3D_3^o)$	4199.98	*	4.04e+2	7.85e+1	3.88e+1	7.87e+0	3.78e+0	2.45e+0	1.86e+0
2p4f $F[7/2]_3^e - 2p3d(^3D_2^o)$	4195.97	*	2.16e+2	4.21e+1	2.08e+1	4.21e+0	2.02e+0	1.31e+0	9.94e–1
2p4f $F[7/2]_4^e - 2p3d(^3D_3^o)$	4241.79	*	3.70e+3	5.55e+2	2.67e+2	5.49e+1	2.68e+1	1.75e+1	1.33e+1
2p4f $F[7/2]_3^e - 2p3d(^3D_3^o)$	4242.50	*	1.85e+2	2.75e+1	1.32e+1	2.71e+0	1.32e+0	8.59e–1	6.56e–1
2p4f $F[7/2]_3^e - 2p3d(^3D_2^o)$	4237.05	*	8.82e+2	1.32e+2	6.32e+1	1.29e+1	6.29e+0	4.11e+0	3.14e+0
2p4f $F[5/2]_2^e - 2p3d(^3D_1^o)$	4236.93	*	2.16e+3	3.12e+2	1.49e+2	3.07e+1	1.50e+1	9.85e+0	7.53e+0
2p4f $F[5/2]_3^e - 2p3d(^3D_2^o)$	4241.76	*	2.08e+3	3.00e+2	1.43e+2	2.94e+1	1.44e+1	9.41e+0	7.32e+0
4f – 3d $^1F^o$									
2p4f $G[9/2]_4^e - 2p3d(^1F_3^o)$	4530.41	*	1.84e+3	4.18e+2	2.11e+2	4.23e+1	1.99e+1	1.28e+1	9.57e+0
2p4f $G[7/2]_4^e - 2p3d(^1F_3^o)$	4552.52	*	9.12e+2	1.77e+2	8.76e+1	1.78e+1	8.53e+0	5.53e+0	4.21e+0
2p4f $F[5/2]_3^e - 2p3d(^1F_3^o)$	4608.09	*	2.17e+2	3.13e+1	1.50e+1	3.07e+0	1.50e+0	9.83e–1	7.64e–1
4f – 3d $^3F^o$									
2p4f $D[3/2]_2^e - 2p3d(^3F_3^o)$	4011.82	*	2.61e+0	5.96e–1	3.00e–1	6.01e–2	2.83e–2	1.79e–2	1.27e–2
2p4f $D[3/2]_2^e - 2p3d(^3F_2^o)$	4002.28	*	1.23e–1	2.79e–2	1.41e–2	2.82e–3	1.33e–3	8.37e–4	5.93e–4
2p4f $D[3/2]_1^e - 2p3d(^3F_2^o)$	4002.87	*	3.44e+0	7.85e–1	3.96e–1	7.95e–2	3.75e–2	2.37e–2	1.68e–2
2p4f $D[5/2]_2^e - 2p3d(^3F_3^o)$	4023.95	*	7.03e+0	1.45e+0	7.21e–1	1.45e–1	6.92e–2	4.41e–2	3.17e–2
2p4f $D[5/2]_2^e - 2p3d(^3F_2^o)$	4014.35	*	7.03e–1	1.45e–1	7.21e–2	1.45e–2	6.92e–3	4.41e–3	3.17e–3
2p4f $D[5/2]_3^e - 2p3d(^3F_4^o)$	4037.96	*	1.68e+1	3.46e+0	1.72e+0	3.47e–1	1.65e–1	1.06e–1	7.68e–2
2p4f $D[5/2]_3^e - 2p3d(^3F_3^o)$	4024.71	*	4.15e–1	8.56e–2	4.26e–2	8.59e–3	4.09e–3	2.61e–3	1.90e–3
2p4f $D[5/2]_3^e - 2p3d(^3F_2^o)$	4015.11	*	1.30e–2	2.68e–3	1.34e–3	2.69e–4	1.28e–4	8.19e–5	5.96e–5
2p4f $G[9/2]_4^e - 2p3d(^3F_4^o)$	4039.34	*	5.39e+1	1.23e+1	6.18e+0	1.24e+0	5.84e–1	3.74e–1	2.80e–1
2p4f $G[9/2]_4^e - 2p3d(^3F_3^o)$	4026.08	*	8.62e+2	1.96e+2	9.87e+1	1.98e+1	9.34e+0	5.98e+0	4.48e+0
2p4f $G[9/2]_3^e - 2p3d(^3F_4^o)$	4041.31	*	3.49e+3	7.90e+2	3.98e+2	8.00e+1	3.79e+1	2.43e+1	1.79e+1
2p4f $G[7/2]_4^e - 2p3d(^3F_4^o)$	4056.91	*	3.17e+2	6.16e+1	3.05e+1	6.18e+0	2.97e+0	1.92e+0	1.46e+0
2p4f $G[7/2]_4^e - 2p3d(^3F_3^o)$	4043.53	*	1.81e+3	3.51e+2	1.73e+2	3.52e+1	1.69e+1	1.09e+1	8.32e+0
2p4f $G[7/2]_3^e - 2p3d(^3F_4^o)$	4058.16	*	7.98e+0	1.55e+0	7.67e–1	1.55e–1	7.44e–2	4.82e–2	3.67e–2
2p4f $G[7/2]_3^e - 2p3d(^3F_3^o)$	4044.78	*	2.89e+2	5.63e+1	2.78e+1	5.62e+0	2.70e+0	1.75e+0	1.33e+0
2p4f $G[7/2]_2^e - 2p3d(^3F_2^o)$	4035.08	*	1.92e+3	3.74e+2	1.85e+2	3.74e+1	1.79e+1	1.16e+1	8.82e+0
2p4f $F[7/2]_4^e - 2p3d(^3F_4^o)$	4095.90	*	2.84e+2	4.26e+1	2.05e+1	4.21e+0	2.05e+0	1.34e+0	1.02e+0
2p4f $F[7/2]_4^e - 2p3d(^3F_3^o)$	4082.27	*	7.03e+2	1.06e+2	5.08e+1	1.04e+1	5.08e+0	3.32e+0	2.52e+0
2p4f $F[7/2]_3^e - 2p3d(^3F_4^o)$	4096.57	*	1.06e+1	1.58e+0	7.57e–1	1.55e–1	7.53e–2	4.92e–2	3.75e–2
2p4f $F[7/2]_3^e - 2p3d(^3F_3^o)$	4082.93	*	4.16e+1	6.20e+0	2.98e+0	6.09e–1	2.96e–1	1.93e–1	1.48e–1
2p4f $F[7/2]_3^e - 2p3d(^3F_2^o)$	4073.05	*	8.15e+2	1.22e+2	5.84e+1	1.19e+1	5.81e+0	3.79e+0	2.89e+0
2p4f $F[5/2]_2^e - 2p3d(^3F_3^o)$	4086.83	*	2.70e+1	3.89e+0	1.86e+0	3.83e–1	1.88e–1	1.23e–1	9.40e–2
2p4f $F[5/2]_2^e - 2p3d(^3F_2^o)$	4076.93	*	2.59e+2	3.74e+1	1.79e+1	3.68e+0	1.80e+0	1.18e+0	9.03e–1
2p4f $F[5/2]_3^e - 2p3d(^3F_4^o)$	4100.97	*	9.43e+0	1.36e+0	6.50e–1	1.33e–1	6.51e–2	4.27e–2	3.32e–2
2p4f $F[5/2]_3^e - 2p3d(^3F_3^o)$	4087.31	*	1.84e+2	2.66e+1	1.27e+1	2.60e+0	1.27e+0	8.33e–1	6.48e–1
2p4f $F[5/2]_3^e - 2p3d(^3F_2^o)$	4077.40	*	3.42e–1	4.93e–2	2.35e–2	4.83e–3	2.36e–3	1.55e–3	1.20e–3
4f – 3d $^1D^o$									
2p4f $F[7/2]_3^e - 2p3d(^1D_2^o)$	4171.60	*	1.69e+3	2.53e+2	1.21e+2	2.48e+1	1.21e+1	7.88e+0	6.02e+0
2p4f $F[5/2]_2^e - 2p3d(^1D_2^o)$	4175.66	*	3.18e+2	4.59e+1	2.19e+1	4.52e+0	2.21e+0	1.45e+0	1.11e+0
2p4f $F[5/2]_3^e - 2p3d(^1D_2^o)$	4176.16	*	1.33e+3	1.92e+2	9.17e+1	1.88e+1	9.18e+0	6.02e+0	4.68e+0
4d – 4p									
2p4d($^3P_1^o$) – 2p4p($^3S_1^e$)	13858.59	*	1.34e+2	3.25e+1	1.83e+1	5.51e+0	3.25e+0	2.39e+0	2.12e+0
2p4d($^3P_2^o$) – 2p4p($^3S_1^e$)	13947.86	*	1.90e+2	4.28e+1	2.38e+1	7.14e+0	4.24e+0	3.37e+0	4.45e+0
2p4d($^3P_2^o$) – 2p4p($^3P_2^e$)	13425.85	*	9.75e+1	2.20e+1	1.22e+1	3.67e+0	2.18e+0	1.73e+0	2.29e+0
2p4d($^3D_3^o$) – 2p4p($^3P_2^e$)	14195.22	*	3.00e+2	5.90e+1	3.25e+1	9.76e+0	5.78e+0	4.33e+0	4.27e+0

Table 5. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
$2p4d(^3D_3^o) - 2p4p(^3D_3^e)$	13436.61	*	1.42e+2	2.81e+1	1.54e+1	4.64e+0	2.75e+0	2.06e+0	2.03e+0
$2p4d(^3D_2^o) - 2p4p(^1P_1^e)$	12349.30	*	2.41e+2	4.27e+1	2.31e+1	6.89e+0	4.11e+0	3.41e+0	5.29e+0
$2p4d(^3D_1^o) - 2p4p(^1P_1^e)$	12389.41	*	1.60e+2	2.07e+1	1.09e+1	3.28e+0	1.97e+0	1.54e+0	1.85e+0
$2p4d(^3F_4^o) - 2p4p(^3D_3^e)$	14358.63	*	5.10e+2	1.33e+2	7.61e+1	2.37e+1	1.41e+1	1.05e+1	8.61e+0
$2p4d(^3F_3^o) - 2p4p(^3D_2^e)$	14337.71	*	7.26e+2	1.01e+2	5.46e+1	1.69e+1	1.03e+1	8.23e+0	1.05e+1
$2p4d(^3F_2^o) - 2p4p(^3D_1^e)$	14364.86	*	2.42e+2	3.41e+1	1.80e+1	5.47e+0	3.35e+0	2.82e+0	4.31e+0
4d - 3p									
$2p4d(^3P_2^o) - 2p3p(^3P_2^e)$	2496.81	*	1.39e+2	3.13e+1	1.74e+1	5.23e+0	3.10e+0	2.47e+0	3.26e+0
$2p4d(^3D_3^o) - 2p3p(^3P_2^e)$	2522.24	*	5.08e+2	1.00e+2	5.50e+1	1.65e+1	9.79e+0	7.34e+0	7.23e+0
$2p4d(^3D_3^o) - 2p3p(^3S_1^e)$	2416.25	*	2.95e+2	5.23e+1	2.82e+1	8.43e+0	5.03e+0	4.17e+0	6.47e+0
$2p4d(^3D_1^o) - 2p3p(^3P_0^e)$	2520.21	*	2.42e+2	3.13e+1	1.65e+1	4.97e+0	2.99e+0	2.34e+0	2.80e+0
$2p4d(^3D_1^o) - 2p3p(^3S_1^e)$	2417.78	*	1.67e+2	2.16e+1	1.14e+1	3.44e+0	2.07e+0	1.62e+0	1.94e+0
$2p4d(^3D_4^o) - 2p3p(^3D_3^e)$	2317.04	*	4.90e+2	1.28e+2	7.32e+1	2.27e+1	1.36e+1	1.01e+1	8.28e+0
$2p4d(^3F_3^o) - 2p3p(^3D_2^e)$	2316.49	*	6.83e+2	9.51e+1	5.14e+1	1.59e+1	9.64e+0	7.74e+0	9.88e+0
$2p4d(^3F_2^o) - 2p3p(^3D_1^e)$	2316.68	*	2.38e+2	3.36e+1	1.77e+1	5.39e+0	3.30e+0	2.79e+0	4.25e+0
4p - 3d									
$2p4p(^3S_1^e) - 2p3d(^3P_2^o)$	6809.98	*	9.46e+1	2.26e+1	1.27e+1	4.04e+0	2.52e+0	2.00e+0	2.15e+0
$2p4p(^3D_3^e) - 2p3d(^3F_4^o)$	6167.75	*	3.25e+2	7.95e+1	4.57e+1	1.50e+1	9.48e+0	7.37e+0	6.64e+0
$2p4p(^3D_2^e) - 2p3d(^3F_3^o)$	6173.31	*	3.76e+2	5.30e+1	2.89e+1	9.54e+0	6.16e+0	5.11e+0	6.14e+0
$2p4p(^3D_1^e) - 2p3d(^3F_2^o)$	6170.16	*	1.73e+2	2.51e+1	1.35e+1	4.54e+0	3.03e+0	2.59e+0	3.24e+0
4p $^3D^e$ - 3s $^3P^o$									
$2p4p(^3D_3^e) - 2p3s(^3P_2^o)$	1859.26	*	3.17e+2	7.76e+1	4.46e+1	1.47e+1	9.26e+0	7.20e+0	6.49e+0
$2p4p(^3D_2^e) - 2p3s(^3P_1^o)$	1857.87	*	2.54e+2	3.59e+1	1.96e+1	6.45e+0	4.17e+0	3.46e+0	4.16e+0
$2p4p(^3D_1^e) - 2p3s(^3P_0^o)$	1858.55	*	9.58e+1	1.39e+1	7.46e+0	2.51e+0	1.67e+0	1.43e+0	1.79e+0
4p $^3D^e$ - 4s $^3P^o$									
$2p4p(^3D_3^e) - 2p4s(^3P_2^o)$	16256.20	*	1.11e+2	2.72e+1	1.56e+1	5.13e+0	3.24e+0	2.52e+0	2.27e+0
4s $^3P^o$ - 3p $^3D^e$									
$2p4s(^3P_2^o) - 2p3p(^3D_3^e)$	3328.72	*	1.09e+2	2.59e+1	1.50e+1	5.41e+0	3.71e+0	3.14e+0	3.20e+0
3d $^3P^o$ - 3p $^1P^e$									
$2p3d(^3P_0^o) - 2p3p(^1P_1^e)$	4109.59	*	4.45e+2	1.05e+2	5.54e+1	1.32e+1	6.97e+0	4.83e+0	3.90e+0
$2p3d(^3P_1^o) - 2p3p(^1P_1^e)$	4114.33	*	1.52e+3	3.41e+2	1.78e+2	4.24e+1	2.24e+1	1.57e+1	1.35e+1
$2p3d(^3P_2^o) - 2p3p(^1P_1^e)$	4123.12	*	2.84e+3	5.95e+2	3.08e+2	7.35e+1	3.92e+1	2.89e+1	3.33e+1
3d $^3P^o$ - 3p $^3P^e$ (V29)									
$2p3d(^3P_0^o) - 2p3p(^3P_1^e)$	5454.21	*	1.94e-4	4.59e-5	2.41e-5	5.76e-6	3.04e-6	2.11e-6	1.70e-6
$2p3d(^3P_1^o) - 2p3p(^3P_2^e)$	5480.05	*	1.53e+2	3.42e+1	1.79e+1	4.26e+0	2.25e+0	1.58e+0	1.35e+0
$2p3d(^3P_1^o) - 2p3p(^3F_1^e)$	5462.58	*	7.25e-1	1.63e-1	8.49e-2	2.02e-2	1.07e-2	7.49e-3	6.43e-3
$2p3d(^3P_1^o) - 2p3p(^3P_1^e)$	5452.07	*	1.04e+2	2.32e+1	1.21e+1	2.89e+0	1.53e+0	1.07e+0	9.19e-1
$2p3d(^3P_2^o) - 2p3p(^3P_2^e)$	5495.65	*	5.10e+2	1.07e+2	5.52e+1	1.32e+1	7.03e+0	5.18e+0	5.97e+0
$2p3d(^3P_2^o) - 2p3p(^3P_1^e)$	5478.09	*	3.90e-1	8.16e-2	4.22e-2	1.01e-2	5.38e-3	3.97e-3	4.57e-3
3d $^3P^o$ - 3p $^3S^e$									
$2p3d(^3P_0^o) - 2p3p(^3S_1^e)$	4987.38	*	1.52e+2	3.59e+1	1.89e+1	4.52e+0	2.38e+0	1.65e+0	1.33e+0
$2p3d(^3P_1^o) - 2p3p(^3S_1^e)$	4994.37	*	1.54e+2	3.45e+1	1.80e+1	4.30e+0	2.27e+0	1.59e+0	1.37e+0
$2p3d(^3P_2^o) - 2p3p(^3S_1^e)$	5007.33	*	1.30e+2	2.73e+1	1.41e+1	3.37e+0	1.80e+0	1.33e+0	1.53e+0
3d $^3P^o$ - 3p $^3D^e$									
$2p3d(^3P_2^o) - 2p3p(^3D_3^e)$	4507.56	*	1.73e+2	3.61e+1	1.87e+1	4.46e+0	2.38e+0	1.75e+0	2.02e+0
3d $^3D^o$ - 3p $^3P^e$ (V28)									
$2p3d(^3D_3^o) - 2p3p(^3P_2^e)$	5941.65	*	4.27e+3	7.25e+2	3.67e+2	8.78e+1	4.69e+1	3.33e+1	3.03e+1
$2p3d(^3D_2^o) - 2p3p(^3P_2^e)$	5952.39	*	1.39e-2	2.25e-3	1.13e-3	2.71e-4	1.46e-4	1.07e-4	1.12e-4
$2p3d(^3D_2^o) - 2p3p(^3P_1^e)$	5931.78	*	8.20e+1	1.33e+1	6.71e+0	1.61e+0	8.62e-1	6.31e-1	6.65e-1
$2p3d(^3D_1^o) - 2p3p(^3P_2^e)$	5960.90	*	4.99e+1	7.09e+0	3.52e+0	8.47e-1	4.57e-1	3.31e-1	3.33e-1
$2p3d(^3D_1^o) - 2p3p(^3P_1^e)$	5940.24	*	2.44e+0	3.47e-1	1.72e-1	4.14e-2	2.23e-2	1.62e-2	1.63e-2
$2p3d(^3D_1^o) - 2p3p(^3P_0^o)$	5927.81	*	1.22e+3	1.73e+2	8.61e+1	2.07e+1	1.12e+1	8.10e+0	8.13e+0
3d $^3D^o$ - 3p $^3D^e$ (V20)									
$2p3d(^3D_3^o) - 2p3p(^3D_3^e)$	4803.29	*	2.48e+3	4.20e+2	2.13e+2	5.09e+1	2.72e+1	1.93e+1	1.76e+1
$2p3d(^3D_3^o) - 2p3p(^3D_2^e)$	4781.19	*	1.58e+2	2.68e+1	1.35e+1	3.24e+0	1.73e+0	1.23e+0	1.12e+0

Table 5. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4810.30	*	1.60e-3	2.61e-4	1.31e-4	3.14e-5	1.69e-5	1.23e-5	1.30e-5
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4788.14	*	1.36e-2	2.21e-3	1.11e-3	2.67e-4	1.43e-4	1.05e-4	1.11e-4
2p3d($^3D_2^o$) – 2p3p($^3D_3^e$)	4774.24	*	3.04e+0	4.94e-1	2.48e-1	5.94e-2	3.19e-2	2.34e-2	2.46e-2
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4793.65	*	2.98e+2	4.23e+1	2.10e+1	5.05e+0	2.73e+0	1.98e+0	1.99e+0
2p3d($^3D_1^o$) – 2p3p($^3D_1^e$)	4779.72	*	9.59e+2	1.36e+2	6.77e+1	1.63e+1	8.77e+0	6.37e+0	6.39e+0
3d $^3D^o$ – 3p $^3S^e$									
2p3d($^3D_1^o$) – 2p3p($^3S_1^e$)	5390.69	*	1.14e+3	1.62e+2	8.06e+1	1.94e+1	1.04e+1	7.58e+0	7.61e+0
3d $^1D^o$ – 3p $^3P^e$									
2p3d($^1D_2^o$) – 2p3p($^3P_2^e$)	6086.54	*	6.41e+2	9.39e+1	4.69e+1	1.12e+1	6.00e+0	4.47e+0	5.26e+0
3d $^1D^o$ – 3p $^3S^e$									
2p3d($^1D_2^o$) – 2p3p($^3S_1^e$)	5493.23	*	2.92e+3	4.27e+2	2.13e+2	5.10e+1	2.73e+1	2.03e+1	2.40e+1
3d $^1D^o$ – 3p $^3D^e$									
2p3d($^1D_2^o$) – 2p3p($^3D_3^e$)	4897.54	*	2.48e+2	3.63e+1	1.81e+1	4.33e+0	2.32e+0	1.73e+0	2.03e+0
2p3d($^1D_2^o$) – 2p3p($^3D_3^e$)	4874.57	*	1.31e+3	1.91e+2	9.54e+1	2.28e+1	1.22e+1	9.09e+0	1.07e+1
2p3d($^1D_2^o$) – 2p3p($^3D_1^e$)	4860.17	*	1.66e+2	2.42e+1	1.21e+1	2.89e+0	1.55e+0	1.15e+0	1.36e+0
3d $^3F^o$ – 3p $^3D^e$ (V19)									
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	*	6.48e+3	1.50e+3	7.94e+2	1.95e+2	1.05e+2	7.39e+1	6.06e+1
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	*	6.85e+2	1.15e+2	5.90e+1	1.46e+1	7.92e+0	5.87e+0	6.33e+0
2p3d($^3F_3^o$) – 2p3p($^3D_2^e$)	5001.47	*	6.75e+3	1.13e+3	5.81e+2	1.43e+2	7.80e+1	5.78e+1	6.24e+1
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.71	*	1.57e+1	2.53e+0	1.28e+0	3.15e-1	1.73e-1	1.32e-1	1.65e-1
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.38	*	6.76e+2	1.09e+2	5.52e+1	1.36e+1	7.43e+0	5.69e+0	7.09e+0
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.13	*	4.10e+3	6.61e+2	3.34e+2	8.22e+1	4.50e+1	3.45e+1	4.30e+1
3p $^1S^e$ – 3s $^1P^o$									
2p3p($^1S_0^e$) – 2p3s($^1P_1^o$)	3437.14	*	1.13e+2	2.84e+1	1.63e+1	5.71e+0	3.93e+0	3.43e+0	3.49e+0
3p $^1D^e$ – 3s $^1P^o$									
2p3p($^1D_2^e$) – 2p3s($^1P_1^o$)	3995.00	*	5.45e+2	1.34e+2	7.73e+1	2.76e+1	2.03e+1	1.93e+1	2.13e+1
3p $^1D^e$ – 3s $^3P^o$									
2p3p($^1D_2^e$) – 2p3s($^3P_1^o$)	3955.85	*	9.17e+1	2.26e+1	1.30e+1	4.64e+0	3.42e+0	3.25e+0	3.58e+0
3p $^3P^e$ – 3s $^1P^o$									
2p3p($^3P_2^e$) – 2p3s($^1P_1^o$)	4654.53	*	1.42e+2	2.63e+1	1.38e+1	3.91e+0	2.39e+0	1.87e+0	1.86e+0
2p3p($^3P_1^e$) – 2p3s($^1P_1^o$)	4667.21	*	3.03e+2	6.93e+1	3.96e+1	1.42e+1	1.09e+1	1.09e+1	1.26e+1
2p3p($^3P_0^e$) – 2p3s($^1P_1^o$)	4674.91	*	1.64e+2	2.37e+1	1.22e+1	3.47e+0	2.15e+0	1.71e+0	1.78e+0
3p $^3P^e$ – 3s $^3P^o$									
2p3p($^3P_2^e$) – 2p3s($^3P_2^o$)	4630.54	*	3.40e+3	6.28e+2	3.30e+2	9.34e+1	5.71e+1	4.47e+1	4.44e+1
2p3p($^3P_2^e$) – 2p3s($^3P_1^o$)	4601.48	*	9.56e+2	1.77e+2	9.29e+1	2.63e+1	1.61e+1	1.26e+1	1.25e+1
2p3p($^3P_1^e$) – 2p3s($^3P_2^o$)	4643.09	*	1.42e-5	3.26e-6	1.86e-6	6.67e-7	5.10e-7	5.14e-7	5.91e-7
2p3p($^3P_1^e$) – 2p3s($^3P_1^o$)	4613.87	*	6.51e+1	1.49e+1	8.51e+0	3.05e+0	2.33e+0	2.35e+0	2.70e+0
2p3p($^3P_1^e$) – 2p3s($^3P_0^o$)	4607.15	*	9.46e-2	2.16e-2	1.24e-2	4.43e-3	3.39e-3	3.41e-3	3.93e-3
2p3p($^3P_0^e$) – 2p3s($^3P_1^o$)	4621.39	*	1.03e+3	1.49e+2	7.63e+1	2.17e+1	1.35e+1	1.07e+1	1.12e+1
3p $^3P^e$ – 2s2p $^3D^o$									
2p3p($^3P_2^e$) – 2s2p($^3D_2^o$)	1275.25	*	4.35e+2	8.03e+1	4.22e+1	1.20e+1	7.31e+0	5.72e+0	5.69e+0
2p3p($^3P_2^e$) – 2s2p($^3D_1^o$)	1275.04	*	2.38e+3	4.41e+2	2.32e+2	6.55e+1	4.01e+1	3.14e+1	3.12e+1
2p3p($^3P_0^e$) – 2s2p($^3D_1^o$)	1276.80	*	7.53e+2	1.09e+2	5.60e+1	1.60e+1	9.89e+0	7.86e+0	8.19e+0
3p $^3S^e$ – 3s $^1P^o$									
2p3p($^3S_1^e$) – 2p3s($^1P_1^o$)	5073.59	*	1.16e+2	1.89e+1	9.76e+0	2.73e+0	1.67e+0	1.34e+0	1.49e+0
3p $^3S^e$ – 3s $^3P^o$									
2p3p($^3S_1^e$) – 2p3s($^3P_2^o$)	5045.10	*	1.41e+3	2.30e+2	1.19e+2	3.33e+1	2.04e+1	1.63e+1	1.82e+1
2p3p($^3S_1^e$) – 2p3s($^3P_1^o$)	5010.62	*	6.52e+2	1.06e+2	5.49e+1	1.54e+1	9.40e+0	7.51e+0	8.40e+0
2p3p($^3S_1^e$) – 2p3s($^3P_0^o$)	5002.70	*	1.03e+3	1.68e+2	8.67e+1	2.42e+1	1.48e+1	1.19e+1	1.33e+1
3p $^3S^e$ – 2s2p $^3D^o$									
2p3p($^3S_1^e$) – 2s2p($^3D_1^o$)	1304.79	*	6.15e+2	1.00e+2	5.18e+1	1.45e+1	8.88e+0	7.09e+0	7.93e+0
2p3p($^3S_1^e$) – 2s2p($^3D_2^o$)	1304.77	*	1.82e+3	2.96e+2	1.53e+2	4.29e+1	2.62e+1	2.10e+1	2.34e+1

Table 5. Continued.

Transition	$\lambda[\text{\AA}]$	T_e [K]							
		125	500	1000	5000	10,000	15,000	20,000	
$3p\ ^3D^e - 3s\ ^3P^o$ (V3)									
$2p3p(^3D_2^e) - 2p3s(^3P_2^o)$	5679.56	*	7.66e+3	1.67e+3	8.92e+2	2.37e+2	1.36e+2	1.03e+2	9.19e+1
$2p3p(^3D_2^e) - 2p3s(^3P_2^o)$	5710.77	*	1.78e+3	2.82e+2	1.46e+2	3.88e+1	2.26e+1	1.79e+1	2.03e+1
$2p3p(^3D_2^e) - 2p3s(^3P_1^o)$	5666.63	*	4.93e+3	7.81e+2	4.05e+2	1.07e+2	6.25e+1	4.94e+1	5.61e+1
$2p3p(^3D_2^e) - 2p3s(^3P_0^o)$	5730.66	*	1.05e+2	1.64e+1	8.36e+0	2.21e+0	1.30e+0	1.05e+0	1.27e+0
$2p3p(^3D_1^e) - 2p3s(^3P_1^o)$	5686.21	*	1.38e+3	2.15e+2	1.10e+2	2.91e+1	1.71e+1	1.38e+1	1.67e+1
$2p3p(^3D_1^e) - 2p3s(^3P_0^o)$	5676.02	*	2.32e+3	3.62e+2	1.85e+2	4.88e+1	2.87e+1	2.32e+1	2.81e+1
$3p\ ^3D^e - 2s2p^3\ ^3P^o$									
$2p3p(^3D_2^e) - 2s2p^3(^3P_2^o)$	1740.31	*	3.20e+3	6.96e+2	3.72e+2	9.88e+1	5.69e+1	4.29e+1	3.83e+1
$2p3p(^3D_2^e) - 2s2p^3(^3P_2^o)$	1743.23	*	7.67e+2	1.21e+2	6.29e+1	1.67e+1	9.72e+0	7.69e+0	8.72e+0
$2p3p(^3D_2^e) - 2s2p^3(^3P_1^o)$	1743.20	*	2.36e+3	3.74e+2	1.94e+2	5.14e+1	2.99e+1	2.37e+1	2.68e+1
$2p3p(^3D_2^e) - 2s2p^3(^3P_0^o)$	1745.26	*	9.53e+2	1.49e+2	7.60e+1	2.01e+1	1.18e+1	9.54e+0	1.16e+1
$2p3p(^3D_1^e) - 2s2p^3(^3P_1^o)$	1745.05	*	7.02e+2	1.10e+2	5.60e+1	1.48e+1	8.70e+0	7.03e+0	8.52e+0
$3p\ ^3D^e - 2s2p^3\ ^3D^o$									
$2p3p(^3D_2^e) - 2s2p^3(^3D_2^o)$	1343.57	*	1.14e+2	2.47e+1	1.32e+1	3.52e+0	2.02e+0	1.53e+0	1.36e+0
$2p3p(^3D_2^e) - 2s2p^3(^3D_2^o)$	1343.34	*	9.64e+2	2.10e+2	1.12e+2	2.98e+1	1.72e+1	1.29e+1	1.16e+1
$2p3p(^3D_2^e) - 2s2p^3(^3D_1^o)$	1345.34	*	1.52e+2	2.40e+1	1.25e+1	3.30e+0	1.92e+0	1.52e+0	1.73e+0
$2p3p(^3D_2^e) - 2s2p^3(^3D_2^o)$	1345.31	*	7.25e+2	1.15e+2	5.95e+1	1.58e+1	9.19e+0	7.27e+0	8.24e+0
$2p3p(^3D_2^e) - 2s2p^3(^3D_3^o)$	1345.08	*	1.88e+2	2.98e+1	1.55e+1	4.10e+0	2.39e+0	1.89e+0	2.14e+0
$2p3p(^3D_1^e) - 2s2p^3(^3D_1^o)$	1346.44	*	4.27e+2	6.66e+1	3.41e+1	9.00e+0	5.29e+0	4.27e+0	5.18e+0
$2p3p(^3D_1^e) - 2s2p^3(^3D_2^o)$	1346.41	*	1.57e+2	2.45e+1	1.25e+1	3.31e+0	1.94e+0	1.57e+0	1.90e+0
$3p\ ^3D^e - 3s\ ^1P^o$									
$2p3p(^3D_2^e) - 2p3s(^1P_1^o)$	5747.30	*	7.89e+2	1.25e+2	6.47e+1	1.72e+1	9.99e+0	7.90e+0	8.96e+0
$2p3p(^3D_1^e) - 2p3s(^1P_1^o)$	5767.45	*	2.92e+2	4.56e+1	2.33e+1	6.16e+0	3.62e+0	2.92e+0	3.54e+0
$3p\ ^1P^e - 3s\ ^1P^o$									
$2p3p(^1P_1^e) - 2p3s(^1P_1^o)$	6482.05	*	1.07e+2	2.21e+1	1.16e+1	2.93e+0	1.64e+0	1.25e+0	1.32e+0
$3p\ ^1P^e - 3s\ ^3P^o$									
$2p3p(^1P_1^e) - 2p3s(^3P_2^o)$	6435.61	*	9.84e+2	2.03e+2	1.06e+2	2.69e+1	1.51e+1	1.15e+1	1.21e+1
$2p3p(^1P_1^e) - 2p3s(^3P_1^o)$	6379.62	*	5.74e+2	1.18e+2	6.20e+1	1.57e+1	8.81e+0	6.70e+0	7.06e+0
$2p3p(^1P_1^e) - 2p3s(^3P_0^o)$	6366.79	*	2.43e+2	5.00e+1	2.62e+1	6.64e+0	3.72e+0	2.83e+0	2.98e+0
$3p\ ^1P^e - 2s2p^3\ ^3P^o$									
$2p3p(^1P_1^e) - 2s2p^3(^3P_0^o)$	1805.47	*	4.31e+2	8.87e+1	4.66e+1	1.18e+1	6.61e+0	5.03e+0	5.29e+0
$2p3p(^1P_1^e) - 2s2p^3(^3P_2^o)$	1805.28	*	2.10e+3	4.32e+2	2.27e+2	5.74e+1	3.22e+1	2.45e+1	2.58e+1
$2p3p(^1P_1^e) - 2s2p^3(^3P_1^o)$	1805.24	*	1.28e+3	2.65e+2	1.39e+2	3.51e+1	1.97e+1	1.50e+1	1.58e+1
$2s2p^3\ ^3P^o - 2p^2\ ^1D^e$									
$2s2p^3(^3P_2^o) - 2p^2(^1D_2^e)$	1064.95	*	6.57e+3	1.34e+3	7.16e+2	3.52e+2	3.24e+2	2.77e+2	2.51e+2
$2s2p^3(^3P_1^o) - 2p^2(^1D_2^e)$	1064.96	*	3.22e+3	5.57e+2	2.91e+2	1.45e+2	1.35e+2	1.16e+2	1.10e+2
$2s2p^3\ ^3P^o - 2p^2\ ^1S^e$									
$2s2p^3(^3P_1^o) - 2p^2(^1S_0^e)$	1306.71	*	1.38e+3	2.39e+2	1.25e+2	6.24e+1	5.78e+1	5.00e+1	4.74e+1
$2s2p^3\ ^3D^o - 2p^2\ ^1S^e$									
$2s2p^3(^3D_1^o) - 2p^2(^1S_0^e)$	1678.89	*	9.25e+2	1.48e+2	7.90e+1	8.67e+1	8.44e+1	7.16e+1	6.41e+1
$2s2p^3\ ^3D^o - 2p^2\ ^1D^e$									
$2s2p^3(^3D_1^o) - 2p^2(^1D_2^e)$	1299.79	*	1.49e+3	2.38e+2	1.27e+2	1.39e+2	1.36e+2	1.15e+2	1.03e+2
$2s2p^3(^3D_2^o) - 2p^2(^1D_2^e)$	1299.81	*	4.17e+3	7.12e+2	3.82e+2	3.83e+2	3.67e+2	3.11e+2	2.80e+2
$2s2p^3(^3D_3^o) - 2p^2(^1D_2^e)$	1300.04	*	4.61e+3	8.97e+2	4.91e+2	5.11e+2	4.92e+2	4.13e+2	3.68e+2

Table 6. Same as Table 3 but for $N_e = 10^5 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	$T_e [\text{K}]$							
		125	500	1000	5000	10,000	15,000	20,000	
6h – 5g									
2p6h $I[13/2]_6^e - 2p5g H[11/2]_5^o$	18622.57	1.03e+0	2.26e+2	1.10e+2	1.89e+1	8.14e+0	4.87e+0	3.30e+0	
2p6h $H[11/2]_6^e - 2p5g G[9/2]_5^o$	18481.01	9.82e+2	2.17e+2	1.05e+2	1.81e+1	7.79e+0	4.67e+0	3.16e+0	
2p6h $H[11/2]_5^e - 2p5g G[9/2]_4^o$	17964.67	8.16e+2	1.80e+2	8.76e+1	1.50e+1	6.47e+0	3.88e+0	2.63e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18480.67	8.02e+2	1.77e+2	8.61e+1	1.48e+1	6.36e+0	3.81e+0	2.58e+0	
2p6h $G[9/2]_4^e - 2p5g F[7/2]_3^o$	18549.42	6.38e+2	1.41e+2	6.85e+1	1.18e+1	5.06e+0	3.03e+0	2.06e+0	
2p6h $G[7/2]_5^e - 2p5g F[5/2]_3^o$	18679.36	6.59e+2	1.45e+2	7.07e+1	1.22e+1	5.23e+0	3.13e+0	2.12e+0	
2p6h $I[13/2]_7^e - 2p5g H[11/2]_6^o$	18622.64	1.20e+3	2.64e+2	1.29e+2	2.21e+1	9.51e+0	5.70e+0	3.86e+0	
2p6h $H[9/2]_4^e - 2p5g G[7/2]_3^o$	18533.26	1.81e+3	1.90e+2	8.07e+1	1.26e+1	5.41e+0	3.24e+0	2.20e+0	
2p6h $I[11/2]_6^e - 2p5g H[9/2]_5^o$	18546.53	2.75e+3	2.88e+2	1.23e+2	1.92e+1	8.22e+0	4.93e+0	3.34e+0	
2p6h $I[11/2]_5^e - 2p5g H[9/2]_4^o$	19170.43	2.29e+3	2.39e+2	1.02e+2	1.59e+1	6.83e+0	4.09e+0	2.77e+0	
2p6h $H[9/2]_5^e - 2p5g G[7/2]_4^o$	18533.26	2.28e+3	2.38e+2	1.01e+2	1.59e+1	6.80e+0	4.08e+0	2.76e+0	
6g – 5f									
2p6g $G[9/2]_4^o - 2p5f F[7/2]_3^e$	17930.73	4.66e+2	5.40e+1	2.50e+1	5.05e+0	2.43e+0	1.55e+0	1.13e+0	
2p6g $G[9/2]_5^e - 2p5f F[7/2]_4^o$	18277.37	5.79e+2	6.71e+1	3.10e+1	6.28e+0	3.02e+0	1.93e+0	1.40e+0	
2p6g $F[7/2]_3^o - 2p5f D[5/2]_2^e$	18230.35	3.41e+2	3.95e+1	1.83e+1	3.70e+0	1.78e+0	1.14e+0	8.21e-1	
2p6g $F[7/2]_4^o - 2p5f D[5/2]_3^e$	18222.01	4.49e+2	5.20e+1	2.40e+1	4.87e+0	2.34e+0	1.50e+0	1.13e+0	
6g – 4f									
2p6g $G[9/2]_4^o - 2p4f F[7/2]_3^e$	6413.23	4.34e+2	5.03e+1	2.32e+1	4.71e+0	2.26e+0	1.45e+0	1.05e+0	
2p6g $G[9/2]_5^e - 2p4f G[7/2]_4^o$	6556.32	2.66e+2	3.08e+1	1.42e+1	2.88e+0	1.39e+0	8.86e-1	6.44e-1	
2p6g $G[9/2]_5^o - 2p4f F[7/2]_4^e$	6456.97	5.55e+2	6.43e+1	2.97e+1	6.02e+0	2.90e+0	1.85e+0	1.35e+0	
2p6g $F[7/2]_3^o - 2p4f D[5/2]_2^e$	6446.53	3.80e+2	4.41e+1	2.04e+1	4.13e+0	1.99e+0	1.27e+0	9.16e-1	
2p6g $F[7/2]_4^o - 2p4f D[5/2]_3^e$	6445.34	5.04e+2	5.84e+1	2.70e+1	5.47e+0	2.63e+0	1.69e+0	1.27e+0	
6f – 3d									
2p6f $F[7/2]_4^e - 2p3d(^3F_3^o)$	2504.19	*	3.13e+2	2.96e+1	1.38e+1	3.34e+0	1.82e+0	1.27e+0	1.04e+0
2p6f $F[7/2]_5^e - 2p3d(^3F_3^o)$	2500.67	*	3.62e+2	3.43e+1	1.59e+1	3.80e+0	2.06e+0	1.44e+0	1.18e+0
2p6f $F[5/2]_5^e - 2p3d(^3D_1^o)$	2560.24	*	2.37e+2	2.25e+1	1.05e+1	2.55e+0	1.40e+0	9.71e-1	7.74e-1
2p6f $F[5/2]_3^e - 2p3d(^3D_2^o)$	2561.95	*	2.20e+2	2.08e+1	9.69e+0	2.34e+0	1.28e+0	8.96e-1	7.78e-1
6d – 3p									
2p6d($^3F_3^o$) – 2p3p($^3D_2^e$)	1680.27		1.85e+2	2.03e+1	1.02e+1	3.14e+0	1.98e+0	1.73e+0	2.80e+0
5g – 4f									
2p5g $F[5/2]_3^o - 2p4f D[3/2]_2^e$	10108.45	*	8.51e+2	1.94e+2	9.73e+1	1.85e+1	8.37e+0	5.15e+0	3.58e+0
2p5g $H[11/2]_6^o - 2p4f G[9/2]_5^e$	10023.27	*	1.91e+3	4.30e+2	2.14e+2	4.04e+1	1.83e+1	1.12e+1	7.77e+0
2p5g $H[11/2]_5^o - 2p4f G[9/2]_4^e$	10035.44	*	1.51e+3	3.44e+2	1.73e+2	3.29e+1	1.49e+1	9.15e+0	6.35e+0
2p5g $G[9/2]_5^e - 2p4f G[7/2]_4^o$	9941.81	*	8.04e+2	8.69e+1	3.81e+1	6.58e+0	2.96e+0	1.83e+0	1.27e+0
2p5g $G[9/2]_4^e - 2p4f F[7/2]_3^o$	9718.59	*	2.49e+3	2.69e+2	1.18e+2	2.04e+1	9.19e+0	5.66e+0	3.94e+0
2p5g $G[7/2]_5^e - 2p4f F[5/2]_3^o$	10070.12	*	7.03e+2	1.60e+2	8.03e+1	1.53e+1	6.92e+0	4.26e+0	2.95e+0
2p5g $H[9/2]_5^e - 2p4f G[7/2]_4^o$	9969.33	*	1.06e+3	2.42e+2	1.21e+2	2.31e+1	1.04e+1	6.43e+0	4.45e+0
2p5g $G[7/2]_4^e - 2p4f F[5/2]_3^o$	10085.72	*	9.55e+2	2.18e+2	1.09e+2	2.08e+1	9.40e+0	5.79e+0	4.01e+0
2p5g $G[9/2]_5^e - 2p4f G[7/2]_4^o$	10126.15	*	1.03e+3	1.11e+2	4.86e+1	8.40e+0	3.78e+0	2.33e+0	1.62e+0
2p5g $G[9/2]_5^o - 2p4f F[7/2]_4^e$	9891.10	*	3.15e+3	3.41e+2	1.49e+2	2.58e+1	1.16e+1	7.17e+0	4.99e+0
2p5g $H[9/2]_5^e - 2p4f G[7/2]_4^o$	10118.53	*	8.70e+2	1.98e+2	9.95e+1	1.89e+1	8.57e+0	5.28e+0	3.66e+0
2p5g $F[7/2]_3^o - 2p4f D[5/2]_2^e$	9868.20	*	2.10e+3	2.27e+2	9.96e+1	1.72e+1	7.76e+0	4.78e+0	3.33e+0
2p5g $F[7/2]_4^o - 2p4f F[5/2]_3^e$	10250.19	*	4.59e+2	4.96e+1	2.17e+1	3.76e+0	1.69e+0	1.05e+0	7.35e-1
2p5g $F[7/2]_4^e - 2p4f D[5/2]_3^e$	9865.42	*	2.78e+3	3.01e+2	1.32e+2	2.28e+1	1.03e+1	6.34e+0	4.46e+0
5f – 4d									
2p5f $F[7/2]_4^e - 2p4d(^3D_3^o)$	9281.06	*	3.96e+2	4.18e+1	1.98e+1	4.58e+0	2.41e+0	1.65e+0	1.32e+0
2p5f $F[7/2]_3^e - 2p4d(^3F_3^o)$	8772.93	*	2.92e+2	3.07e+1	1.44e+1	3.31e+0	1.74e+0	1.18e+0	9.54e-1
2p5f $F[5/2]_5^e - 2p4d(^3D_1^o)$	9242.02	*	3.12e+2	3.28e+1	1.55e+1	3.61e+0	1.90e+0	1.30e+0	1.03e+0
2p5f $F[5/2]_3^e - 2p4d(^1D_2^o)$	8983.28	*	2.98e+2	3.14e+1	1.48e+1	3.42e+0	1.80e+0	1.23e+0	1.02e+0
5f – 3d									
2p5f $G[9/2]_5^e - 2p3d(^3F_3^o)$	2885.27	*	6.18e+2	1.49e+2	8.07e+1	2.07e+1	1.10e+1	7.50e+0	5.80e+0
2p5f $D[5/2]_3^e - 2p3d(^3P_2^o)$	3082.20	*	3.13e+2	6.57e+1	3.47e+1	8.67e+0	4.57e+0	3.08e+0	2.33e+0
2p5f $G[7/2]_4^e - 2p3d(^3F_3^o)$	2884.25	*	2.19e+2	4.58e+1	2.42e+1	6.09e+0	3.22e+0	2.19e+0	1.70e+0
2p5f $G[7/2]_5^e - 2p3d(^3F_3^o)$	2879.75	*	2.26e+2	4.75e+1	2.51e+1	6.31e+0	3.33e+0	2.26e+0	1.77e+0
2p5f $F[7/2]_4^e - 2p3d(^3D_3^o)$	2976.97	*	8.19e+2	8.65e+1	4.09e+1	9.47e+0	4.99e+0	3.40e+0	2.73e+0
2p5f $G[7/2]_4^e - 2p3d(^3F_3^o)$	2897.50	*	5.03e+2	5.31e+1	2.51e+1	5.81e+0	3.06e+0	2.09e+0	1.67e+0
2p5f $F[7/2]_5^e - 2p3d(^1D_2^o)$	2942.23	*	3.78e+2	3.97e+1	1.87e+1	4.29e+0	2.25e+0	1.53e+0	1.24e+0
2p5f $G[7/2]_3^e - 2p3d(^3F_3^o)$	2892.87	*	5.97e+2	6.27e+1	2.94e+1	6.77e+0	3.54e+0	2.42e+0	1.95e+0
2p5f $F[5/2]_5^e - 2p3d(^3D_1^o)$	2973.60	*	6.01e+2	6.33e+1	2.99e+1	6.95e+0	3.67e+0	2.50e+0	1.99e+0
2p5f $F[5/2]_3^e - 2p3d(^3D_2^o)$	2975.95	*	5.64e+2	5.94e+1	2.80e+1	6.47e+0	3.40e+0	2.33e+0	1.94e+0

Table 6. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
2p5f $F[5/2]_3^e - 2p3d(^1D_0^o)$	2943.51	*	3.77e+2	3.97e+1	1.87e+1	4.32e+0	2.27e+0	1.56e+0	1.30e+0
5d – 3p									
2p5d($^3F_0^o$) – 2p3p($^3D_2^e$)	1858.42		4.81e+2	5.27e+1	2.68e+1	8.13e+0	5.05e+0	4.25e+0	6.23e+0
4f – 3d $^1P^o$									
2p4f $D[5/2]_2^e - 2p3d(^1P_1^o)$	4694.64	*	6.56e+2	1.25e+2	6.23e+1	1.30e+1	6.28e+0	4.03e+0	2.91e+0
4f – 3d $^3P^o$									
2p4f $D[5/2]_3^e - 2p3d(^3P_0^o)$	4442.01	*	5.48e+2	1.04e+2	5.21e+1	1.09e+1	5.25e+0	3.37e+0	2.44e+0
2p4f $D[5/2]_3^e - 2p3d(^3P_2^o)$	4432.74	*	1.95e+3	3.70e+2	1.85e+2	3.86e+1	1.87e+1	1.20e+1	8.81e+0
4f – 3d $^3D^o$									
2p4f $D[5/2]_3^e - 2p3d(^3D_0^o)$	4179.67	*	4.58e+2	8.71e+1	4.35e+1	9.08e+0	4.39e+0	2.83e+0	2.07e+0
2p4f $F[7/2]_4^e - 2p3d(^3D_0^o)$	4199.98	*	4.35e+2	7.41e+1	3.64e+1	7.54e+0	3.65e+0	2.38e+0	1.82e+0
2p4f $F[7/2]_3^e - 2p3d(^3D_2^o)$	4195.97	*	2.33e+2	3.98e+1	1.95e+1	4.04e+0	1.95e+0	1.27e+0	9.70e–1
2p4f $F[7/2]_4^e - 2p3d(^3D_3^o)$	4241.79	*	4.54e+3	5.46e+2	2.54e+2	5.10e+1	2.48e+1	1.61e+1	1.23e+1
2p4f $F[7/2]_3^e - 2p3d(^3D_3^o)$	4242.50	*	2.27e+2	2.72e+1	1.26e+1	2.52e+0	1.22e+0	7.93e–1	6.08e–1
2p4f $F[7/2]_3^e - 2p3d(^3D_0^o)$	4237.05	*	1.09e+3	1.30e+2	6.03e+1	1.20e+1	5.82e+0	3.79e+0	2.90e+0
2p4f $F[5/2]_2^e - 2p3d(^3D_0^o)$	4236.93	*	2.72e+3	3.10e+2	1.42e+2	2.82e+1	1.37e+1	8.94e+0	6.85e+0
2p4f $F[5/2]_3^e - 2p3d(^3D_2^o)$	4241.76	*	2.62e+3	2.99e+2	1.37e+2	2.71e+1	1.31e+1	8.56e+0	6.69e+0
4f – 3d $^1F^o$									
2p4f $G[9/2]_4^e - 2p3d(^1F_3^o)$	4530.41	*	1.64e+3	3.79e+2	1.95e+2	4.16e+1	2.01e+1	1.31e+1	9.92e+0
2p4f $G[7/2]_4^e - 2p3d(^1F_3^o)$	4552.52	*	9.81e+2	1.67e+2	8.22e+1	1.70e+1	8.25e+0	5.37e+0	4.10e+0
2p4f $F[5/2]_3^e - 2p3d(^1F_3^o)$	4608.09	*	2.74e+2	3.12e+1	1.43e+1	2.83e+0	1.37e+0	8.94e–1	6.98e–1
4f – 3d $^3F^o$									
2p4f $D[3/2]_2^e - 2p3d(^3F_0^o)$	4011.82	*	2.32e+0	5.39e–1	2.78e–1	5.91e–2	2.86e–2	1.83e–2	1.31e–2
2p4f $D[3/2]_2^e - 2p3d(^3F_2^o)$	4002.28	*	1.09e–1	2.53e–2	1.30e–2	2.77e–3	1.34e–3	8.58e–4	6.15e–4
2p4f $D[3/2]_2^e - 2p3d(^3F_2^o)$	4002.87	*	3.05e+0	7.10e–1	3.66e–1	7.82e–2	3.79e–2	2.43e–2	1.74e–2
2p4f $D[5/2]_2^e - 2p3d(^3F_0^o)$	4023.95	*	7.08e+0	1.35e+0	6.72e–1	1.40e–1	6.78e–2	4.36e–2	3.15e–2
2p4f $D[5/2]_2^e - 2p3d(^3F_2^o)$	4014.35	*	7.08e–1	1.35e–1	6.73e–2	1.40e–2	6.78e–3	4.36e–3	3.15e–3
2p4f $D[5/2]_3^e - 2p3d(^3F_2^o)$	4037.96	*	1.69e+1	3.22e+0	1.61e+0	3.36e–1	1.62e–1	1.05e–1	7.66e–2
2p4f $D[5/2]_3^e - 2p3d(^3F_3^o)$	4024.71	*	4.19e–1	7.96e–2	3.98e–2	8.30e–3	4.02e–3	2.59e–3	1.89e–3
2p4f $D[5/2]_3^e - 2p3d(^3F_3^o)$	4015.11	*	1.31e–2	2.49e–3	1.25e–3	2.60e–4	1.26e–4	8.11e–5	5.94e–5
2p4f $G[9/2]_3^e - 2p3d(^3F_2^o)$	4039.34	*	4.81e+1	1.11e+1	5.72e+0	1.22e+0	5.90e–1	3.83e–1	2.91e–1
2p4f $G[9/2]_4^e - 2p3d(^3F_3^o)$	4026.08	*	7.69e+2	1.78e+2	9.14e+1	1.95e+1	9.43e+0	6.12e+0	4.65e+0
2p4f $G[9/2]_5^e - 2p3d(^3F_4^o)$	4041.31	*	3.13e+3	7.21e+2	3.70e+2	7.89e+1	3.84e+1	2.50e+1	1.87e+1
2p4f $G[7/2]_4^e - 2p3d(^3F_2^o)$	4056.91	*	3.41e+2	5.82e+1	2.86e+1	5.91e+0	2.87e+0	1.87e+0	1.43e+0
2p4f $G[7/2]_4^e - 2p3d(^3F_3^o)$	4043.53	*	1.94e+3	3.31e+2	1.63e+2	3.37e+1	1.63e+1	1.06e+1	8.11e+0
2p4f $G[7/2]_3^e - 2p3d(^3F_4^o)$	4058.16	*	8.58e+0	1.47e+0	7.21e–1	1.49e–1	7.20e–2	4.69e–2	3.58e–2
2p4f $G[7/2]_3^e - 2p3d(^3F_3^o)$	4044.78	*	3.11e+2	5.32e+1	2.61e+1	5.39e+0	2.61e+0	1.70e+0	1.30e+0
2p4f $G[7/2]_3^e - 2p3d(^3F_2^o)$	4035.08	*	2.06e+3	3.53e+2	1.74e+2	3.58e+1	1.73e+1	1.13e+1	8.61e+0
2p4f $F[7/2]_4^e - 2p3d(^3F_2^o)$	4095.90	*	3.48e+2	4.19e+1	1.95e+1	3.91e+0	1.90e+0	1.24e+0	9.40e–1
2p4f $F[7/2]_4^e - 2p3d(^3F_3^o)$	4082.27	*	8.63e+2	1.04e+2	4.83e+1	9.69e+0	4.70e+0	3.07e+0	2.33e+0
2p4f $F[7/2]_3^e - 2p3d(^3F_4^o)$	4096.57	*	1.30e+1	1.55e+0	7.21e–1	1.44e–1	6.97e–2	4.54e–2	3.48e–2
2p4f $F[7/2]_3^e - 2p3d(^3F_3^o)$	4082.93	*	5.12e+1	6.12e+0	2.84e+0	5.67e–1	2.74e–1	1.79e–1	1.37e–1
2p4f $F[7/2]_3^e - 2p3d(^3F_2^o)$	4073.05	*	1.00e+3	1.20e+2	5.56e+1	1.11e+1	5.37e+0	3.50e+0	2.68e+0
2p4f $F[5/2]_2^e - 2p3d(^3F_3^o)$	4086.83	*	3.40e+1	3.87e+0	1.78e+0	3.52e–1	1.71e–1	1.12e–1	8.54e–2
2p4f $F[5/2]_2^e - 2p3d(^3F_2^o)$	4076.93	*	3.26e+2	3.72e+1	1.71e+1	3.39e+0	1.64e+0	1.07e+0	8.21e–1
2p4f $F[5/2]_3^e - 2p3d(^3F_4^o)$	4100.97	*	1.19e+1	1.36e+0	6.21e–1	1.23e–1	5.94e–2	3.88e–2	3.03e–2
2p4f $F[5/2]_3^e - 2p3d(^3F_3^o)$	4087.31	*	2.32e+2	2.65e+1	1.21e+1	2.40e+0	1.16e+0	7.58e–1	5.92e–1
2p4f $F[5/2]_3^e - 2p3d(^3F_2^o)$	4077.40	*	4.31e–1	4.91e–2	2.25e–2	4.45e–3	2.15e–3	1.41e–3	1.10e–3
4f – 3d $^1D^o$									
2p4f $F[7/2]_3^e - 2p3d(^1D_0^o)$	4171.60	*	2.08e+3	2.49e+2	1.16e+2	2.31e+1	1.12e+1	7.28e+0	5.57e+0
2p4f $F[5/2]_2^e - 2p3d(^1D_0^o)$	4175.66	*	4.00e+2	4.56e+1	2.09e+1	4.15e+0	2.01e+0	1.31e+0	1.01e+0
2p4f $F[5/2]_3^e - 2p3d(^1D_0^o)$	4176.16	*	1.68e+3	1.91e+2	8.77e+1	1.73e+1	8.39e+0	5.48e+0	4.28e+0
4d – 4p									
2p4d($^3P_1^o$) – 2p4p($^3S_1^e$)	13858.59	*	1.57e+2	3.53e+1	1.93e+1	5.71e+0	3.37e+0	2.49e+0	2.21e+0
2p4d($^3P_0^o$) – 2p4p($^3S_1^e$)	13947.86	*	2.34e+2	4.72e+1	2.53e+1	7.29e+0	4.30e+0	3.43e+0	4.62e+0
2p4d($^3P_2^o$) – 2p4p($^3P_2^e$)	13425.85	*	1.20e+2	2.43e+1	1.30e+1	3.75e+0	2.21e+0	1.76e+0	2.38e+0
2p4d($^3D_3^o$) – 2p4p($^3P_2^e$)	14195.22	*	3.84e+2	6.53e+1	3.45e+1	9.92e+0	5.86e+0	4.39e+0	4.35e+0
2p4d($^3D_3^o$) – 2p4p($^3D_3^e$)	13436.61	*	1.82e+2	3.11e+1	1.64e+1	4.72e+0	2.78e+0	2.09e+0	2.07e+0

Table 6. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
2p4d($^3D_2^0$) – 2p4p($^1P_1^e$)	12349.30	*	3.19e+2	4.81e+1	2.47e+1	6.88e+0	4.05e+0	3.37e+0	5.44e+0
2p4d($^3D_1^0$) – 2p4p($^1P_1^e$)	12389.41	*	2.16e+2	2.32e+1	1.15e+1	3.18e+0	1.88e+0	1.47e+0	1.81e+0
2p4d($^3F_4^0$) – 2p4p($^3D_3^e$)	14358.63	*	5.94e+2	1.46e+2	8.13e+1	2.50e+1	1.50e+1	1.12e+1	9.27e+0
2p4d($^3F_3^0$) – 2p4p($^3D_3^e$)	14337.71	*	9.53e+2	1.13e+2	5.79e+1	1.67e+1	1.00e+1	8.03e+0	1.04e+1
2p4d($^3F_2^0$) – 2p4p($^3D_1^e$)	14364.86	*	3.45e+2	3.91e+1	1.92e+1	5.28e+0	3.14e+0	2.64e+0	4.21e+0
4d – 3p									
2p4d($^3P_2^0$) – 2p3p($^3P_2^e$)	2496.81	*	1.71e+2	3.46e+1	1.85e+1	5.34e+0	3.15e+0	2.51e+0	3.38e+0
2p4d($^3D_2^0$) – 2p3p($^3P_2^e$)	2522.24	*	6.50e+2	1.11e+2	5.84e+1	1.68e+1	9.92e+0	7.44e+0	7.36e+0
2p4d($^3D_2^0$) – 2p3p($^3S_1^e$)	2416.25	*	3.91e+2	5.88e+1	3.02e+1	8.42e+0	4.95e+0	4.13e+0	6.65e+0
2p4d($^3D_1^0$) – 2p3p($^3P_0^e$)	2520.21	*	3.27e+2	3.51e+1	1.74e+1	4.82e+0	2.84e+0	2.22e+0	2.75e+0
2p4d($^3D_1^0$) – 2p3p($^3S_1^e$)	2417.78	*	2.26e+2	2.43e+1	1.20e+1	3.33e+0	1.97e+0	1.54e+0	1.90e+0
2p4d($^3F_4^0$) – 2p3p($^3D_3^e$)	2317.04	*	5.71e+2	1.40e+2	7.81e+1	2.40e+1	1.45e+1	1.08e+1	8.91e+0
2p4d($^3F_3^0$) – 2p3p($^3D_3^e$)	2316.49	*	8.97e+2	1.06e+2	5.45e+1	1.58e+1	9.43e+0	7.55e+0	9.82e+0
2p4d($^3F_2^0$) – 2p3p($^3D_1^e$)	2316.68	*	3.40e+2	3.85e+1	1.89e+1	5.20e+0	3.09e+0	2.60e+0	4.15e+0
4p – 3d									
2p4p($^3S_1^e$) – 2p3d($^3P_0^e$)	6809.98	*	1.15e+2	2.48e+1	1.36e+1	4.17e+0	2.59e+0	2.06e+0	2.23e+0
2p4p($^3D_3^e$) – 2p3d($^3F_4^0$)	6167.75	*	3.91e+2	8.77e+1	4.89e+1	1.58e+1	9.99e+0	7.81e+0	7.08e+0
2p4p($^3D_2^e$) – 2p3d($^3F_3^0$)	6173.31	*	5.05e+2	6.01e+1	3.09e+1	9.49e+0	6.03e+0	4.98e+0	6.08e+0
2p4p($^3D_1^e$) – 2p3d($^3F_2^0$)	6170.16	*	2.51e+2	2.89e+1	1.44e+1	4.40e+0	2.86e+0	2.42e+0	3.12e+0
4p $^3D^e$ – 3s $^3P^0$									
2p4p($^3D_3^e$) – 2p3s($^3P_2^0$)	1859.26	*	3.82e+2	8.57e+1	4.78e+1	1.54e+1	9.76e+0	7.63e+0	6.91e+0
2p4p($^3D_2^e$) – 2p3s($^3P_1^0$)	1857.87	*	3.42e+2	4.07e+1	2.09e+1	6.42e+0	4.08e+0	3.37e+0	4.11e+0
2p4p($^3D_1^e$) – 2p3s($^3P_0^0$)	1858.55	*	1.39e+2	1.59e+1	7.98e+0	2.43e+0	1.58e+0	1.34e+0	1.72e+0
4p $^3D^e$ – 4s $^3P^0$									
2p4p($^3D_3^e$) – 2p4s($^3P_2^0$)	16256.20	*	1.34e+2	3.00e+1	1.67e+1	5.38e+0	3.41e+0	2.67e+0	2.42e+0
4s $^3P^0$ – 3p $^3D^e$									
2p4s($^3P_2^0$) – 2p3p($^3D_3^e$)	3328.72	*	1.34e+2	2.87e+1	1.60e+1	5.62e+0	3.87e+0	3.28e+0	3.35e+0
3d $^3P^0$ – 3p $^1P^e$									
2p3d($^3P_0^0$) – 2p3p($^1P_1^e$)	4109.59	*	4.32e+2	1.02e+2	5.39e+1	1.34e+1	7.19e+0	5.03e+0	4.09e+0
2p3d($^3P_1^0$) – 2p3p($^1P_1^e$)	4114.33	*	1.56e+3	3.33e+2	1.74e+2	4.25e+1	2.28e+1	1.61e+1	1.39e+1
2p3d($^3P_2^0$) – 2p3p($^1P_1^e$)	4123.12	*	3.11e+3	5.91e+2	3.03e+2	7.28e+1	3.90e+1	2.90e+1	3.41e+1
3d $^3P^0$ – 3p $^3P^e$ (V29)									
2p3d($^3P_0^0$) – 2p3p($^3P_1^e$)	5454.21	*	1.89e–4	4.43e–5	2.35e–5	5.83e–6	3.13e–6	2.19e–6	1.78e–6
2p3d($^3P_0^0$) – 2p3p($^3P_2^e$)	5480.05	*	1.56e+2	3.34e+1	1.75e+1	4.27e+0	2.29e+0	1.61e+0	1.39e+0
2p3d($^3P_1^0$) – 2p3p($^3P_1^e$)	5462.58	*	7.43e–1	1.59e–1	8.30e–2	2.03e–2	1.09e–2	7.66e–3	6.63e–3
2p3d($^3P_1^0$) – 2p3p($^3P_0^e$)	5452.07	*	1.06e+2	2.27e+1	1.19e+1	2.90e+0	1.56e+0	1.10e+0	9.47e–1
2p3d($^3P_2^0$) – 2p3p($^3P_2^e$)	5495.65	*	5.57e+2	1.06e+2	5.43e+1	1.31e+1	7.00e+0	5.19e+0	6.12e+0
2p3d($^3P_2^0$) – 2p3p($^3P_1^e$)	5478.09	*	4.27e–1	8.11e–2	4.16e–2	9.99e–3	5.36e–3	3.98e–3	4.69e–3
3d $^3P^0$ – 3p $^3S^e$									
2p3d($^3P_0^0$) – 2p3p($^3S_1^e$)	4987.38	*	1.48e+2	3.47e+1	1.84e+1	4.57e+0	2.46e+0	1.72e+0	1.40e+0
2p3d($^3P_1^0$) – 2p3p($^3S_1^e$)	4994.37	*	1.58e+2	3.37e+1	1.76e+1	4.31e+0	2.31e+0	1.63e+0	1.41e+0
2p3d($^3P_2^0$) – 2p3p($^3S_1^e$)	5007.33	*	1.43e+2	2.71e+1	1.39e+1	3.34e+0	1.79e+0	1.33e+0	1.57e+0
3d $^3P^0$ – 3p $^3D^e$									
2p3d($^3P_2^0$) – 2p3p($^3D_3^e$)	4507.56	*	1.89e+2	3.59e+1	1.84e+1	4.42e+0	2.37e+0	1.76e+0	2.07e+0
3d $^3D^0$ – 3p $^3P^e$ (V28)									
2p3d($^3D_3^0$) – 2p3p($^3P_2^e$)	5941.65	*	5.21e+3	7.38e+2	3.63e+2	8.54e+1	4.57e+1	3.26e+1	2.99e+1
2p3d($^3D_2^0$) – 2p3p($^3P_2^e$)	5952.39	*	1.73e–2	2.32e–3	1.13e–3	2.62e–4	1.40e–4	1.03e–4	1.11e–4
2p3d($^3D_2^0$) – 2p3p($^3P_1^e$)	5931.78	*	1.02e+2	1.37e+1	6.67e+0	1.55e+0	8.30e–1	6.09e–1	6.57e–1
2p3d($^3D_1^0$) – 2p3p($^3P_2^e$)	5960.90	*	6.37e+1	7.33e+0	3.49e+0	8.03e–1	4.29e–1	3.11e–1	3.20e–1
2p3d($^3D_1^0$) – 2p3p($^3P_1^e$)	5940.24	*	3.12e+0	3.59e–1	1.71e–1	3.93e–2	2.10e–2	1.52e–2	1.57e–2
2p3d($^3D_1^0$) – 2p3p($^3P_0^e$)	5927.81	*	1.56e+3	1.79e+2	8.53e+1	1.96e+1	1.05e+1	7.61e+0	7.83e+0
3d $^3D^0$ – 3p $^3D^e$ (V20)									
2p3d($^3D_2^0$) – 2p3p($^3D_3^e$)	4803.29	*	3.02e+3	4.28e+2	2.11e+2	4.95e+1	2.65e+1	1.89e+1	1.74e+1
2p3d($^3D_2^0$) – 2p3p($^3D_2^e$)	4781.19	*	1.92e+2	2.72e+1	1.34e+1	3.15e+0	1.69e+0	1.20e+0	1.11e+0
2p3d($^3D_2^0$) – 2p3p($^3D_3^e$)	4810.30	*	2.00e–3	2.68e–4	1.31e–4	3.03e–5	1.62e–5	1.19e–5	1.29e–5

Table 6. Continued.

Transition	$\lambda[\text{\AA}]$	*	T_e [K]						
			125	500	1000	5000	10,000	15,000	20,000
2p3d($^3D_2^0$) – 2p3p($^3D_2^0$)	4788.14	*	1.70e–2	2.28e–3	1.11e–3	2.57e–4	1.38e–4	1.01e–4	1.09e–4
2p3d($^3D_2^0$) – 2p3p($^3D_1^0$)	4774.24	*	3.79e+0	5.08e–1	2.47e–1	5.74e–2	3.07e–2	2.25e–2	2.43e–2
2p3d($^3D_1^0$) – 2p3p($^3D_2^0$)	4793.65	*	3.80e+2	4.37e+1	2.08e+1	4.79e+0	2.56e+0	1.86e+0	1.91e+0
2p3d($^3D_1^0$) – 2p3p($^3D_1^0$)	4779.72	*	1.23e+3	1.41e+2	6.71e+1	1.54e+1	8.24e+0	5.98e+0	6.15e+0
3d $^3D^0$ – 3p $^3S^e$									
2p3d($^3D_1^0$) – 2p3p($^3S_1^e$)	5390.69	*	1.46e+3	1.68e+2	7.98e+1	1.84e+1	9.81e+0	7.12e+0	7.33e+0
3d $^1D^0$ – 3p $^3P^e$									
2p3d($^1D_2^0$) – 2p3p($^3P_2^e$)	6086.54	*	7.99e+2	9.63e+1	4.64e+1	1.08e+1	5.74e+0	4.30e+0	5.25e+0
3d $^1D^0$ – 3p $^3S^e$									
2p3d($^1D_2^0$) – 2p3p($^3S_1^e$)	5493.23	*	3.64e+3	4.39e+2	2.11e+2	4.90e+1	2.61e+1	1.96e+1	2.39e+1
3d $^1D^0$ – 3p $^3D^e$									
2p3d($^1D_2^0$) – 2p3p($^3D_2^e$)	4897.54	*	3.09e+2	3.72e+1	1.79e+1	4.16e+0	2.22e+0	1.66e+0	2.03e+0
2p3d($^1D_2^0$) – 2p3p($^3D_1^e$)	4874.57	*	1.63e+3	1.96e+2	9.45e+1	2.19e+1	1.17e+1	8.75e+0	1.07e+1
2p3d($^1D_2^0$) – 2p3p($^3D_1^e$)	4860.17	*	2.06e+2	2.49e+1	1.20e+1	2.78e+0	1.48e+0	1.11e+0	1.36e+0
3d $^3F^0$ – 3p $^3D^e$ (V19)									
2p3d($^3F_4^0$) – 2p3p($^3D_3^e$)	5005.15	*	6.59e+3	1.48e+3	7.85e+2	1.99e+2	1.09e+2	7.74e+1	6.41e+1
2p3d($^3F_3^0$) – 2p3p($^3D_3^e$)	5025.66	*	8.10e+2	1.16e+2	5.85e+1	1.43e+1	7.76e+0	5.76e+0	6.29e+0
2p3d($^3F_3^0$) – 2p3p($^3D_2^e$)	5001.47	*	7.97e+3	1.15e+3	5.76e+2	1.40e+2	7.64e+1	5.67e+1	6.19e+1
2p3d($^3F_2^0$) – 2p3p($^3D_3^e$)	5040.71	*	1.98e+1	2.62e+0	1.28e+0	3.03e–1	1.64e–1	1.26e–1	1.61e–1
2p3d($^3F_2^0$) – 2p3p($^3D_2^e$)	5016.38	*	8.51e+2	1.13e+2	5.50e+1	1.30e+1	7.07e+0	5.41e+0	6.92e+0
2p3d($^3F_2^0$) – 2p3p($^3D_1^e$)	5001.13	*	5.16e+3	6.83e+2	3.33e+2	7.90e+1	4.28e+1	3.28e+1	4.20e+1
3p $^1S^e$ – 3s $^1P^0$									
2p3p($^1S_0^e$) – 2p3s($^1P_1^0$)	3437.14	*	1.45e+2	3.23e+1	1.77e+1	5.87e+0	4.00e+0	3.47e+0	3.53e+0
3p $^1D^e$ – 3s $^1P^0$									
2p3p($^1D_2^e$) – 2p3s($^1P_1^0$)	3995.00	*	7.14e+2	1.54e+2	8.42e+1	2.85e+1	2.07e+1	1.96e+1	2.15e+1
3p $^1D^e$ – 3s $^3P^0$									
2p3p($^1D_2^e$) – 2p3s($^3P_1^0$)	3955.85	*	1.20e+2	2.58e+1	1.42e+1	4.79e+0	3.47e+0	3.29e+0	3.62e+0
3p $^3P^e$ – 3s $^1P^0$									
2p3p($^3P_2^e$) – 2p3s($^1P_1^0$)	4654.53	*	1.74e+2	2.75e+1	1.41e+1	3.90e+0	2.39e+0	1.88e+0	1.89e+0
2p3p($^3P_1^e$) – 2p3s($^1P_1^0$)	4667.21	*	3.91e+2	7.66e+1	4.20e+1	1.43e+1	1.09e+1	1.09e+1	1.26e+1
2p3p($^3P_0^e$) – 2p3s($^1P_1^0$)	4674.91	*	2.13e+2	2.52e+1	1.24e+1	3.36e+0	2.06e+0	1.64e+0	1.74e+0
3p $^3P^e$ – 3s $^3P^0$ (V5)									
2p3p($^3P_2^e$) – 2p3s($^3P_2^0$)	4630.54	*	4.16e+3	6.57e+2	3.36e+2	9.32e+1	5.72e+1	4.49e+1	4.51e+1
2p3p($^3P_2^e$) – 2p3s($^3P_1^0$)	4601.48	*	1.17e+3	1.85e+2	9.45e+1	2.62e+1	1.61e+1	1.26e+1	1.27e+1
2p3p($^3P_1^e$) – 2p3s($^3P_2^0$)	4643.09	*	1.84e–5	3.60e–6	1.97e–6	6.73e–7	5.10e–7	5.12e–7	5.91e–7
2p3p($^3P_1^e$) – 2p3s($^3P_1^0$)	4613.87	*	8.39e+1	1.65e+1	9.02e+0	3.07e+0	2.33e+0	2.34e+0	2.70e+0
2p3p($^3P_1^e$) – 2p3s($^3P_0^0$)	4607.15	*	1.22e–1	2.39e–2	1.31e–2	4.47e–3	3.39e–3	3.40e–3	3.93e–3
2p3p($^3P_0^e$) – 2p3s($^3P_1^0$)	4621.39	*	1.34e+3	1.58e+2	7.74e+1	2.10e+1	1.29e+1	1.03e+1	1.09e+1
3p $^3P^e$ – 2s2p $^3D^0$									
2p3p($^3P_2^e$) – 2s2p($^3D_2^0$)	1275.25	*	5.32e+2	8.41e+1	4.30e+1	1.19e+1	7.32e+0	5.75e+0	5.77e+0
2p3p($^3P_2^e$) – 2s2p($^3D_1^0$)	1275.04	*	2.92e+3	4.61e+2	2.36e+2	6.54e+1	4.01e+1	3.15e+1	3.17e+1
2p3p($^3P_0^e$) – 2s2p($^3D_1^0$)	1276.80	*	9.80e+2	1.16e+2	5.68e+1	1.54e+1	9.48e+0	7.52e+0	7.98e+0
3p $^3S^e$ – 3s $^1P^0$									
2p3p($^3S_1^e$) – 2p3s($^1P_1^0$)	5073.59	*	1.45e+2	1.98e+1	9.89e+0	2.68e+0	1.63e+0	1.31e+0	1.49e+0
3p $^3S^e$ – 3s $^3P^0$									
2p3p($^3S_1^e$) – 2p3s($^3P_2^0$)	5045.10	*	1.78e+3	2.42e+2	1.21e+2	3.27e+1	1.99e+1	1.60e+1	1.82e+1
2p3p($^3S_1^e$) – 2p3s($^3P_1^0$)	5010.62	*	8.18e+2	1.12e+2	5.57e+1	1.51e+1	9.19e+0	7.36e+0	8.40e+0
2p3p($^3S_1^e$) – 2p3s($^3P_0^0$)	5002.70	*	1.29e+3	1.76e+2	8.79e+1	2.38e+1	1.45e+1	1.16e+1	1.33e+1
3p $^3S^e$ – 2s2p $^3D^0$									
2p3p($^3S_1^e$) – 2s2p($^3D_1^0$)	1304.79	*	7.72e+2	1.05e+2	5.26e+1	1.42e+1	8.68e+0	6.95e+0	7.93e+0
2p3p($^3S_1^e$) – 2s2p($^3D_2^0$)	1304.77	*	2.28e+3	3.12e+2	1.55e+2	4.20e+1	2.56e+1	2.05e+1	2.34e+1

Table 6. Continued.

Transition	$\lambda[\text{\AA}]$	T_e [K]							
		125	500	1000	5000	10,000	15,000	20,000	
$3p\ ^3D^e - 3s\ ^3P^o$ (V3)									
$2p3p(^3D_3^e) - 2p3s(^3P_2^o)$	5679.56	*	8.45e+3	1.69e+3	8.97e+2	2.42e+2	1.41e+2	1.07e+2	9.60e+1
$2p3p(^3D_2^e) - 2p3s(^3P_2^o)$	5710.77	*	2.20e+3	2.93e+2	1.47e+2	3.80e+1	2.20e+1	1.74e+1	2.01e+1
$2p3p(^3D_2^e) - 2p3s(^3P_1^o)$	5666.63	*	6.07e+3	8.11e+2	4.07e+2	1.05e+2	6.10e+1	4.83e+1	5.55e+1
$2p3p(^3D_1^e) - 2p3s(^3P_2^o)$	5730.66	*	1.36e+2	1.72e+1	8.43e+0	2.12e+0	1.23e+0	9.92e-1	1.23e+0
$2p3p(^3D_1^e) - 2p3s(^3P_1^o)$	5686.21	*	1.79e+3	2.26e+2	1.11e+2	2.79e+1	1.62e+1	1.31e+1	1.62e+1
$2p3p(^3D_1^e) - 2p3s(^3P_0^o)$	5676.02	*	3.00e+3	3.80e+2	1.86e+2	4.69e+1	2.72e+1	2.19e+1	2.73e+1
$3p\ ^3D^e - 2s2p^3\ ^3P^o$									
$2p3p(^3D_3^e) - 2s2p^3(^3P_2^o)$	1740.31	*	3.52e+3	7.06e+2	3.74e+2	1.01e+2	5.87e+1	4.46e+1	4.00e+1
$2p3p(^3D_2^e) - 2s2p^3(^3P_2^o)$	1743.23	*	9.44e+2	1.26e+2	6.33e+1	1.64e+1	9.48e+0	7.50e+0	8.63e+0
$2p3p(^3D_2^e) - 2s2p^3(^3P_1^o)$	1743.20	*	2.91e+3	3.88e+2	1.95e+2	5.04e+1	2.92e+1	2.31e+1	2.66e+1
$2p3p(^3D_1^e) - 2s2p^3(^3P_0^o)$	1745.26	*	1.24e+3	1.57e+2	7.67e+1	1.93e+1	1.12e+1	9.02e+0	1.12e+1
$2p3p(^3D_1^e) - 2s2p^3(^3P_1^o)$	1745.05	*	9.11e+2	1.15e+2	5.65e+1	1.42e+1	8.24e+0	6.65e+0	8.27e+0
$3p\ ^3D^e - 2s2p^3\ ^3D^o$									
$2p3p(^3D_3^e) - 2s2p^3(^3D_2^o)$	1343.57	*	1.25e+2	2.51e+1	1.33e+1	3.58e+0	2.09e+0	1.59e+0	1.42e+0
$2p3p(^3D_3^e) - 2s2p^3(^3D_3^o)$	1343.34	*	1.06e+3	2.13e+2	1.13e+2	3.04e+1	1.77e+1	1.34e+1	1.21e+1
$2p3p(^3D_2^e) - 2s2p^3(^3D_1^o)$	1345.34	*	1.87e+2	2.50e+1	1.25e+1	3.24e+0	1.88e+0	1.49e+0	1.71e+0
$2p3p(^3D_2^e) - 2s2p^3(^3D_2^o)$	1345.31	*	8.93e+2	1.19e+2	5.99e+1	1.55e+1	8.97e+0	7.10e+0	8.17e+0
$2p3p(^3D_2^e) - 2s2p^3(^3D_3^o)$	1345.08	*	2.32e+2	3.10e+1	1.56e+1	4.02e+0	2.33e+0	1.84e+0	2.12e+0
$2p3p(^3D_1^e) - 2s2p^3(^3D_1^o)$	1346.44	*	5.54e+2	7.01e+1	3.43e+1	8.65e+0	5.01e+0	4.04e+0	5.03e+0
$2p3p(^3D_1^e) - 2s2p^3(^3D_2^o)$	1346.41	*	2.04e+2	2.58e+1	1.26e+1	3.18e+0	1.84e+0	1.49e+0	1.85e+0
$3p\ ^3D^e - 3s\ ^1P^o$									
$2p3p(^3D_2^e) - 2p3s(^1P_1^o)$	5747.30	*	9.71e+2	1.30e+2	6.51e+1	1.68e+1	9.74e+0	7.71e+0	8.87e+0
$2p3p(^3D_1^e) - 2p3s(^1P_1^o)$	5767.45	*	3.79e+2	4.79e+1	2.35e+1	5.91e+0	3.43e+0	2.76e+0	3.44e+0
$3p\ ^1P^e - 3s\ ^1P^o$									
$2p3p(^1P_1^e) - 2p3s(^1P_1^o)$	6482.05	*	1.17e+2	2.21e+1	1.15e+1	2.93e+0	1.66e+0	1.27e+0	1.35e+0
$3p\ ^1P^e - 3s\ ^3P^o$									
$2p3p(^1P_1^e) - 2p3s(^3P_2^o)$	6435.61	*	1.07e+3	2.03e+2	1.06e+2	2.69e+1	1.52e+1	1.16e+1	1.24e+1
$2p3p(^1P_1^e) - 2p3s(^3P_1^o)$	6379.62	*	6.27e+2	1.18e+2	6.15e+1	1.57e+1	8.87e+0	6.78e+0	7.23e+0
$2p3p(^1P_1^e) - 2p3s(^3P_0^o)$	6366.79	*	2.65e+2	5.00e+1	2.60e+1	6.64e+0	3.75e+0	2.87e+0	3.06e+0
$3p\ ^1P^e - 2s2p^3\ ^3P^o$									
$2p3p(^1P_1^e) - 2s2p^3(^3P_0^o)$	1805.47	*	4.70e+2	8.88e+1	4.62e+1	1.18e+1	6.66e+0	5.09e+0	5.42e+0
$2p3p(^1P_1^e) - 2s2p^3(^3P_2^o)$	1805.28	*	2.29e+3	4.33e+2	2.25e+2	5.74e+1	3.25e+1	2.48e+1	2.64e+1
$2p3p(^1P_1^e) - 2s2p^3(^3P_1^o)$	1805.24	*	1.40e+3	2.65e+2	1.38e+2	3.51e+1	1.99e+1	1.52e+1	1.62e+1
$2s2p^3\ ^3P^o - 2p^2\ ^1D^e$									
$2s2p^3(^3P_2^o) - 2p^2(^1D_2^e)$	1064.95	*	7.38e+3	1.37e+3	7.19e+2	3.54e+2	3.26e+2	2.79e+2	2.54e+2
$2s2p^3(^3P_1^o) - 2p^2(^1D_2^e)$	1064.96	*	3.88e+3	5.74e+2	2.93e+2	1.45e+2	1.34e+2	1.16e+2	1.11e+2
$2s2p^3\ ^3P^o - 2p^2\ ^1S^e$									
$2s2p^3(^3P_1^o) - 2p^2(^1S_0^e)$	1306.71	*	1.67e+3	2.47e+2	1.26e+2	6.22e+1	5.78e+1	4.99e+1	4.75e+1
$2s2p^3\ ^3D^o - 2p^2\ ^1S^e$									
$2s2p^3(^3D_1^o) - 2p^2(^1S_0^e)$	1678.89	*	1.20e+3	1.58e+2	8.06e+1	8.52e+1	8.23e+1	6.95e+1	6.23e+1
$2s2p^3\ ^3D^o - 2p^2\ ^1D^e$									
$2s2p^3(^3D_1^o) - 2p^2(^1D_2^e)$	1299.79	*	1.92e+3	2.54e+2	1.30e+2	1.37e+2	1.32e+2	1.12e+2	1.00e+2
$2s2p^3(^3D_2^o) - 2p^2(^1D_2^e)$	1299.81	*	5.25e+3	7.56e+2	3.91e+2	3.80e+2	3.64e+2	3.08e+2	2.78e+2
$2s2p^3(^3D_3^o) - 2p^2(^1D_2^e)$	1300.04	*	5.55e+3	9.45e+2	5.04e+2	5.17e+2	5.01e+2	4.21e+2	3.77e+2

Table 7. Fit parameters and maximum errors δ [%] for $T_e < 10,000$ K and $N_e = 10^2 \text{ cm}^{-3}$. The results are for Case B recombination.

Transition	λ [Å]	a_0	a_1	a_2	a_3	a_4	a_5	δ [%]
2p3d(³ F ₂) – 2p3p(³ D ₁ ^e)	5001.14	22.7408	-26.4693	15.2874	-4.6280	0.7091	-0.0439	0.356
2p3d(³ F ₂) – 2p3p(³ D ₃ ^e)	5001.48	27.4981	-33.7298	19.9870	-6.1467	0.9514	-0.0591	0.543
2p3d(³ F ₄) – 2p3p(³ D ₃ ^e)	5005.15	-1.1211	9.8186	-6.6487	2.0583	-0.3243	0.0206	0.361
2p3d(³ F ₂) – 2p3p(³ D ₅ ^e)	5016.39	22.2658	-26.9751	15.6171	-4.7344	0.7262	-0.0449	0.487
2p3d(³ F ₂) – 2p3p(³ D ₅ ^e)	5025.66	26.5231	-33.7292	19.9662	-6.1334	0.9483	-0.0588	0.454
2p3d(³ F ₂) – 2p3p(³ D ₅ ^e)	5040.72	20.2540	-26.3467	15.2021	-4.5986	0.7042	-0.0435	0.317
2p3d(³ D ₂ ^o) – 2p3p(³ D ₁ ^e)	4774.24	17.6233	-23.3485	13.2635	-3.9552	0.5963	-0.0364	0.316
2p3d(³ D ₂ ^o) – 2p3p(³ D ₁ ^e)	4779.72	28.7969	-36.1782	20.8559	-6.2078	0.9318	-0.0564	0.399
2p3d(³ D ₃ ^o) – 2p3p(³ D ₂ ^e)	4781.19	17.1965	-20.3326	11.6093	-3.5090	0.5363	-0.0332	0.309
2p3d(³ D ₂ ^o) – 2p3p(³ D ₂ ^e)	4788.13	15.0717	-23.0057	13.0340	-3.8787	0.5836	-0.0355	0.350
2p3d(³ D ₃ ^o) – 2p3p(³ D ₂ ^e)	4793.65	28.8856	-37.2076	21.5572	-6.4437	0.9710	-0.0590	0.445
2p3d(³ D ₃ ^o) – 2p3p(³ D ₃ ^e)	4803.29	17.8891	-19.5032	11.0716	-3.3373	0.5093	-0.0315	0.377
2p3d(³ D ₂ ^o) – 2p3p(³ D ₃ ^e)	4810.31	14.6157	-23.7978	13.5576	-4.0496	0.6111	-0.0373	0.339
2p3d(³ D ₃ ^o) – 2p3p(³ P ₀ ^e)	5927.81	29.7388	-37.6123	21.8227	-6.5288	0.9843	-0.0598	0.498
2p3d(³ D ₂ ^o) – 2p3p(³ P ₁ ^e)	5931.78	19.1633	-23.5024	13.3461	-3.9755	0.5984	-0.0364	0.313
2p3d(³ D ₂ ^o) – 2p3p(³ P ₁ ^e)	5940.24	26.3005	-36.3425	20.9651	-6.2438	0.9377	-0.0568	0.367
2p3d(³ D ₂ ^o) – 2p3p(³ P ₂ ^e)	5941.65	18.5252	-20.1624	11.5010	-3.4755	0.5312	-0.0329	0.306
2p3d(³ D ₂ ^o) – 2p3p(³ P ₂ ^e)	5952.39	14.9734	-22.8415	12.9341	-3.8491	0.5793	-0.0353	0.462
2p3d(³ D ₂ ^o) – 2p3p(³ P ₂ ^e)	5960.90	27.9758	-36.9651	21.3843	-6.3832	0.9606	-0.0583	0.382
2p3d(³ P ₀ ^o) – 2p3p(³ P ₀ ^e)	5452.08	1.1669	3.1186	-2.2008	0.5731	-0.0761	0.0042	0.248
2p3d(³ P ₀ ^o) – 2p3p(³ P ₁ ^e)	5454.22	-10.5538	13.0714	-8.8743	2.8317	-0.4611	0.0304	0.346
2p3d(³ P ₀ ^o) – 2p3p(³ P ₁ ^e)	5462.59	-0.6924	2.6639	-1.9267	0.4918	-0.0642	0.0035	0.285
2p3d(³ P ₂ ^o) – 2p3p(³ P ₁ ^e)	5478.10	3.5424	-4.2407	2.3658	-0.8722	0.1588	-0.0113	0.232
2p3d(³ P ₁ ^o) – 2p3p(³ P ₂ ^e)	5480.06	1.2694	3.2475	-2.2984	0.6088	-0.0824	0.0047	0.247
2p3d(³ P ₂ ^o) – 2p3p(³ P ₂ ^e)	5495.67	6.3594	-3.7218	2.0073	-0.7489	0.1378	-0.0099	0.220
2p3p(³ D ₂ ^e) – 2p3s(³ P ₀ ^o)	5666.63	31.1856	-39.0972	22.9521	-6.9565	1.0612	-0.0650	0.501
2p3p(³ D ₂ ^e) – 2p3s(³ P ₀ ^o)	5676.02	25.1520	-30.1399	17.2491	-5.1356	0.7724	-0.0468	0.488
2p3p(³ D ₂ ^e) – 2p3s(³ P ₂ ^o)	5679.56	4.2859	2.4117	-2.5937	0.9560	-0.1743	0.0126	0.392
2p3p(³ D ₂ ^e) – 2p3s(³ P ₁ ^o)	5686.21	25.5213	-31.1223	17.8902	-5.3423	0.8054	-0.0489	0.460
2p3p(³ D ₂ ^e) – 2p3s(³ P ₂ ^o)	5710.77	29.9671	-37.7899	22.0813	-6.6697	1.0145	-0.0620	0.445
2p3p(³ D ₂ ^e) – 2p3s(³ P ₂ ^o)	5730.65	24.4097	-31.1447	17.9137	-5.3535	0.8079	-0.0491	0.415
2p4f 3[7/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4073.04	18.0226	-20.0722	11.1430	-3.2657	0.4843	-0.0292	0.267
2p4f 3[5/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4076.91	18.7777	-22.0105	12.2968	-3.6018	0.5331	-0.0321	0.248
2p4f 3[5/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4077.40	15.2053	-20.8583	11.5374	-3.3543	0.4932	-0.0295	0.235
2p4f 3[7/2] ₄ ^e – 2p3d(³ F ₃ ^o)	4082.27	18.3303	-20.7357	11.6079	-3.4250	0.5110	-0.0310	0.381
2p4f 3[7/2] ₃ ^e – 2p3d(³ F ₃ ^o)	4082.89	16.3244	-19.3772	10.6744	-3.1099	0.4588	-0.0276	0.293
2p4f 3[5/2] ₂ ^e – 2p3d(³ F ₃ ^o)	4086.83	16.8241	-20.3649	11.1954	-3.2378	0.4736	-0.0282	0.298
2p4f 3[5/2] ₃ ^e – 2p3d(³ F ₃ ^o)	4087.30	18.1756	-21.2737	11.8201	-3.4485	0.5086	-0.0305	0.257
2p4f 3[7/2] ₄ ^e – 2p3d(³ F ₄ ^o)	4095.90	17.7251	-20.3932	11.3872	-3.3544	0.4998	-0.0303	0.375
2p4f 3[7/2] ₃ ^e – 2p3d(³ F ₄ ^o)	4096.58	16.4360	-20.5808	11.4825	-3.3775	0.5025	-0.0304	0.292
2p4f 3[5/2] ₃ ^e – 2p3d(³ F ₄ ^o)	4100.97	16.8475	-21.1839	11.7443	-3.4188	0.5030	-0.0301	0.285
2p4f 4[9/2] ₄ ^e – 2p3d(³ F ₃ ^o)	4026.08	-4.6635	14.0398	-9.2835	2.8851	-0.4554	0.0288	0.318
2p4f 4[7/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4035.08	-1.3418	9.8078	-6.7937	2.1009	-0.3201	0.0192	0.140
2p4f 4[9/2] ₄ ^e – 2p3d(³ F ₂ ^o)	4039.35	-4.8538	12.3455	-8.1638	2.5193	-0.3963	0.0251	0.285
2p4f 4[9/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4041.31	-3.5704	13.1507	-8.6540	2.6676	-0.4186	0.0264	0.269
2p4f 4[7/2] ₄ ^e – 2p3d(³ F ₃ ^o)	4043.53	0.2708	6.9704	-4.8535	1.4452	-0.2105	0.0119	0.170
2p4f 4[7/2] ₃ ^e – 2p3d(³ F ₃ ^o)	4044.78	-1.4394	8.5130	-5.8822	1.7849	-0.2661	0.0155	0.101
2p4f 4[7/2] ₄ ^e – 2p3d(³ F ₄ ^o)	4056.90	-0.8271	7.6260	-5.3423	1.6230	-0.2422	0.0141	0.111
2p4f 4[7/2] ₃ ^e – 2p3d(³ F ₄ ^o)	4058.16	-2.9455	8.4285	-5.8307	1.7700	-0.2641	0.0154	0.051
2p3p(³ P ₂ ^e) – 2p3s(³ P ₀ ^o)	4601.48	20.7866	-25.3749	15.1539	-4.7239	0.7380	-0.0460	0.344
2p3p(³ P ₁ ^e) – 2p3s(³ P ₀ ^o)	4607.16	1.7118	0.6341	-2.7728	1.4148	-0.3028	0.0241	0.600
2p3p(³ P ₁ ^e) – 2p3s(³ P ₁ ^o)	4613.87	4.3844	0.8955	-2.9318	1.4608	-0.3091	0.0244	0.622
2p3p(³ P ₀ ^e) – 2p3s(³ P ₁ ^o)	4621.39	34.2231	-44.8491	26.4485	-8.0118	1.2208	-0.0746	0.253
2p3p(³ P ₂ ^e) – 2p3s(³ P ₂ ^o)	4630.54	21.3870	-25.4963	15.2577	-4.7648	0.7456	-0.0466	0.226
2p3p(³ P ₁ ^e) – 2p3s(³ P ₂ ^o)	4643.09	-2.0492	0.5066	-2.6706	1.3751	-0.2953	0.0235	0.605

Table 8. The same as Table 7 but for $10,000 \leq T_e \leq 20,000$ K and $N_e = 10^2 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	b_0	b_1	b_2	b_3	b_4	b_5	b_6	$\delta[\%]$
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.14	4.0807	-4.8537	10.8131	-5.7467	1.6643	-0.0937	-1.1401	0.105
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5001.48	8.5638	-9.2646	12.9159	-6.1298	1.6024	0.5439	-1.3349	0.112
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	1.3006	-1.3424	5.5162	-2.7575	0.8097	-0.8554	-0.8026	0.118
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.39	12.9496	-20.2178	21.2091	-9.9809	2.2035	1.1948	-1.7026	0.065
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	7.8221	-11.9792	14.4626	-7.3337	1.7237	0.7413	-1.5171	0.019
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.72	-7.1739	9.6530	-7.4632	2.3748	-0.2830	2.7094	-1.7328	0.013
2p3d($^3D_2^o$) – 2p3p($^3D_1^e$)	4774.24	-7.3956	7.2197	-6.1707	1.7555	-0.2650	1.4554	-1.3196	0.126
2p3d($^3D_2^o$) – 2p3p($^3D_1^e$)	4779.72	0.7178	0.4617	1.9964	-0.9810	0.3059	-0.7224	-0.7097	0.138
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4781.19	5.4541	-9.0142	8.8589	-4.2768	0.8014	0.9048	-1.6004	0.007
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4788.13	-13.6334	10.1281	-10.4434	2.9222	-0.5800	0.9021	-1.1579	0.149
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4793.65	3.3812	-3.5990	4.2274	-1.9879	0.4354	0.3912	-1.2250	0.009
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4803.29	9.7682	-11.8547	12.9028	-5.5617	1.2339	0.8010	-1.4226	0.124
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4810.31	-17.4705	13.2077	-14.2905	4.2025	-0.9086	0.8775	-1.2046	0.152
2p3d($^3D_1^o$) – 2p3p($^3P_0^e$)	5927.81	2.0884	-0.2351	1.9837	-0.9006	0.2697	-0.0920	-0.8768	0.132
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5931.78	5.4454	-10.6663	10.3379	-5.1858	0.8879	1.0841	-1.8105	0.006
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5940.24	-9.5729	10.2019	-9.7430	3.2069	-0.6571	1.5238	-1.5707	0.143
2p3d($^3D_3^o$) – 2p3p($^3P_2^e$)	5941.65	2.7213	-0.6440	3.7185	-1.7366	0.5274	-0.1152	-0.9347	0.091
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5952.39	-17.8720	16.2951	-15.7645	4.8473	-0.9618	1.0867	-1.3078	0.175
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5960.90	1.2680	-2.1548	1.8901	-1.2395	0.0095	0.0290	-1.4315	0.023
2p3d($^3P_1^o$) – 2p3p($^3P_0^e$)	5452.08	3.0716	-5.7499	4.9295	-2.5128	0.0106	0.5699	-1.9170	0.025
2p3d($^3P_0^o$) – 2p3p($^3P_1^e$)	5454.22	-12.8709	4.2373	-7.4339	1.8553	-0.4253	0.5203	-0.8981	0.143
2p3d($^3P_0^o$) – 2p3p($^3P_1^e$)	5462.59	-4.6357	2.1351	-2.2901	0.6315	-0.0811	0.6572	-0.6598	0.109
2p3d($^3P_2^o$) – 2p3p($^3P_1^e$)	5478.10	-16.9479	18.8295	-17.0898	5.4855	-1.0294	1.4477	-1.5478	0.154
2p3d($^3P_0^o$) – 2p3p($^3P_2^e$)	5480.06	4.7635	-8.8255	8.3223	-4.1687	0.6809	0.8905	-1.7742	0.030
2p3d($^3P_2^o$) – 2p3p($^3P_2^e$)	5495.67	7.2363	-11.0445	12.3577	-6.0607	1.3387	0.8096	-1.5295	0.009
2p3p($^3D_2^o$) – 2p3s($^3P_1^o$)	5666.63	4.8361	-4.3153	8.8786	-4.3729	1.2693	0.1271	-1.1614	0.116
2p3p($^3D_2^o$) – 2p3s($^3P_0^o$)	5676.02	11.1840	-14.2824	16.3877	-7.4346	1.7699	0.8650	-1.4839	0.081
2p3p($^3D_3^o$) – 2p3s($^3P_2^o$)	5679.56	3.8261	-1.5497	4.0652	-1.6968	0.5406	0.0962	-1.0220	0.125
2p3p($^3D_1^o$) – 2p3s($^3P_1^o$)	5686.21	2.9572	-3.4818	8.0064	-4.2566	1.2289	-0.1818	-1.0863	0.107
2p3p($^3D_2^o$) – 2p3s($^3P_2^o$)	5710.77	3.7076	-3.6778	7.5427	-3.9075	1.1136	0.0456	-1.1396	0.123
2p3p($^3D_1^o$) – 2p3s($^3P_2^o$)	5730.65	6.0585	-11.4149	12.5964	-6.6026	1.4284	0.9807	-1.6826	0.010
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4073.04	1.2110	0.6267	0.5814	-0.2306	0.0751	-0.3095	-0.7608	0.079
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_2^o$)	4076.91	2.8778	-1.7226	2.4769	-0.7996	0.1479	0.3404	-1.6311	0.009
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_2^o$)	4077.40	0.1398	-0.6425	1.3005	-3.1047	0.3231	-2.9977	0.1471	0.085
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4082.27	2.6862	-1.2476	2.1926	-0.8264	0.1972	0.1423	-1.1087	0.017
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4082.89	0.0695	-0.1175	0.4566	-0.7303	0.0006	-1.9849	-0.3149	0.017
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_3^o$)	4086.83	0.0877	-0.2870	0.6583	-0.9495	0.0011	-2.3184	-0.2034	0.011
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_3^o$)	4087.30	0.2842	0.6488	0.2906	-0.2132	0.0010	-0.8357	-0.8481	0.010
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4095.90	1.8506	-0.6877	1.2756	-0.4934	0.0822	0.0690	-1.2236	0.012
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4096.58	0.1743	-0.6291	1.0354	-1.5527	0.1325	-2.6121	-0.0121	0.126
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_4^o$)	4100.97	0.1199	-0.3905	0.5576	-1.3115	-0.0025	-2.4017	-0.1805	0.110
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_3^o$)	4026.08	3.2359	-3.6535	4.3534	-2.1965	0.4103	0.1978	-1.3307	0.072
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4035.08	6.3936	-6.0468	6.2972	-2.4481	0.5287	0.6264	-1.2791	0.045
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_4^o$)	4039.35	0.4376	-1.3406	1.8115	-1.7963	-0.1646	-2.1072	-0.5039	0.074
2p4f 4[9/2] $_5^e$ – 2p3d($^3F_4^o$)	4041.31	4.3607	-3.5387	4.6003	-1.9299	0.4365	0.2679	-1.2285	0.089
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4043.53	2.7719	-1.0488	2.6367	-1.1226	0.3086	0.0399	-1.0136	0.047
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4044.78	2.5409	-2.3989	2.6986	-1.3173	0.2439	0.2674	-1.2778	0.009
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4056.90	2.4668	-2.2092	2.6698	-1.3132	0.2550	0.2186	-1.2570	0.012
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4058.16	0.1956	-0.6271	0.5750	-1.5982	-0.0229	-2.1675	-0.3261	0.189
2p3p($^3P_2^o$) – 2p3s($^3P_0^o$)	4601.48	1.6997	-0.5978	3.0448	-1.5673	0.4668	-0.2599	-0.9061	0.092
2p3p($^3P_1^o$) – 2p3s($^3P_0^o$)	4607.16	-3.9134	0.6193	-1.0839	0.2671	-0.0366	0.3696	-0.5417	0.110
2p3p($^3P_1^o$) – 2p3s($^3P_0^o$)	4613.87	1.8610	-2.6842	3.3155	-1.5561	0.4123	0.2203	-1.1563	0.014
2p3p($^3P_0^o$) – 2p3s($^3P_1^o$)	4621.39	6.6512	-6.9104	7.7363	-3.1448	0.7220	0.6659	-1.3040	0.071
2p3p($^3P_2^o$) – 2p3s($^3P_2^o$)	4630.54	5.1902	-4.0696	6.7010	-2.9728	0.7998	0.3110	-1.1537	0.069
2p3p($^3P_1^o$) – 2p3s($^3P_2^o$)	4643.09	-7.5857	1.4863	-0.8945	0.2657	-0.0313	0.1522	-0.0807	0.095

Table 9. The same as Table 7 but for $T_e < 10,000$ K and $N_e = 10^3$ cm $^{-3}$.

Transition	$\lambda[\text{\AA}]$	a_0	a_1	a_2	a_3	a_4	a_5	$\delta[\%]$
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.14	12.5791	-9.3536	3.8787	-0.9076	0.1131	-0.0062	0.147
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5001.48	16.1471	-14.7117	7.2411	-1.9366	0.2665	-0.0151	0.258
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	-5.3569	18.9374	-13.7814	4.6487	-0.7664	0.0495	0.420
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.39	11.9406	-9.5913	4.0310	-0.9549	0.1202	-0.0066	0.177
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	14.9808	-14.3695	6.9773	-1.8372	0.2482	-0.0138	0.161
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.72	10.5551	-10.0243	4.3291	-1.0564	0.1373	-0.0077	0.164
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4774.24	8.0000	-6.9925	2.3368	-0.4038	0.0315	-0.0010	0.126
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4779.72	17.8006	-18.0320	8.9852	-2.4130	0.3362	-0.0195	0.208
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4781.19	7.6248	-3.7945	0.3846	0.1975	-0.0620	0.0048	0.099
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4788.13	5.2536	-6.3158	1.8824	-0.2531	0.0068	0.0006	0.225
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4793.65	17.7011	-18.7642	9.5016	-2.5922	0.3668	-0.0216	0.288
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4803.29	8.3384	-2.9441	-0.2032	0.3971	-0.0954	0.0070	0.162
2p3d($^3D_2^o$) – 2p3p($^3D_3^e$)	4810.31	4.7961	-7.1369	2.4467	-0.4443	0.0387	-0.0015	0.173
2p3d($^3D_1^o$) – 2p3p($^3P_0^e$)	5927.81	18.2783	-18.7278	9.4930	-2.5947	0.3681	-0.0217	0.252
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5931.78	9.2908	-6.7201	2.1297	-0.3265	0.0173	0.0000	0.135
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5940.24	15.0844	-17.8501	8.8792	-2.3828	0.3320	-0.0193	0.203
2p3d($^3D_3^o$) – 2p3p($^3P_2^e$)	5941.65	9.3087	-4.2487	0.7101	0.0822	-0.0419	0.0034	0.141
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5952.39	4.7940	-5.4531	1.2577	-0.0311	-0.0320	0.0032	0.107
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5960.90	16.4908	-18.0118	8.9881	-2.4195	0.3382	-0.0197	0.177
2p3d($^3P_0^o$) – 2p3p($^3P_0^e$)	5452.08	-4.5009	14.6387	-10.9913	3.7448	-0.6211	0.0403	0.200
2p3d($^3P_0^o$) – 2p3p($^3P_1^e$)	5454.22	-13.5212	20.0690	-14.5733	4.9307	-0.8174	0.0532	0.334
2p3d($^3P_1^o$) – 2p3p($^3P_1^e$)	5462.59	-6.2169	13.8533	-10.4378	3.5528	-0.5883	0.0381	0.227
2p3d($^3P_2^o$) – 2p3p($^3P_1^e$)	5478.10	-3.7274	9.5009	-7.6712	2.6590	-0.4422	0.0285	0.207
2p3d($^3P_0^o$) – 2p3p($^3P_2^e$)	5480.06	-4.1676	14.3508	-10.7936	3.6780	-0.6099	0.0395	0.184
2p3d($^3P_2^o$) – 2p3p($^3P_2^e$)	5495.67	-0.5846	9.4575	-7.6427	2.6496	-0.4406	0.0284	0.165
2p3p($^3D_2^e$) – 2p3s($^3P_0^o$)	5666.63	20.0607	-20.6886	10.7113	-2.9368	0.4096	-0.0232	0.405
2p3p($^3D_2^e$) – 2p3s($^3P_0^o$)	5676.02	14.4361	-12.3172	5.4911	-1.3351	0.1679	-0.0088	0.206
2p3p($^3D_3^e$) – 2p3s($^3P_2^o$)	5679.56	-1.6376	13.6093	-10.7334	3.7854	-0.6454	0.0429	0.325
2p3p($^3D_1^e$) – 2p3s($^3P_1^o$)	5686.21	14.3015	-12.4988	5.6309	-1.3872	0.1774	-0.0095	0.283
2p3p($^3D_2^e$) – 2p3s($^3P_2^o$)	5710.77	18.5703	-18.8880	9.4901	-2.5282	0.3421	-0.0188	0.196
2p3p($^3D_1^e$) – 2p3s($^3P_2^o$)	5730.65	13.1594	-12.4367	5.5743	-1.3638	0.1729	-0.0091	0.199
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4073.04	10.0843	-6.3889	1.9642	-0.2988	0.0176	-0.0004	0.233
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_2^o$)	4076.91	10.0146	-6.9172	2.2067	-0.3542	0.0245	-0.0008	0.212
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_2^o$)	4077.40	6.8257	-6.3995	1.8630	-0.2409	0.0060	0.0004	0.298
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4082.27	8.9965	-4.6116	0.7426	0.1171	-0.0524	0.0042	0.159
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4082.89	8.9284	-6.5594	2.0382	-0.3104	0.0175	-0.0003	0.196
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_3^o$)	4086.83	8.3975	-5.8368	1.4806	-0.1133	-0.0150	0.0017	0.222
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_3^o$)	4087.30	9.2719	-5.9185	1.5435	-0.1365	-0.0109	0.0014	0.202
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4095.90	8.8065	-5.0132	1.0478	0.0043	-0.0321	0.0028	0.219
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4096.58	7.7934	-5.6644	1.4521	-0.1207	-0.0128	0.0016	0.189
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_4^o$)	4100.97	7.8549	-5.6983	1.3917	-0.0847	-0.0196	0.0020	0.211
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_3^o$)	4026.08	-6.8259	19.8722	-14.3260	4.8116	-0.7925	0.0511	0.335
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4035.08	-1.6854	12.1874	-9.3606	3.1795	-0.5213	0.0332	0.218
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_2^o$)	4039.35	-7.9214	19.6876	-14.2024	4.7709	-0.7859	0.0507	0.304
2p4f 4[9/2] $_5^e$ – 2p3d($^3F_4^o$)	4041.31	-6.3431	20.0198	-14.3893	4.8221	-0.7928	0.0511	0.389
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4043.53	-1.0284	11.0247	-8.5774	2.9179	-0.4780	0.0303	0.240
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4044.78	-1.9232	11.1980	-8.6981	2.9600	-0.4853	0.0308	0.206
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4056.90	-2.1562	11.6730	-9.0218	3.0681	-0.5030	0.0320	0.215
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4058.16	-4.2101	12.4375	-9.5313	3.2366	-0.5307	0.0338	0.170
2p3p($^3P_2^e$) – 2p3s($^3P_0^o$)	4601.48	11.7422	-9.7894	4.5529	-1.2065	0.1674	-0.0096	0.230
2p3p($^3P_1^e$) – 2p3s($^3P_0^o$)	4607.16	-7.5207	16.4594	-13.5023	4.9815	-0.8850	0.0615	0.487
2p3p($^3P_1^e$) – 2p3s($^3P_1^o$)	4613.87	-3.9092	15.1417	-12.6169	4.6878	-0.8369	0.0584	0.514
2p3p($^3P_0^e$) – 2p3s($^3P_1^o$)	4621.39	24.5973	-29.2915	16.3940	-4.8260	0.7243	-0.0440	0.301
2p3p($^3P_2^e$) – 2p3s($^3P_2^o$)	4630.54	12.1963	-9.6541	4.4848	-1.1923	0.1666	-0.0097	0.242
2p3p($^3P_1^e$) – 2p3s($^3P_2^o$)	4643.09	-11.3957	16.5486	-13.5621	5.0015	-0.8884	0.0618	0.447

Table 10. The same as Table 7 but for $10,000 \leq T_e \leq 20,000$ K and $N_e = 10^3 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	b_0	b_1	b_2	b_3	b_4	b_5	b_6	$\delta[\%]$
2p3d(³ F ₂ ^o) – 2p3p(³ D ₁ ^e)	5001.14	5.0900	-9.6681	18.5895	-10.8190	3.1004	-0.1127	-1.2715	0.117
2p3d(³ F ₂ ^o) – 2p3p(³ D ₃ ^e)	5001.48	8.1496	-11.1418	17.5855	-9.3308	2.5425	0.4062	-1.3962	0.142
2p3d(³ F ₄ ^o) – 2p3p(³ D ₃ ^e)	5005.15	0.4957	-1.9574	4.0614	-0.7921	0.3277	-2.5045	-0.1236	0.097
2p3d(³ F ₂ ^o) – 2p3p(³ D ₂ ^e)	5016.39	10.0017	-18.5348	24.1598	-13.5435	3.3781	0.8687	-1.7156	0.056
2p3d(³ F ₃ ^o) – 2p3p(³ D ₂ ^e)	5025.66	8.8667	-15.9365	20.3392	-11.1045	2.6920	0.7884	-1.6433	0.028
2p3d(³ F ₂ ^o) – 2p3p(³ D ₃ ^e)	5040.72	-14.9946	23.3356	-19.0802	6.3036	-0.7802	2.8050	-2.0791	0.033
2p3d(³ D ₂ ^o) – 2p3p(³ D ₁ ^e)	4774.24	-6.8546	7.5362	-6.2725	2.0281	-0.2554	1.2853	-0.9936	0.118
2p3d(³ D ₂ ^o) – 2p3p(³ D ₁ ^e)	4779.72	10.2691	-15.2839	16.3095	-7.6241	1.6801	1.0306	-1.6136	0.066
2p3d(³ D ₃ ^o) – 2p3p(³ D ₂ ^e)	4781.19	6.0179	-11.1695	11.3921	-5.7784	1.1266	1.0398	-1.7136	0.017
2p3d(³ D ₃ ^o) – 2p3p(³ D ₂ ^e)	4788.13	-13.1580	11.0747	-9.9645	2.9709	-0.4183	0.8602	-0.9258	0.111
2p3d(³ D ₃ ^o) – 2p3p(³ D ₂ ^e)	4793.65	6.9678	-11.9621	13.1038	-6.6434	1.4283	0.9471	-1.6465	0.012
2p3d(³ D ₃ ^o) – 2p3p(³ D ₃ ^e)	4803.29	3.0923	-2.1623	5.3519	-2.7640	0.7885	0.0003	-1.0663	0.101
2p3d(³ D ₃ ^o) – 2p3p(³ D ₂ ^e)	4810.31	-17.3346	14.4913	-13.2661	3.9025	-0.5952	0.8758	-1.0039	0.165
2p3d(³ D ₁ ^o) – 2p3p(³ P ₀ ^e)	5927.81	9.2892	-12.8780	14.2363	-6.6960	1.5288	0.9217	-1.5440	0.112
2p3d(³ D ₂ ^o) – 2p3p(³ P ₁ ^e)	5931.78	9.1858	-22.5088	23.8247	-12.7467	2.4077	1.6218	-2.2000	0.013
2p3d(³ D ₂ ^o) – 2p3p(³ P ₂ ^e)	5940.24	-9.9592	10.6891	-9.2121	2.7494	-0.4193	1.4546	-1.3924	0.130
2p3d(³ D ₃ ^o) – 2p3p(³ P ₂ ^e)	5941.65	7.9880	-8.7555	11.0612	-5.0279	1.2324	0.5949	-1.3297	0.124
2p3d(³ D ₂ ^o) – 2p3p(³ P ₂ ^e)	5952.39	-17.6793	16.6956	-15.5860	4.7121	-0.7951	1.0405	-1.2149	0.115
2p3d(³ D ₂ ^o) – 2p3p(³ P ₂ ^e)	5960.90	-85.3656	140.5960	-105.2180	35.7790	-5.3091	7.0998	-4.4951	0.037
2p3d(³ P ₀ ^o) – 2p3p(³ P ₀ ^e)	5452.08	5.6578	-11.1862	10.6749	-5.3302	0.8775	1.1202	-1.8741	0.017
2p3d(³ P ₀ ^o) – 2p3p(³ P ₁ ^e)	5454.22	-12.6219	4.4020	-7.4990	1.8158	-0.4501	0.5295	-0.9326	0.113
2p3d(³ P ₁ ^o) – 2p3p(³ P ₁ ^e)	5462.59	-4.3351	2.7834	-2.1792	0.6816	-0.0809	0.6834	-0.4238	0.081
2p3d(³ P ₂ ^o) – 2p3p(³ P ₁ ^e)	5478.10	-16.1153	19.8964	-16.6581	5.4341	-0.7479	1.4428	-1.2791	0.114
2p3d(³ P ₂ ^o) – 2p3p(³ P ₂ ^e)	5480.06	4.7437	-8.3420	8.4792	-4.3282	0.8208	0.8132	-1.6105	0.013
2p3d(³ P ₂ ^o) – 2p3p(³ P ₂ ^e)	5495.67	10.4958	-21.0142	26.7208	-14.8980	3.5449	0.8782	-1.7567	0.035
2p3p(³ D ₂ ^o) – 2p3s(³ P ₁ ^o)	5666.63	9.4998	-11.8878	16.2808	-8.1429	2.1735	0.6555	-1.4511	0.070
2p3p(³ D ₂ ^o) – 2p3s(³ P ₀ ^o)	5676.02	4.4514	-8.7808	16.3587	-9.2683	2.6183	-0.1912	-1.2257	0.105
2p3p(³ D ₂ ^o) – 2p3s(³ P ₂ ^o)	5679.56	4.3087	-1.5875	3.6990	-1.4036	0.4279	0.1897	-0.9828	0.071
2p3p(³ D ₁ ^o) – 2p3s(³ P ₁ ^o)	5686.21	10.7944	-16.0430	19.3823	-9.7916	2.4407	0.9313	-1.6112	0.093
2p3p(³ D ₂ ^o) – 2p3s(³ P ₂ ^o)	5710.77	7.1571	-9.5510	13.5510	-7.1421	1.9120	0.5703	-1.4327	0.068
2p3p(³ D ₂ ^o) – 2p3s(³ P ₂ ^o)	5730.65	6.8452	-16.3976	20.0101	-11.5983	2.6320	1.0068	-1.8490	0.027
2p4f 3[7/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4073.04	3.0368	-2.0677	2.7051	-1.1023	0.2451	0.2748	-1.1420	0.011
2p4f 3[5/2] ₂ ^e – 2p3d(³ F ₂ ^o)	4076.91	2.5585	-1.6725	2.1847	-0.6395	0.0140	0.3515	-1.7801	0.012
2p4f 3[5/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4077.40	0.3595	-1.1994	1.3041	-3.2715	-0.0038	-2.6851	-0.1293	0.116
2p4f 3[7/2] ₄ ^e – 2p3d(³ F ₃ ^o)	4082.27	2.5260	-1.4539	2.1137	-0.8711	0.1936	0.1806	-1.0986	0.013
2p4f 3[7/2] ₅ ^e – 2p3d(³ F ₃ ^o)	4082.89	0.1538	-0.3934	0.5890	-0.9357	0.0008	-1.8937	-0.3984	0.021
2p4f 3[5/2] ₂ ^e – 2p3d(³ F ₃ ^o)	4086.83	0.1509	-0.4686	0.6814	-1.1244	-0.0015	-2.1851	-0.2901	0.020
2p4f 3[5/2] ₃ ^e – 2p3d(³ F ₃ ^o)	4087.30	0.9635	-0.4902	1.0449	-0.5904	0.0004	-0.2683	-1.2672	0.008
2p4f 3[7/2] ₄ ^e – 2p3d(³ F ₄ ^o)	4095.90	1.5643	-0.8520	1.2893	-0.6270	0.0911	0.0243	-1.1992	0.014
2p4f 3[7/2] ₅ ^e – 2p3d(³ F ₄ ^o)	4096.58	0.1623	-0.6043	0.9995	-1.6809	0.2101	-2.6923	0.0790	0.104
2p4f 3[5/2] ₃ ^e – 2p3d(³ F ₄ ^o)	4100.97	0.1575	-0.4544	0.0438	-1.1829	0.0019	-1.9569	-0.3320	0.122
2p4f 4[9/2] ₄ ^e – 2p3d(³ F ₄ ^o)	4026.08	1.2628	0.0204	1.4857	-0.8039	0.2056	-0.3495	-0.9325	0.018
2p4f 4[7/2] ₃ ^e – 2p3d(³ F ₂ ^o)	4035.08	9.6151	-11.7925	11.6551	-4.7022	0.9613	0.9036	-1.4985	0.079
2p4f 4[9/2] ₄ ^e – 2p3d(³ F ₂ ^o)	4039.35	0.3510	-1.2005	1.9453	-1.5934	-0.0033	-2.2881	-0.3600	0.030
2p4f 4[9/2] ₅ ^e – 2p3d(³ F ₂ ^o)	4041.31	3.5495	-1.3763	2.9937	-1.1163	0.3115	0.1498	-1.0967	0.097
2p4f 4[7/2] ₄ ^e – 2p3d(³ F ₃ ^o)	4043.53	2.9216	-1.1705	2.4094	-1.0030	0.2668	0.1230	-1.0031	0.081
2p4f 4[7/2] ₅ ^e – 2p3d(³ F ₃ ^o)	4044.78	2.2637	-2.1451	2.4748	-1.2562	0.2311	0.2074	-1.2272	0.009
2p4f 4[7/2] ₄ ^e – 2p3d(³ F ₄ ^o)	4056.90	2.2488	-1.9829	2.3285	-1.1657	0.2217	0.1949	-1.1933	0.014
2p4f 4[7/2] ₅ ^e – 2p3d(³ F ₄ ^o)	4058.16	0.1037	-0.3028	0.0499	-1.2452	0.1531	-2.1216	-0.1216	0.113
2p3p(³ P ₂ ^o) – 2p3s(³ P ₁ ^o)	4601.48	8.3174	-11.2586	12.8395	-6.0080	1.3987	0.8286	-1.4767	0.083
2p3p(³ P ₁ ^o) – 2p3s(³ P ₀ ^o)	4607.16	-3.7394	1.4364	-0.9074	0.2832	-0.0344	0.3357	-0.1902	0.133
2p3p(³ P ₁ ^o) – 2p3s(³ P ₁ ^o)	4613.87	1.4946	-2.5494	3.5572	-1.8310	0.5133	-0.0400	-1.1141	0.015
2p3p(³ P ₀ ^o) – 2p3s(³ P ₁ ^o)	4621.39	5.1869	-6.1643	8.7717	-4.3283	1.1201	0.4542	-1.3168	0.085
2p3p(³ P ₂ ^o) – 2p3s(³ P ₂ ^o)	4630.54	5.1708	-4.1738	7.2823	-3.4665	0.9795	0.3337	-1.1920	0.129
2p3p(³ P ₁ ^o) – 2p3s(³ P ₂ ^o)	4643.09	-10.7398	1.9740	-3.8486	0.8669	-0.1534	0.3396	-0.6407	0.105

Table 11. The same as Table 7 but for $T_e < 10,000$ K and $N_e = 10^4$ cm $^{-3}$.

Transition	$\lambda[\text{\AA}]$	a_0	a_1	a_2	a_3	a_4	a_5	$\delta[\%]$
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.14	11.7090	-6.5834	1.3517	0.1004	-0.0749	0.0072	0.152
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5001.48	15.2174	-12.0798	4.9234	-1.0327	0.1019	-0.0037	0.134
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	-3.6703	16.6101	-12.4552	4.2428	-0.6991	0.0449	0.323
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.39	11.4997	-7.5496	1.9948	-0.1110	-0.0406	0.0050	0.143
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	14.4619	-12.4357	5.1295	-1.0900	0.1095	-0.0041	0.153
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.72	9.7249	-7.2919	1.8114	-0.0475	-0.0513	0.0057	0.070
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4774.24	7.2931	-4.5648	0.0977	0.4872	-0.1341	0.0108	0.093
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4779.72	15.4504	-12.8741	4.9683	-0.9514	0.0796	-0.0019	0.223
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4781.19	8.3396	-3.7836	-0.2417	0.5559	-0.1400	0.0109	0.170
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4788.13	4.8131	-4.3402	-0.0535	0.5375	-0.1423	0.0113	0.172
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4793.65	15.0982	-13.1688	5.1862	-1.0300	0.0935	-0.0029	0.220
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4803.29	10.1965	-4.9192	0.5279	0.2989	-0.0977	0.0082	0.170
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4810.31	3.7392	-4.0871	-0.2292	0.5982	-0.1528	0.0120	0.132
2p3d($^3D_1^o$) – 2p3p($^3P_0^e$)	5927.81	15.6421	-13.0697	5.1299	-1.0144	0.0913	-0.0028	0.181
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5931.78	8.7787	-4.6725	0.1785	0.4585	-0.1292	0.0105	0.102
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5940.24	13.3671	-13.7560	5.5691	-1.1533	0.1131	-0.0041	0.127
2p3d($^3D_3^o$) – 2p3p($^3P_2^e$)	5941.65	9.8860	-3.9811	-0.1060	0.5099	-0.1323	0.0104	0.191
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5952.39	4.7396	-4.1727	-0.1846	0.5867	-0.1513	0.0120	0.142
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5960.90	14.2045	-12.9762	5.0623	-0.9909	0.0874	-0.0025	0.106
2p3d($^3P_1^o$) – 2p3p($^3P_0^e$)	5452.08	-3.3920	13.3278	-10.3854	3.5918	-0.5974	0.0386	0.248
2p3d($^3P_0^o$) – 2p3p($^3P_1^e$)	5454.22	-11.8216	17.4776	-12.9393	4.3832	-0.7204	0.0462	0.330
2p3d($^3P_1^o$) – 2p3p($^3P_1^e$)	5462.59	-5.0596	12.4727	-9.7945	3.3905	-0.5636	0.0363	0.214
2p3d($^3P_2^o$) – 2p3p($^3P_1^e$)	5478.10	-2.2740	7.8578	-7.0034	2.5402	-0.4338	0.0284	0.215
2p3d($^3P_0^o$) – 2p3p($^3P_2^e$)	5480.06	-2.6632	12.3751	-9.7474	3.3811	-0.5630	0.0364	0.230
2p3d($^3P_2^o$) – 2p3p($^3P_2^e$)	5495.67	0.4636	8.5044	-7.4375	2.6833	-0.4569	0.0299	0.230
2p3p($^3D_2^e$) – 2p3s($^3P_1^o$)	5666.63	17.4883	-15.2938	6.5713	-1.4386	0.1486	-0.0055	0.216
2p3p($^3D_2^e$) – 2p3s($^3P_1^o$)	5676.02	12.9822	-8.5127	2.2531	-0.0848	-0.0614	0.0075	0.163
2p3p($^3D_3^e$) – 2p3s($^3P_2^o$)	5679.56	0.0717	11.3961	-9.5560	3.4485	-0.5924	0.0394	0.163
2p3p($^3D_1^e$) – 2p3s($^3P_1^o$)	5686.21	11.8102	-6.9413	1.2228	0.2489	-0.1149	0.0108	0.149
2p3p($^3D_2^e$) – 2p3s($^3P_2^o$)	5710.77	16.8423	-14.9268	6.3129	-1.3496	0.1336	-0.0045	0.182
2p3p($^3D_1^e$) – 2p3s($^3P_2^o$)	5730.65	10.5391	-6.6702	1.0344	0.3129	-0.1255	0.0115	0.123
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4073.04	9.4140	-3.7849	-0.5354	0.7183	-0.1745	0.0134	0.141
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_2^o$)	4076.91	8.7566	-3.3301	-0.9193	0.8579	-0.1980	0.0149	0.223
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_2^o$)	4077.40	6.1418	-3.7767	-0.6230	0.7613	-0.1825	0.0140	0.229
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4082.27	8.9818	-3.1386	-0.9904	0.8783	-0.2024	0.0154	0.207
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4082.89	8.0444	-3.6462	-0.6322	0.7513	-0.1800	0.0138	0.139
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_3^o$)	4086.83	8.4732	-4.5010	-0.1445	0.6044	-0.1570	0.0123	0.124
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_3^o$)	4087.30	8.4141	-2.9861	-1.1576	0.9388	-0.2115	0.0158	0.183
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4095.90	8.9432	-3.7918	-0.5191	0.7113	-0.1733	0.0134	0.187
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4096.58	7.6147	-3.9040	-0.4758	0.7052	-0.1734	0.0134	0.105
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_4^o$)	4100.97	7.4178	-3.4894	-0.8203	0.8280	-0.1936	0.0147	0.139
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_3^o$)	4026.08	-5.0944	17.2857	-12.7754	4.3232	-0.7109	0.0455	0.318
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4035.08	0.3746	9.7576	-8.3206	2.9825	-0.5069	0.0331	0.238
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_2^o$)	4039.35	-6.7737	18.0747	-13.2917	4.4898	-0.7374	0.0472	0.322
2p4f 4[9/2] $_5^e$ – 2p3d($^3F_4^o$)	4041.31	-6.0256	19.7676	-14.3448	4.8103	-0.7853	0.0500	0.329
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4043.53	0.2722	9.9275	-8.4572	3.0330	-0.5157	0.0337	0.289
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4044.78	-0.9086	10.5738	-8.8877	3.1758	-0.5393	0.0352	0.256
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4056.90	-0.1609	9.3994	-8.1176	2.9261	-0.4992	0.0327	0.338
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4058.16	-2.1465	10.0247	-8.5154	3.0505	-0.5184	0.0338	0.240
2p3p($^3P_2^e$) – 2p3s($^3P_1^o$)	4601.48	12.0706	-9.4098	3.8596	-0.8816	0.1039	-0.0050	0.218
2p3p($^3P_1^e$) – 2p3s($^3P_0^o$)	4607.16	-8.4812	18.7792	-15.3637	5.6674	-1.0060	0.0699	0.619
2p3p($^3P_1^e$) – 2p3s($^3P_1^o$)	4613.87	-6.0966	19.5491	-15.8789	5.8370	-1.0335	0.0716	0.456
2p3p($^3P_0^e$) – 2p3s($^3P_1^o$)	4621.39	22.0960	-24.1044	12.4934	-3.4414	0.4860	-0.0279	0.246
2p3p($^3P_2^e$) – 2p3s($^3P_2^o$)	4630.54	13.8333	-11.5004	5.2829	-1.3598	0.1832	-0.0102	0.277
2p3p($^3P_1^e$) – 2p3s($^3P_2^o$)	4643.09	-12.3238	18.8048	-15.3709	5.6654	-1.0048	0.0697	0.606

Table 12. The same as Table 7 but for $10,000 \leq T_e \leq 20,000$ K and $N_e = 10^4 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	b_0	b_1	b_2	b_3	b_4	b_5	b_6	$\delta[\%]$
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.14	7.5464	-20.6491	35.3950	-21.6467	5.9869	-0.2129	-1.3891	0.171
2p3d($^3F_3^o$) – 2p3p($^3D_2^e$)	5001.48	5.4344	-13.9923	25.1163	-14.3883	3.9862	-0.4843	-1.1799	0.120
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	0.8597	2.2875	-0.4769	0.2119	-0.0007	-0.5229	-0.3551	0.097
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.39	9.0157	-26.8968	41.0479	-25.4710	6.4845	0.0136	-1.5685	0.077
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	9.3255	-19.1596	25.8965	-14.8728	3.6687	0.7105	-1.6874	0.033
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.72	-10.6413	8.9049	-6.1303	-4.0371	-0.1665	1.9121	-2.7627	0.396
2p3d($^3D_2^o$) – 2p3p($^3D_1^e$)	4774.24	-9.1418	11.6148	-9.7345	3.3344	-0.4313	1.4271	-1.0692	0.126
2p3d($^3D_1^o$) – 2p3p($^3D_1^e$)	4779.72	10.2843	-18.3764	22.3938	-11.9676	2.8317	0.9316	-1.7007	0.029
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4781.19	6.6948	-13.4605	14.0980	-7.3706	1.4753	1.1472	-1.7990	0.017
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4788.13	-12.5118	11.4747	-10.0390	3.2874	-0.4348	0.8033	-0.7604	0.134
2p3d($^3D_1^o$) – 2p3p($^3D_2^e$)	4793.65	10.5375	-22.3521	25.6552	-13.9356	3.0569	1.2298	-1.9175	0.035
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4803.29	4.7885	-5.0789	8.2421	-4.2210	1.1211	0.2765	-1.2190	0.132
2p3d($^3D_2^o$) – 2p3p($^3D_3^e$)	4810.31	-16.5900	14.9139	-13.4027	4.2460	-0.5890	0.8215	-0.8725	0.105
2p3d($^3D_1^o$) – 2p3p($^3P_0^e$)	5927.81	6.3784	-11.3862	16.6776	-9.5150	2.4227	0.4230	-1.4746	0.072
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5931.78	11.3363	-32.1060	36.9586	-21.1256	4.2607	1.7257	-2.3491	0.034
2p3d($^3D_1^o$) – 2p3p($^3P_1^e$)	5940.24	-9.3894	11.0434	-9.2442	3.0203	-0.3885	1.3482	-1.0996	0.100
2p3d($^3D_3^o$) – 2p3p($^3P_2^e$)	5941.65	12.1150	-15.7173	17.0311	-7.6245	1.7441	0.9441	-1.5079	0.120
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5952.39	-17.1222	17.5086	-15.1647	4.8356	-0.6739	1.0246	-1.0177	0.109
2p3d($^3D_1^o$) – 2p3p($^3P_2^e$)	5960.90	-21.1772	30.6759	-22.3076	6.2993	-0.6621	4.5176	-3.0472	0.015
2p3d($^3P_1^o$) – 2p3p($^3P_0^e$)	5452.08	6.4122	-12.4503	12.0267	-5.9030	1.0628	1.2409	-1.8274	0.007
2p3d($^3P_0^o$) – 2p3p($^3P_1^e$)	5454.22	-12.5110	4.4952	-7.5046	1.8097	-0.4561	0.5290	-0.9430	0.152
2p3d($^3P_1^o$) – 2p3p($^3P_1^e$)	5462.59	-4.0728	2.6601	-2.1597	0.6917	-0.0824	0.6419	-0.4079	0.102
2p3d($^3P_2^o$) – 2p3p($^3P_1^e$)	5478.10	-20.5998	28.3478	-24.2763	8.2869	-1.1600	1.5973	-1.4214	0.188
2p3d($^3P_0^o$) – 2p3p($^3P_2^e$)	5480.06	6.1435	-10.8051	10.7983	-5.2913	1.0248	1.0412	-1.6685	0.009
2p3d($^3P_2^o$) – 2p3p($^3P_2^e$)	5495.67	10.6168	-25.9648	36.7316	-21.9867	5.4409	0.5948	-1.7430	0.067
2p3p($^3D_2^e$) – 2p3s($^3P_0^o$)	5666.63	8.3280	-13.9036	22.3319	-12.4979	3.4559	0.3590	-1.4577	0.112
2p3p($^3D_1^e$) – 2p3s($^3P_0^o$)	5676.02	5.6133	-13.5977	23.9962	-14.5391	4.0893	-0.1574	-1.3391	0.113
2p3p($^3D_3^e$) – 2p3s($^3P_2^o$)	5679.56	4.1627	-1.3809	4.1000	-1.5998	0.5044	0.1422	-0.9972	0.063
2p3p($^3D_1^e$) – 2p3s($^3P_1^o$)	5686.21	6.2475	-14.0786	23.4266	-14.2740	3.9315	0.1167	-1.4500	0.113
2p3p($^3D_2^e$) – 2p3s($^3P_2^o$)	5710.77	5.0394	-10.8588	19.0611	-11.3259	3.1436	-0.0778	-1.3183	0.119
2p3p($^3D_1^e$) – 2p3s($^3P_2^o$)	5730.65	7.8851	-24.0618	32.4959	-20.3084	4.7184	0.6441	-1.8646	0.049
2p4f 3[7/2] $_3^{\xi}$ – 2p3d($^3F_2^o$)	4073.04	2.9367	-2.4636	3.0146	-1.3628	0.2905	0.2749	-1.1512	0.012
2p4f 3[5/2] $_2^{\xi}$ – 2p3d($^3F_2^o$)	4076.91	2.5866	-2.6950	2.5734	-1.0845	0.0130	0.4269	-1.6953	0.021
2p4f 3[5/2] $_3^{\xi}$ – 2p3d($^3F_2^o$)	4077.40	0.3732	-1.2191	0.7389	-3.1867	0.0129	-2.4218	-0.2221	0.107
2p4f 3[7/2] $_4^{\xi}$ – 2p3d($^3F_3^o$)	4082.27	2.8164	-2.3506	2.8765	-1.2990	0.2710	0.2734	-1.1870	0.013
2p4f 3[7/2] $_3^{\xi}$ – 2p3d($^3F_3^o$)	4082.89	0.2451	-0.6550	0.6156	-1.1013	0.0035	-1.6353	-0.5239	0.018
2p4f 3[5/2] $_2^{\xi}$ – 2p3d($^3F_3^o$)	4086.83	0.2054	-0.5693	0.2206	-1.0347	0.0028	-1.6257	-0.4804	0.047
2p4f 3[5/2] $_3^{\xi}$ – 2p3d($^3F_3^o$)	4087.30	2.4195	-3.4154	3.0487	-1.4813	-0.0074	0.4067	-1.6908	0.013
2p4f 3[7/2] $_4^{\xi}$ – 2p3d($^3F_4^o$)	4095.90	3.5293	-3.7204	3.4001	-1.2090	0.0106	0.6223	-1.8635	0.011
2p4f 3[7/2] $_3^{\xi}$ – 2p3d($^3F_4^o$)	4096.58	0.1395	-0.5654	0.9609	-1.8299	0.2564	-2.6565	0.0783	0.151
2p4f 3[5/2] $_3^{\xi}$ – 2p3d($^3F_4^o$)	4100.97	0.4625	-1.5207	1.5153	-2.1918	-0.0206	-2.1516	-0.3916	0.116
2p4f 4[9/2] $_4^{\xi}$ – 2p3d($^3F_3^o$)	4026.08	2.9894	-1.7167	2.3884	-0.9923	0.2354	0.2416	-1.0964	0.018
2p4f 4[7/2] $_3^{\xi}$ – 2p3d($^3F_2^o$)	4035.08	0.3974	-0.8206	3.3616	-1.3268	0.3427	-1.6196	-0.4446	0.058
2p4f 4[9/2] $_4^{\xi}$ – 2p3d($^3F_4^o$)	4039.35	0.2395	-0.7842	1.4228	-1.2369	0.0029	-2.0988	-0.4206	0.020
2p4f 4[9/2] $_3^{\xi}$ – 2p3d($^3F_4^o$)	4041.31	0.4931	-0.3274	3.8003	-1.2829	0.4692	-1.2957	-0.6920	0.092
2p4f 4[7/2] $_4^{\xi}$ – 2p3d($^3F_3^o$)	4043.53	3.0522	-1.4613	2.6136	-1.0930	0.2781	0.1578	-1.0157	0.137
2p4f 4[7/2] $_3^{\xi}$ – 2p3d($^3F_3^o$)	4044.78	2.2160	-2.1788	2.3834	-1.2182	0.2191	0.2229	-1.1941	0.009
2p4f 4[7/2] $_4^{\xi}$ – 2p3d($^3F_4^o$)	4056.90	3.0789	-3.3879	3.4504	-1.6091	0.2859	0.4367	-1.3480	0.012
2p4f 4[7/2] $_3^{\xi}$ – 2p3d($^3F_4^o$)	4058.16	0.2694	-0.8178	0.2772	-1.4225	-0.0069	-1.8496	-0.4099	0.112
2p3p($^3P_2^e$) – 2p3s($^3P_0^o$)	4601.48	4.4690	-6.3580	10.3181	-5.5686	1.4809	0.2236	-1.2808	0.101
2p3p($^3P_1^e$) – 2p3s($^3P_0^o$)	4607.16	-3.0911	2.2351	-0.8507	0.1944	-0.0201	0.2294	0.4774	0.078
2p3p($^3P_2^e$) – 2p3s($^3P_1^o$)	4613.87	1.6425	-3.0094	4.0701	-2.1312	0.5864	0.0175	-1.1482	0.014
2p3p($^3P_0^e$) – 2p3s($^3P_1^o$)	4621.39	11.7478	-18.6027	20.8983	-10.2966	2.4101	1.1188	-1.6954	0.104
2p3p($^3P_2^e$) – 2p3s($^3P_2^o$)	4630.54	3.6036	-4.1617	9.5328	-5.0496	1.4772	-0.0956	-1.1235	0.110
2p3p($^3P_1^e$) – 2p3s($^3P_2^o$)	4643.09	-10.6438	2.6733	-3.5801	0.9034	-0.1299	0.3365	-0.5381	0.090

Table 13. The same as Table 7 but for $T_e < 10,000$ K and $N_e = 10^5$ cm $^{-3}$.

Transition	$\lambda[\text{\AA}]$	a_0	a_1	a_2	a_3	a_4	a_5	$\delta[\%]$
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.14	13.4797	-7.9074	1.4674	0.2400	-0.1185	0.0110	0.204
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5001.48	17.7235	-14.9425	6.1881	-1.2988	0.1276	-0.0045	0.127
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	-1.2131	12.7460	-10.0136	3.4661	-0.5750	0.0370	0.460
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.39	12.9566	-8.3346	1.7444	0.1515	-0.1045	0.0101	0.166
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	16.6493	-14.7854	6.0663	-1.2523	0.1189	-0.0039	0.175
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.72	11.8569	-9.2387	2.3497	-0.0490	-0.0717	0.0080	0.136
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4774.24	10.3115	-8.0825	1.7211	0.1190	-0.0937	0.0091	0.122
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4779.72	15.2449	-10.9597	3.0127	-0.1610	-0.0650	0.0081	0.151
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4781.19	11.9053	-8.2396	1.9933	-0.0065	-0.0693	0.0074	0.180
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4788.13	8.4700	-8.9366	2.2891	-0.0675	-0.0635	0.0072	0.104
2p3d($^3D_1^o$) – 2p3p($^3D_2^e$)	4793.65	15.1283	-11.6109	3.4392	-0.2987	-0.0431	0.0067	0.258
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4803.29	12.9805	-8.0492	1.8751	0.0296	-0.0748	0.0077	0.159
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4810.31	7.6617	-9.1398	2.4221	-0.1096	-0.0571	0.0068	0.138
2p3d($^3D_1^o$) – 2p3p($^3P_0^e$)	5927.81	15.9891	-12.0835	3.7913	-0.4273	-0.0200	0.0051	0.280
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5931.78	11.0603	-6.9173	0.9333	0.3827	-0.1375	0.0120	0.185
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5940.24	12.7715	-11.1482	3.1285	-0.1961	-0.0598	0.0077	0.179
2p3d($^3D_3^o$) – 2p3p($^3P_2^e$)	5941.65	13.1037	-7.8209	1.6979	0.0965	-0.0871	0.0086	0.198
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5952.39	7.4408	-7.1470	1.0710	0.3413	-0.1312	0.0116	0.182
2p3d($^3D_1^o$) – 2p3p($^3P_2^e$)	5960.90	13.8929	-10.8519	2.9448	-0.1396	-0.0684	0.0083	0.174
2p3d($^3P_1^o$) – 2p3p($^3P_0^e$)	5452.08	-0.5588	9.0187	-7.7510	2.7790	-0.4710	0.0307	0.252
2p3d($^3P_0^o$) – 2p3p($^3P_1^e$)	5454.22	-11.0030	16.1278	-12.0492	4.0832	-0.6689	0.0427	0.352
2p3d($^3P_1^o$) – 2p3p($^3P_1^e$)	5462.59	-2.9483	9.4481	-8.0598	2.8879	-0.4899	0.0320	0.197
2p3d($^3P_2^o$) – 2p3p($^3P_1^e$)	5478.10	0.4230	4.2557	-5.0757	2.0212	-0.3634	0.0246	0.182
2p3d($^3P_0^o$) – 2p3p($^3P_2^e$)	5480.06	-0.4351	9.1038	-7.8153	2.8028	-0.4754	0.0310	0.279
2p3d($^3P_2^o$) – 2p3p($^3P_2^e$)	5495.67	3.9631	3.5329	-4.5894	1.8597	-0.3369	0.0229	0.165
2p3p($^3D_2^e$) – 2p3s($^3P_1^o$)	5666.63	17.8578	-14.5453	5.4599	-0.9351	0.0510	0.0015	0.126
2p3p($^3D_2^e$) – 2p3s($^3P_0^o$)	5676.02	13.2867	-7.3589	0.7383	0.5836	-0.1900	0.0167	0.111
2p3p($^3D_3^e$) – 2p3s($^3P_2^o$)	5679.56	4.8160	4.0869	-5.0019	2.0203	-0.3679	0.0253	0.150
2p3p($^3D_1^e$) – 2p3s($^3P_1^o$)	5686.21	12.5867	-6.5961	0.2542	0.7356	-0.2136	0.0181	0.160
2p3p($^3D_2^e$) – 2p3s($^3P_0^o$)	5710.77	17.9445	-15.4367	6.0526	-1.1295	0.0825	-0.0005	0.142
2p3p($^3D_1^e$) – 2p3s($^3P_2^o$)	5730.65	12.4702	-8.2972	1.3937	0.3584	-0.1519	0.0141	0.132
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4073.04	12.2484	-6.6152	0.4095	0.6316	-0.1874	0.0156	0.234
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_2^o$)	4076.91	10.8127	-4.8545	-0.8103	1.0308	-0.2504	0.0195	0.198
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_2^o$)	4077.40	7.8564	-4.7221	-0.9022	1.0628	-0.2560	0.0198	0.238
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4082.27	12.2349	-6.7705	0.5526	0.5733	-0.1763	0.0148	0.198
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4082.89	11.1606	-6.9981	0.6905	0.5305	-0.1696	0.0143	0.199
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_3^o$)	4086.83	9.4439	-4.1837	-1.2709	1.1871	-0.2766	0.0212	0.260
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_3^o$)	4087.30	10.9673	-5.3634	-0.4742	0.9218	-0.2330	0.0184	0.217
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4095.90	11.4147	-6.0139	0.0265	0.7524	-0.2062	0.0167	0.213
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4096.58	10.6244	-7.1006	0.7619	0.5057	-0.1653	0.0140	0.212
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_3^o$)	4100.97	9.3835	-4.8616	-0.8145	1.0360	-0.2520	0.0196	0.217
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_3^o$)	4026.08	-5.6707	18.3014	-13.5279	4.5884	-0.7551	0.0484	0.356
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4035.08	5.4147	2.7163	-4.4056	1.8907	-0.3539	0.0245	0.192
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_4^o$)	4039.35	-6.5563	17.7614	-13.1677	4.4702	-0.7360	0.0472	0.321
2p4f 4[9/2] $_5^e$ – 2p3d($^3F_4^o$)	4041.31	-5.0042	18.0880	-13.3036	4.4882	-0.7350	0.0469	0.353
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4043.53	4.8984	3.5617	-4.9783	2.0811	-0.3851	0.0265	0.171
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4044.78	4.6644	2.5716	-4.2963	1.8513	-0.3471	0.0240	0.253
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4056.90	4.8895	2.2880	-4.1191	1.7948	-0.3379	0.0234	0.238
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4058.16	3.4644	1.9568	-3.8798	1.7118	-0.3240	0.0225	0.190
2p3p($^3P_2^e$) – 2p3s($^3P_1^o$)	4601.48	15.7362	-14.3667	6.6224	-1.6704	0.2184	-0.0118	0.317
2p3p($^3P_1^e$) – 2p3s($^3P_0^o$)	4607.16	-6.5874	16.6020	-14.3076	5.4027	-0.9725	0.0682	0.354
2p3p($^3P_1^e$) – 2p3s($^3P_1^o$)	4613.87	-3.8360	16.7678	-14.4262	5.4427	-0.9789	0.0686	0.335
2p3p($^3P_0^e$) – 2p3s($^3P_1^o$)	4621.39	22.1900	-22.8349	11.0544	-2.8432	0.3752	-0.0202	0.282
2p3p($^3P_2^e$) – 2p3s($^3P_2^o$)	4630.54	16.6954	-15.0308	7.0447	-1.8017	0.2384	-0.0129	0.236
2p3p($^3P_1^e$) – 2p3s($^3P_2^o$)	4643.09	-10.1809	16.1920	-14.0123	5.2963	-0.9534	0.0668	0.489

Table 14. The same as Table 7 but for $10,000 \leq T_e \leq 20,000$ K and $N_e = 10^5 \text{ cm}^{-3}$.

Transition	$\lambda[\text{\AA}]$	b_0	b_1	b_2	b_3	b_4	b_5	b_6	$\delta[\%]$
2p3d($^3F_2^o$) – 2p3p($^3D_1^e$)	5001.14	8.6371	-28.7645	46.4861	-28.1871	7.5968	-0.7070	-1.2628	0.199
2p3d($^3F_3^o$) – 2p3p($^3D_2^e$)	5001.48	9.7799	-15.5785	23.9781	-13.3185	3.6162	0.4909	-1.5046	0.149
2p3d($^3F_4^o$) – 2p3p($^3D_3^e$)	5005.15	7.3195	-5.5325	6.9576	-2.5824	0.6538	0.5439	-1.2082	0.062
2p3d($^3F_2^o$) – 2p3p($^3D_2^e$)	5016.39	9.6545	-29.9187	45.6077	-28.4729	7.2324	-0.0415	-1.5753	0.117
2p3d($^3F_3^o$) – 2p3p($^3D_3^e$)	5025.66	9.3196	-19.8887	27.3066	-15.8535	3.9221	0.6653	-1.6868	0.048
2p3d($^3F_2^o$) – 2p3p($^3D_3^e$)	5040.72	19.4889	-65.4463	75.0950	-35.3760	-0.1427	-0.8782	-2.0947	0.274
2p3d($^3D_2^o$) – 2p3p($^3D_1^e$)	4774.24	-12.8694	17.4874	-14.5173	4.9124	-0.6436	1.6827	-1.3141	0.122
2p3d($^3D_1^o$) – 2p3p($^3D_1^e$)	4779.72	9.8316	-18.5402	23.6227	-13.0596	3.1435	0.8475	-1.6969	0.040
2p3d($^3D_3^o$) – 2p3p($^3D_2^e$)	4781.19	6.8572	-14.0005	14.7177	-7.7324	1.5538	1.1761	-1.8182	0.015
2p3d($^3D_2^o$) – 2p3p($^3D_2^e$)	4788.13	-15.6004	15.7095	-13.6364	4.4306	-0.6024	0.9523	-0.9211	0.125
2p3d($^3D_1^o$) – 2p3p($^3D_2^e$)	4793.65	11.0108	-24.0841	28.0133	-15.4729	3.4222	1.2646	-1.9572	0.038
2p3d($^3D_3^o$) – 2p3p($^3D_3^e$)	4803.29	4.1686	-5.0439	9.2206	-4.9436	1.3423	0.0963	-1.2042	0.121
2p3d($^3D_2^o$) – 2p3p($^3D_3^e$)	4810.31	-16.5820	14.8589	-13.4632	4.2826	-0.5954	0.8185	-0.8757	0.133
2p3d($^3D_1^o$) – 2p3p($^3P_0^e$)	5927.81	8.1255	-15.4050	21.2740	-12.0382	2.9931	0.5878	-1.5793	0.038
2p3d($^3D_2^o$) – 2p3p($^3P_1^e$)	5931.78	11.6373	-34.0414	40.0538	-23.2365	4.7374	1.6580	-2.3473	0.035
2p3d($^3D_1^o$) – 2p3p($^3P_1^e$)	5940.24	-8.9402	10.7726	-9.0620	3.0625	-0.3947	1.2888	-0.9999	0.170
2p3d($^3D_3^o$) – 2p3p($^3P_2^e$)	5941.65	11.4469	-14.3316	15.5943	-7.0032	1.6256	0.9269	-1.4854	0.086
2p3d($^3D_2^o$) – 2p3p($^3P_2^e$)	5952.39	-16.9330	17.3867	-15.4450	4.9767	-0.7010	0.9950	-1.0227	0.131
2p3d($^3D_1^o$) – 2p3p($^3P_2^e$)	5960.90	-22.3055	32.8036	-24.1876	6.7661	-0.6860	4.3616	-3.0295	0.032
2p3d($^3P_1^o$) – 2p3p($^3P_0^e$)	5452.08	6.1406	-11.8730	11.5431	-5.7021	1.0427	1.2125	-1.7929	0.012
2p3d($^3P_0^o$) – 2p3p($^3P_1^e$)	5454.22	-10.5146	2.2582	-5.1963	1.0740	-0.2721	0.4299	-0.8322	0.090
2p3d($^3P_1^o$) – 2p3p($^3P_1^e$)	5462.59	-2.7420	1.5516	-0.9153	0.3134	-0.0399	0.4067	0.0694	0.143
2p3d($^3P_2^o$) – 2p3p($^3P_1^e$)	5478.10	-25.0983	35.8606	-30.6288	10.4973	-1.4980	1.7476	-1.5655	0.167
2p3d($^3P_0^o$) – 2p3p($^3P_2^e$)	5480.06	6.4415	-11.3978	11.3608	-5.5376	1.0742	1.0905	-1.6861	0.017
2p3d($^3P_2^o$) – 2p3p($^3P_2^e$)	5495.67	10.0448	-26.0865	37.9477	-23.0438	5.7461	0.4400	-1.6964	0.079
2p3p($^3D_2^e$) – 2p3s($^3P_1^o$)	5666.63	5.4581	-13.3446	24.0823	-14.0041	3.9568	-0.3491	-1.2369	0.120
2p3p($^3D_1^e$) – 2p3s($^3P_0^o$)	5676.02	5.9041	-16.4372	28.3973	-17.3504	4.8278	-0.3316	-1.3150	0.127
2p3p($^3D_3^e$) – 2p3s($^3P_2^o$)	5679.56	1.2623	0.8964	3.2649	-1.2818	0.5032	-0.5862	-0.7711	0.102
2p3p($^3D_1^e$) – 2p3s($^3P_1^o$)	5686.21	7.2717	-18.3792	29.6238	-18.0785	4.8764	0.0615	-1.4807	0.121
2p3p($^3D_2^e$) – 2p3s($^3P_2^o$)	5710.77	7.8561	-15.9165	24.5818	-14.2680	3.8105	0.3267	-1.5076	0.122
2p3p($^3D_1^e$) – 2p3s($^3P_0^o$)	5730.65	8.6090	-27.2873	37.2224	-23.3873	5.4227	0.5599	-1.8694	0.070
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4073.04	2.9752	-2.7191	3.3255	-1.5457	0.3272	0.2740	-1.1743	0.018
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_2^o$)	4076.91	2.9303	-3.4957	3.0442	-1.3380	0.0509	0.5673	-1.7108	0.028
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_2^o$)	4077.40	0.4565	-1.4750	0.8706	-3.2912	0.0095	-2.3639	-0.2515	0.122
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4082.27	2.6394	-2.0991	2.3889	-1.0872	0.2222	0.2791	-1.1216	0.012
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4082.89	0.3268	-0.9432	0.9882	-1.3293	0.0048	-1.7175	-0.5278	0.029
2p4f 3[5/2] $_2^e$ – 2p3d($^3F_3^o$)	4086.83	0.3503	-1.1696	1.4447	-1.7621	0.0160	-2.1407	-0.3789	0.084
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_3^o$)	4087.30	3.0452	-4.7586	3.9571	-1.8480	-0.0024	0.6311	-1.8076	0.012
2p4f 3[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4095.90	2.6445	-3.0250	2.8715	-1.3442	0.1406	0.4369	-1.5326	0.014
2p4f 3[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4096.58	0.1922	-0.7028	0.9737	-1.8758	0.2426	-2.5002	-0.0114	0.062
2p4f 3[5/2] $_3^e$ – 2p3d($^3F_4^o$)	4100.97	0.4019	-1.3325	0.8531	-1.8856	0.0304	-1.8339	-0.4551	0.122
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_3^o$)	4026.08	0.4370	-1.7023	3.1118	-1.0099	0.2186	-2.6456	-0.0799	0.046
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_2^o$)	4035.08	1.9722	-0.1272	1.6348	-0.7386	0.2127	-0.1131	-0.8690	0.086
2p4f 4[9/2] $_4^e$ – 2p3d($^3F_4^o$)	4039.35	0.2106	-0.6594	1.2335	-1.1481	0.0021	-2.0007	-0.4541	0.024
2p4f 4[9/2] $_3^e$ – 2p3d($^3F_4^o$)	4041.31	0.2524	-0.4186	3.3606	-0.8965	0.3626	-1.6800	-0.5185	0.107
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_3^o$)	4043.53	2.7078	-1.2861	2.9060	-1.2848	0.3366	0.0396	-1.0249	0.098
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_3^o$)	4044.78	2.5192	-2.7973	3.0250	-1.5101	0.2659	0.2941	-1.2827	0.019
2p4f 4[7/2] $_4^e$ – 2p3d($^3F_4^o$)	4056.90	2.4703	-2.4332	2.5603	-1.2508	0.2266	0.3116	-1.2350	0.013
2p4f 4[7/2] $_3^e$ – 2p3d($^3F_4^o$)	4058.16	0.3425	-1.0495	0.7846	-1.7245	-0.0126	-2.0484	-0.3731	0.116
2p3p($^3P_2^e$) – 2p3s($^3P_0^o$)	4601.48	9.1199	-13.6131	16.2778	-8.0450	1.9261	0.8529	-1.5466	0.084
2p3p($^3P_1^e$) – 2p3s($^3P_0^o$)	4607.16	-5.5519	2.9022	-2.5477	0.7479	-0.0967	0.5665	-0.6101	0.110
2p3p($^3P_2^e$) – 2p3s($^3P_1^o$)	4613.87	1.7687	-3.4075	4.5610	-2.4000	0.6505	-0.0027	-1.1609	0.028
2p3p($^3P_0^e$) – 2p3s($^3P_1^o$)	4621.39	6.9311	-12.0498	17.2391	-9.5739	2.4629	0.5289	-1.5061	0.119
2p3p($^3P_2^e$) – 2p3s($^3P_2^o$)	4630.54	2.7332	-2.3547	7.4076	-3.9947	1.2435	-0.1996	-1.0526	0.116
2p3p($^3P_1^e$) – 2p3s($^3P_2^o$)	4643.09	-9.6338	1.1691	-2.7318	0.6205	-0.0954	0.2768	-0.5282	0.105

Table 15. Comparison of our direct recombination coefficients [$\text{cm}^3 \text{s}^{-1}$] to states of N^+ with those of Kisielius & Storey (2002) and of Nahar (1995). The comparison is for electron temperature $T_e = 1,000$ and $10,000$ K, and electron density $N_e = 10^4 \text{ cm}^{-3}$.

State	1,000 K			10,000 K		
	Nahar	KS02	Present	Nahar	KS02	Present
$2s^2 2p^2$ (^3P)	2.44e-12	2.26e-12	2.28e-12	8.31e-13	7.69e-13	7.76e-13
$2s^2 2p^2$ (^1D)	1.28e-12	1.20e-12	1.19e-12	4.21e-13	3.92e-13	3.91e-13
$2s^2 2p^2$ (^1S)	2.55e-13	2.41e-13	2.39e-13	8.27e-14	7.75e-14	7.66e-14
$2s^2 2p3d$ ($^3\text{F}^o$)	1.88e-13	2.00e-13	2.01e-13	5.26e-14	5.59e-14	5.59e-14
$2s^2 2p3p$ (^3D)	1.29e-13	1.41e-13	1.37e-13	4.84e-14	5.42e-14	5.30e-14
$2s^2 2p4d$ ($^3\text{F}^o$)	1.13e-13	1.14e-13	1.16e-13	3.26e-14	3.27e-14	3.30e-14
$2s^2 2p3d$ ($^3\text{D}^o$)	1.09e-13	1.10e-13	1.10e-13	2.97e-14	3.06e-14	3.09e-14
$2s^2 2p3p$ (^3P)	7.51e-14	7.70e-14	7.47e-14	2.87e-14	3.02e-14	3.01e-14
$2s2p^3$ ($^3\text{D}^o$)	7.25e-14	8.10e-14	7.69e-14	3.28e-13	8.16e-13	8.88e-13
$2s^2 2p3s$ ($^3\text{P}^o$)	7.07e-14	7.92e-14	7.37e-14	6.17e-14	8.13e-14	7.40e-14
$2s^2 2p4d$ ($^3\text{D}^o$)	7.04e-14	7.04e-14	7.07e-14	1.96e-14	1.98e-14	2.00e-14
$2s^2 2p5d$ ($^3\text{F}^o$)	6.32e-14	6.33e-14	6.51e-14	1.86e-14	1.84e-14	1.87e-14
$2s^2 2p3d$ ($^3\text{P}^o$)	5.64e-14	6.08e-14	6.01e-14	1.54e-14	1.71e-14	1.69e-14
$2s^2 2p4f$ (^3G)	5.54e-14	5.50e-14	5.06e-14	1.31e-14	1.29e-14	1.22e-14
$2s^2 2p5f$ (^3G)	4.92e-14	4.94e-14	4.44e-14	1.17e-14	1.16e-14	1.08e-14
$2s^2 2p3p$ (^1D)	4.73e-14	4.80e-14	4.78e-14	1.78e-14	1.80e-14	1.81e-14
$2s^2 2p4f$ (^3F)	4.46e-14	4.57e-14	4.31e-14	–	1.08e-14	1.00e-14
$2s^2 2p5d$ ($^3\text{D}^o$)	4.20e-14	4.19e-14	4.18e-14	1.18e-14	1.20e-14	1.21e-14
$2s^2 2p3d$ ($^1\text{F}^o$)	4.14e-14	4.22e-14	4.21e-14	–	1.14e-14	1.14e-14
$2s^2 2p4d$ ($^3\text{P}^o$)	3.93e-14	4.06e-14	3.94e-14	–	1.14e-14	1.12e-14
$2s2p^3$ ($^3\text{P}^o$)	–	2.40e-14	2.27e-14	1.54e-13	3.50e-13	3.88e-13
$2s2p^3$ ($^3\text{S}^o$)	–	3.21e-17	6.43e-17	2.24e-14	3.28e-14	3.64e-14
$2s^2 2p4p$ (^3D)	–	3.71e-14	3.62e-14	1.31e-14	1.37e-14	1.34e-14
$2s^2 2p5d$ ($^3\text{P}^o$)	–	–	2.30e-14	–	–	6.72e-15
Sum	5.25e-12	5.08e-12	5.09e-12	2.21e-12	2.88e-12	2.99e-12
Total	1.04e-11	1.07e-11	9.31e-12	3.10e-12	3.81e-12	5.35e-12