

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
14874.29	$\bar{6}.077$	+10.0	+1.5	1
14881.25	$\bar{6}.079$	+7.8	-0.8	1
15164.46	$\bar{6}.156$	+10.6	+1.3	1
15554.35	$\bar{6}.261$	+6.7	-0.8	1
15680.21	$\bar{6}.295$	+5.8	-1.0	1
15909.42	$\bar{6}.357$	+8.4	+2.9	1
16367.27	$\bar{6}.481$	+3.4	+0.5	1
17395.47	$\bar{6}.758$	-3.7	-0.4	1
17762.33	$\bar{6}.857$	-4.5	+1.1	1
18256.22	$\bar{6}.991$	+2.6	+3.0	2
18556.40	$\bar{5}.072$	+12.3	+4.0	2
19658.35	$\bar{5}.369$	+10.2	+5.0	2
20762.83	$\bar{5}.667$	-1.0	+0.1	2
21131.84	$\bar{5}.767$	-3.1	+0.5	2
21135.86	$\bar{5}.768$	-2.5	+1.1	2
21148.14	$\bar{5}.771$	-1.1	+2.6	3
21418.34	$\bar{5}.844$	-3.6	+1.8	3
21441.27	$\bar{5}.850$	-3.4	+2.1	3
22571.23	$\bar{4}.156$	+11.3	+2.0	4
22597.20	$\bar{4}.163$	+11.0	+1.8	4
22647.11	$\bar{4}.176$	+6.8	-2.2	4
22786.53	$\bar{4}.214$	+9.0	+0.6	4
22856.45	$\bar{4}.233$	+9.2	+1.2	4
22909.19	$\bar{4}.247$	+7.6	-0.1	4
22947.19	$\bar{4}.257$	+5.7	-1.8	4
23002.11	$\bar{4}.272$	+8.9	+1.7	4
23213.41	$\bar{4}.329$	+5.9	-0.1	4
23299.24	$\bar{4}.352$	+3.3	-2.3	4
23613.37	$\bar{4}.437$	+4.2	+0.4	4
24706.34	$\bar{4}.732$	-1.1	+1.6	4
24772.23	$\bar{4}.750$	-7.3	-4.2	4
24793.10	$\bar{4}.755$	-4.0	-0.7	4
24821.11	$\bar{4}.763$	-4.5	-1.0	4
24852.04	$\bar{4}.771$	-3.8	-0.1	4
25087.40	$\bar{4}.835$	-2.8	+2.4	4
25131.27	$\bar{4}.847$	-3.8	+1.6	5
26844.47	$\bar{3}.309$	+7.0	+0.5	3
27916.43	$\bar{3}.599$	+5.1	+4.7	3
28372.31	$\bar{3}.722$	+3.2	+5.6	3
28374.04	$\bar{3}.722$	-7.0	-4.5	6
28378.00	$\bar{3}.723$	-6.4	-3.9	6

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
28379.00	$\bar{3}.724$	-7.8	-5.3	6
28383.96	$\bar{3}.725$	-4.3	-1.8	6
28538.00	$\bar{3}.767$	-3.7	-0.2	4
28734.98	$\bar{3}.820$	-10.6	-5.8	6
28747.95	$\bar{3}.823$	-2.5	+2.4	6
28749.94	$\bar{3}.824$	-2.6	+2.3	6
28750.92	$\bar{3}.824$	-7.6	-2.7	6
28751.99	$\bar{3}.824$	-9.6	-4.6	6
28752.99	$\bar{3}.825$	-5.4	-0.4	6
28753.95	$\bar{3}.825$	+0.4	+5.4	6
28755.95	$\bar{3}.825$	-3.7	+1.3	6
28759.00	$\bar{3}.826$	-4.9	+0.1	6
28761.96	$\bar{3}.827$	-0.4	+4.6	6
28762.93	$\bar{3}.827$	-6.8	-1.8	6
28764.96	$\bar{3}.828$	-8.1	-3.1	6
28768.95	$\bar{3}.829$	-0.8	+4.3	6
28774.00	$\bar{3}.830$	-3.5	+1.6	7
28776.95	$\bar{3}.829$	-2.2	+2.9	6
28778.92	$\bar{3}.832$	-3.5	+1.6	6
28790.91	$\bar{3}.835$	-2.6	+2.6	6
28805.00	$\bar{3}.839$	-3.9	+1.4	7
28806.00	$\bar{3}.839$	+0.4	+5.7	7
29073.01	$\bar{3}.911$	-4.3	+1.7	6
29074.07	$\bar{3}.911$	-6.3	-0.3	6
29077.97	$\bar{3}.912$	-2.2	+3.8	6
29080.00	$\bar{3}.913$	-2.6	+3.4	6
29088.10	$\bar{3}.915$	-3.5	+2.4	6
29090.07	$\bar{3}.916$	+5.3	+11.2	6
29091.05	$\bar{3}.916$	+1.0	+6.9	6
29429.07	$\bar{2}.007$	+3.6	+1.7	6
29441.00	$\bar{2}.010$	+2.1	-0.2	6
29447.10	$\bar{2}.012$	+1.2	-1.3	6
29449.10	$\bar{2}.013$	+2.9	+0.3	6
29451.06	$\bar{2}.013$	-0.7	-3.4	6
29541.00	$\bar{2}.037$	+7.3	+1.6	7
29552.00	$\bar{2}.040$	+6.2	+0.2	7
29747.00	$\bar{2}.093$	+19.1	+10.0	7
29829.00	$\bar{2}.115$	+8.4	-1.0	7
29830.00	$\bar{2}.115$	+8.1	-1.3	7
29873.00	$\bar{2}.127$	+8.9	-0.5	7
29893.00	$\bar{2}.132$	+7.2	-2.2	7
30256.00	$\bar{2}.230$	+10.7	+2.6	7

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
30302.00	2.243	+5.8	-2.0	7
30542.46	2.308	+6.9	+0.4	5
30980.24	2.426	+3.9	-0.1	5
31272.40	2.505	+3.4	+1.0	5
31656.41	2.609	+0.9	+0.7	5
33162.29	1.015	+4.1	+1.1	5
33185.23	1.021	+4.1	+0.3	5
33224.12	1.032	+4.4	-0.6	5
33390.53	1.077	+7.5	-1.0	5
33432.45	1.088	+7.5	-1.4	5
33452.29	1.093	+8.3	-0.8	5
33487.39	1.103	+9.0	-0.2	5
33513.29	1.110	+9.9	+0.6	5
33536.25	1.116	+9.7	+0.3	5
33566.25	1.124	+9.0	-0.4	5
33612.10	1.137	+10.2	+0.8	5
33720.51	1.166	+9.5	+0.4	5
33776.46	1.181	+8.9	+0.0	5
33805.33	1.189	+8.5	-0.3	5
33845.37	1.200	+7.6	-1.0	5
33874.25	1.207	+7.0	-1.5	5
33900.25	1.214	+7.9	-0.5	5
33923.17	1.221	+8.5	+0.3	5
34126.42	1.275	+7.7	+0.5	5
34206.42	1.297	+6.0	-0.7	5
34485.49	1.372	+6.2	+1.1	5
34509.46	1.379	+4.8	-0.2	5
34542.45	1.388	+5.5	+0.7	5
34573.40	1.396	+6.9	+2.2	5
34639.28	1.414	+4.9	+0.6	5
34805.57	1.459	+4.6	+1.2	5
34874.35	1.477	+2.1	-0.9	5
34912.39	1.488	+2.4	-0.4	5
35293.29	1.591	+0.1	-0.5	5
35352.20	1.606	-0.2	-0.4	5
35387.21	1.616	-1.6	-1.6	5
35616.46	1.678	+0.5	+1.9	5
35642.50	1.685	-1.5	+0.1	8
36297.50	1.862	-4.8	+0.9	8
36324.50	1.869	-5.1	+0.7	8
36363.50	1.879	-5.9	+0.1	8
36914.50	0.028	+5.1	+0.5	8

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
37211.50	0.108	+7.6	-1.7	8
38208.50	0.378	+7.3	+2.3	8
40458.86	0.985	-2.1	-1.0	9
40779.01	1.072	+9.4	+1.1	9
40796.05	1.076	+9.7	+1.2	9
41104.47	1.160	+9.3	+0.1	10
41150.00	1.172	+9.7	+0.6	9
41161.97	1.175	+9.5	+0.5	9
41169.04	1.177	+9.5	+0.5	9
41284.74	1.208	+9.5	+1.0	9
41515.01	1.270	+7.1	-0.2	9
41645.73	1.306	+5.8	-0.7	9
41738.23	1.331	+4.7	-1.3	9
41893.97	1.373	+2.9	-2.2	9
42198.51	1.455	+3.3	-0.1	10
42249.99	1.469	+4.3	+1.1	9
42265.08	1.473	+3.0	-0.1	9
42293.92	1.481	+2.7	-0.2	9
42365.82	1.500	+1.9	-0.6	9
42555.50	1.551	+1.4	+0.0	10
42587.06	1.560	+0.6	-0.6	9
42628.02	1.571	+1.3	+0.3	9
42678.90	1.585	+0.2	-0.5	9
42703.80	1.591	+0.8	+0.2	9
42722.71	1.596	+0.5	+0.1	9
42988.04	1.668	-1.5	-0.3	9
43006.93	1.673	-1.0	+0.3	9
43055.90	1.686	-2.7	-1.1	9
43117.74	1.703	-0.3	+1.7	9
43251.13	1.739	-3.5	-0.6	9
43290.13	1.750	-2.4	+0.7	9
43327.03	1.760	-3.4	+0.0	9
43358.96	1.768	-4.1	-0.5	9
43399.86	1.779	-3.3	+0.6	9
43433.79	1.788	-3.5	+0.6	9
43465.74	1.797	-4.9	-0.6	9
43593.22	1.832	-5.6	-0.5	9
43716.01	1.865	-6.1	-0.3	9
43739.90	1.871	-5.2	+0.7	9
43787.86	1.884	-7.0	-1.0	9
43825.71	1.894	-5.6	+0.4	9
43956.17	1.929	-6.1	-0.5	9

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
43992.15	1.939	-5.5	-0.3	9
44008.14	1.944	-5.2	-0.2	9
44065.99	1.959	-5.4	-1.5	9
44083.97	1.964	-2.7	+0.8	9
44110.88	1.971	-2.4	+0.4	9
44112.91	1.972	-2.5	+0.2	9
44136.91	1.978	-2.5	-0.5	9
44157.83	1.984	-0.9	+0.4	9
44167.75	1.987	-2.2	-1.3	9
44170.79	1.987	-0.9	-0.1	9
44178.17	1.989	-1.1	-0.5	11
44190.73	1.993	-0.8	-0.7	9
44192.12	1.993	-0.4	-0.3	11
44196.75	1.994	-0.5	-0.6	9
44232.70	2.004	+1.7	+0.3	9
44239.70	2.006	+2.3	+0.6	9
44292.24	2.020	+4.4	+0.8	9
44320.21	2.028	+3.7	-0.9	9
44350.50	2.036	+6.4	+0.9	11
44351.51	2.036	+5.5	+0.0	11
44363.10	2.039	+5.7	-0.2	9
44378.07	2.043	+6.4	+0.1	9
44389.05	2.046	+6.5	+0.0	9
44417.43	2.054	+7.7	+0.5	10
44441.04	2.060	+9.0	+1.4	9
44467.94	2.068	+9.9	+1.8	9
44477.91	2.070	+8.8	+0.6	9
44491.34	2.074	+8.9	+0.5	11
44503.87	2.077	+9.6	+1.1	9
44516.86	2.081	+9.3	+0.6	9
44545.77	2.089	+8.6	-0.3	9
44561.73	2.093	+10.3	+1.2	9
44571.16	2.096	+9.6	+0.5	11
44581.72	2.098	+8.5	-0.7	9
44589.72	2.101	+10.5	+1.3	9
44727.12	2.138	+8.5	-0.9	9
44743.50	2.142	+8.7	-0.7	10
44788.32	2.154	+9.9	+0.6	11
44803.99	2.158	+8.6	-0.6	9
44809.31	2.160	+8.3	-0.9	11
44839.31	2.168	+8.2	-0.9	11
44842.92	2.169	10.0	+0.9	9

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
44847.34	2.170	+8.8	-0.3	11
44868.84	2.176	+10.4	+1.4	9
44889.83	2.182	+8.5	-0.4	9
44900.17	2.184	+7.7	-1.2	11
44914.07	2.188	+9.1	+0.3	11
45033.25	2.220	+8.0	-0.3	9
45110.39	2.241	+8.5	+0.7	11
45113.09	2.242	+9.7	+1.9	9
45146.03	2.251	+8.6	+0.9	9
45166.08	2.256	+9.0	+1.5	9
45177.31	2.259	+8.2	+0.7	11
45212.88	2.269	+8.0	+0.7	9
45256.14	2.280	+7.8	+0.7	11
45310.07	2.295	+7.6	+0.8	11
45453.46	2.334	+5.7	-0.2	11
45481.47	2.341	+5.2	-0.6	11
45498.03	2.346	+5.6	-0.1	9
45519.98	2.352	+4.0	-1.6	9
45548.96	2.360	+5.7	+0.3	9
45562.25	2.363	+5.2	-0.1	11
45595.85	2.372	+5.8	+0.6	9
45600.17	2.373	+5.3	+0.2	11
45620.22	2.379	+4.6	-0.4	9
45678.70	2.395	+4.5	-0.2	9
45807.45	2.429	+4.4	+0.4	11
45814.15	2.431	+5.0	+1.1	9
45833.12	2.436	+4.3	+0.5	9
45861.02	2.444	+4.7	+1.0	9
45892.05	2.452	+4.5	+1.0	9
45895.27	2.453	+3.3	-0.2	11
45930.96	2.463	+4.3	+1.0	9
45933.21	2.463	+2.9	-0.4	11
45972.86	2.474	+2.2	-0.8	9
46034.12	2.491	+2.4	-0.3	10
46038.08	2.492	+2.0	-0.7	11
46175.47	2.529	+1.0	-0.9	11
46206.44	2.537	+1.1	-0.6	11
46217.11	2.540	+1.8	+0.1	9
46240.33	2.546	+1.6	+0.1	11
46250.00	2.549	+0.1	-1.4	9
46265.27	2.553	-0.1	-1.5	11
46313.91	2.566	+0.8	-0.3	9

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
46332.33	2.571	+1.6	+0.6	11
46359.79	2.578	+2.3	+1.5	9
46380.72	2.584	+0.8	+0.1	9
46422.71	2.595	+1.0	+0.5	9
46530.18	2.624	+0.9	+1.1	12
46564.11	2.634	-0.2	+0.2	9
46566.40	2.634	+0.3	+0.7	11
46592.10	2.641	+0.0	+0.5	9
46625.29	2.650	+0.1	+0.9	11
46638.36	2.654	-1.3	-0.5	11
46658.33	2.659	-1.7	-0.7	11
46666.96	2.661	-1.4	-0.4	12
46691.89	2.668	-2.0	-0.8	9
46714.86	2.674	-1.7	-0.4	9
46740.76	2.681	-1.8	-0.3	9
46778.70	2.692	-2.2	-0.5	9
46858.23	2.713	-3.2	-1.0	12
46924.14	2.731	-3.0	-0.3	9
46965.38	2.742	-2.2	+0.7	11
46971.00	2.743	-2.4	+0.6	9
46980.99	2.746	-2.0	+1.0	9
46986.39	2.748	-2.5	+0.6	11
46994.18	2.750	-2.7	+0.4	13
47028.24	2.759	-2.4	+1.0	11
47052.89	2.766	-3.1	+0.4	9
47074.87	2.772	-2.6	+1.1	9
47091.08	2.776	-4.0	-0.2	11
47105.98	2.780	-3.3	+0.6	13
47234.20	2.815	-4.4	+0.3	12
47310.38	2.835	-5.3	-0.1	11
47313.07	2.836	-4.9	+0.3	9
47326.40	2.839	-6.5	-1.2	11
47349.06	2.846	-6.5	-1.1	9
47349.36	2.846	-6.7	-1.3	11
47410.17	2.862	-6.5	-0.8	11
47411.96	2.863	-6.0	-0.3	9
47461.75	2.876	-6.5	-0.6	9
47471.77	2.879	-6.6	-0.7	12
47612.18	2.917	-5.2	+0.7	12
47646.16	2.926	-5.8	-0.1	12
47673.06	2.933	-4.5	+1.0	9
47693.39	2.939	-4.5	+0.7	11

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
47702.97	2.941	-4.7	+0.4	9
47731.27	2.949	-4.6	+0.1	11
47743.93	2.952	-4.4	+0.0	9
47792.16	2.965	-2.9	+0.5	11
47812.86	2.971	-4.2	-1.4	9
47815.11	2.971	-2.7	+0.0	11
47831.78	2.976	-1.9	+0.3	12
47846.74	2.980	-1.7	+0.1	9
47850.56	2.981	-0.6	+1.1	11
47871.06	2.987	-1.0	+0.0	11
47951.56	3.008	+1.3	-0.7	11
47963.55	3.011	+3.3	+0.8	14
47986.15	3.018	+3.1	-0.2	9
47987.50	3.018	+2.1	-1.2	11
48038.09	3.032	+5.3	+0.3	9
48078.01	3.042	+5.4	-0.8	9
48170.88	3.067	+8.6	+0.5	9
48200.78	3.076	+7.9	-0.6	9
48284.25	3.098	+8.0	-1.2	12
48385.13	3.125	+9.6	+0.2	9
48421.04	3.135	+7.9	-1.5	9
48455.95	3.144	+9.8	+0.4	9
48558.80	3.172	+8.7	-0.4	12
48608.71	3.186	+9.4	+0.5	12
48679.59	3.205	+8.7	+0.2	14
48737.16	3.220	+9.2	+0.9	12
48794.13	3.236	+8.5	+0.5	12
48847.01	3.250	+7.2	-0.5	12
48912.77	3.268	+7.2	-0.1	9
48938.76	3.275	+6.7	-0.5	9
48976.72	3.285	+7.0	+0.0	12
49036.23	3.301	+5.9	-0.7	12
49066.20	3.309	+6.5	+0.0	12
49177.02	3.339	+6.7	+0.9	12
49241.93	3.357	+6.5	+1.0	12
49295.01	3.371	+5.2	+0.0	12
49347.72	3.385	+7.0	+2.1	12
49361.71	3.389	+5.0	+0.2	12
49399.23	3.399	+5.1	+0.5	12
49474.15	3.419	+4.4	+0.2	12
49565.98	3.444	+3.5	-0.2	12
49696.71	3.479	+2.9	+0.0	12

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
49718.73	3.485	+1.8	-1.0	12
49873.13	3.527	+1.6	-0.3	12
50173.16	3.608	-0.4	-0.6	12
50431.71	3.678	-1.1	+0.3	12
50635.99	3.733	-3.1	-0.4	15
50700.90	3.751	-3.5	-0.3	12
50804.70	3.779	-3.3	+0.5	12
50932.13	3.813	-4.3	+0.4	12
51003.00	3.832	-4.7	+0.4	12
51519.77	3.972	-2.6	+0.1	15
51551.70	3.980	-1.8	-0.1	15
51585.26	3.989	-0.8	-0.2	15
51607.22	3.995	-0.2	-0.4	15
51640.19	4.004	+1.4	+0.0	15
51658.13	4.009	+1.2	-0.9	15
51678.09	4.014	+3.0	+0.2	15
51695.03	4.019	+3.2	-0.3	15
51713.01	4.024	+4.0	-0.1	15
51743.04	4.032	+5.7	+0.6	15
51765.01	4.038	+5.4	-0.3	15
51791.89	4.045	+6.1	-0.3	15
51822.85	4.053	+7.9	+0.8	15
51849.83	4.061	+8.7	+1.0	15
51880.77	4.069	+9.4	+1.2	15
51915.71	4.079	+9.5	+0.9	15
51967.21	4.092	+8.9	-0.1	15
52034.15	4.111	+8.9	-0.4	15
52069.08	4.120	+9.7	+0.3	15
52101.02	4.129	+9.6	+0.2	15
52134.97	4.138	+9.0	-0.4	15
52174.87	4.149	+9.1	-0.2	15
52200.85	4.156	+8.8	-0.5	15
52226.80	4.163	+8.7	-0.5	15
52250.69	4.169	+8.5	-0.6	15
52276.71	4.176	+7.7	-1.3	15
52326.25	4.189	+7.6	-1.2	15
52360.17	4.199	+8.4	-0.2	15
52384.12	4.205	+7.3	-1.2	15
52410.13	4.212	+7.6	-0.8	15
52448.01	4.222	+8.4	+0.2	15
52470.02	4.228	+7.3	-0.8	15
52501.00	4.237	+7.3	-0.6	15

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
52525.99	4.243	+7.9	+0.1	15
52550.81	4.250	+8.3	+0.6	15
52585.83	4.260	+7.8	+0.3	15
52617.69	4.268	+8.0	+0.7	15
52748.16	4.303	+6.3	-0.3	15
52783.13	4.313	+7.0	+0.6	15
52809.10	4.320	+6.5	+0.3	15
52835.00	4.327	+6.6	+0.5	15
52865.99	4.335	+6.6	+0.7	15
52895.13	4.343	+5.1	-0.7	15
52929.89	4.352	+5.7	+0.1	15
52969.71	4.363	+5.6	+0.3	15
52980.69	4.366	+6.0	+0.7	15
53147.13	4.411	+5.1	+0.8	15
53182.02	4.420	+5.4	+1.2	15
53230.01	4.433	+3.3	-0.6	15
53273.93	4.445	+3.8	+0.2	15
53303.85	4.453	+2.7	-0.8	15
53338.76	4.463	+2.5	-0.8	15
53360.70	4.469	+3.1	-0.1	15
53518.06	4.511	+2.4	+0.1	15
53548.05	4.519	+2.0	-0.1	15
53573.02	4.526	+1.1	-0.9	15
53598.96	4.533	+1.3	-0.5	15
53627.91	4.541	+1.2	-0.4	15
53672.87	4.553	+0.3	-1.1	15
53712.74	4.564	+0.4	-0.8	15
53858.15	4.603	+0.4	+0.1	15
53887.12	4.611	+0.1	+0.0	15
53920.06	4.620	+0.3	+0.4	15
53955.06	4.629	+0.1	+0.4	15
53986.01	4.638	+0.3	+0.8	15
54032.90	4.650	+0.1	+0.9	15
54062.76	4.658	-0.2	+0.7	15
54078.69	4.663	+0.0	+1.0	15
54243.13	4.707	-1.6	+0.5	15
54278.08	4.716	-2.3	+0.0	15
54308.02	4.724	-2.3	+0.2	15
54343.06	4.734	-3.3	-0.6	15
54372.92	4.742	-3.5	-0.6	15
54403.82	4.750	-3.6	-0.5	15
54446.69	4.762	-4.0	-0.6	15

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
54651.12	4.817	-5.0	-0.2	15
54673.22	4.823	-4.9	+0.0	16
54678.21	4.824	-4.9	+0.0	16
54683.01	4.826	-5.2	-0.2	15
54687.24	4.827	-5.1	-0.1	16
54693.20	4.828	-5.2	-0.2	16
54695.19	4.829	-5.0	+0.1	16
54696.15	4.829	-5.0	+0.0	16
54725.20	4.837	-5.5	-0.2	15
54727.92	4.838	-5.8	-0.5	15
54760.88	4.847	-6.1	-0.7	15
54788.69	4.854	-5.6	+0.0	15
54806.69	4.859	-5.8	-0.1	15
54981.12	4.906	-6.3	-0.3	15
55000.11	4.911	-6.1	-0.1	15
55025.29	4.918	-5.3	+0.6	16
55026.28	4.918	-5.4	+0.5	16
55040.02	4.922	-5.8	+0.0	15
55042.25	4.923	-5.9	-0.2	16
55059.18	4.927	-5.7	+0.0	16
55060.18	4.928	-5.7	+0.0	16
55075.17	4.932	-5.6	-0.1	16
55077.96	4.932	-5.4	+0.1	15
55093.15	4.936	-4.4	+0.9	16
55094.15	4.937	-4.7	+0.6	16
55112.89	4.942	-5.3	-0.2	15
55144.82	4.950	-4.4	+0.2	15
55197.70	4.965	-2.5	+0.9	15
55340.11	5.003	+1.7	+0.4	15
55368.33	5.011	+2.3	-0.1	16
55370.08	5.011	+3.2	+0.8	15
55381.30	5.014	+2.5	-0.4	16
55382.29	5.015	+2.5	-0.4	16
55388.27	5.016	+2.8	-0.3	16
55399.20	5.019	+3.6	+0.1	16
55404.23	5.020	+4.1	+0.5	16
55406.99	5.021	+4.3	+0.6	15
55436.16	5.029	+4.6	-0.2	16
55438.04	5.030	+4.9	+0.1	15
55438.15	5.030	+4.6	-0.2	16
55445.09	5.031	+4.2	-0.9	16
55450.09	5.033	+4.6	-0.6	16

Table 2: Radial Velocities

MJD days	Phase	Velocity km s ⁻¹	Residual Velocity km s ⁻¹	Source
55452.07	5.033	+4.7	-0.5	16
55462.07	5.036	+5.6	+0.1	16
55475.90	5.040	+5.3	-0.6	15
55478.03	5.040	+4.8	-1.1	16
55515.81	5.051	+6.2	-0.7	15
55720.12	5.106	+9.2	-0.1	15
55816.91	5.132	+8.9	-0.5	15
55853.84	5.142	+9.2	-0.2	15
55882.70	5.150	+9.6	+0.3	15
55905.68	5.156	+9.1	-0.2	15
56133.03	5.217	+8.3	+0.0	15
56168.92	5.227	+7.4	-0.7	15
56260.69	5.252	+7.5	-0.1	15
56415.15	5.293	+6.8	+0.0	15
56457.11	5.305	+7.6	+1.0	15
56539.93	5.327	+5.9	-0.2	15
56570.88	5.335	+5.8	-0.1	15
56610.76	5.346	+5.1	-0.6	15
56627.69	5.351	+5.5	-0.1	15
56814.11	5.401	+4.3	-0.3	15

NOTES:- Sources for the data are given as they appear in Table 1.

1. Campbell (1928)
2. Küstner (1914), Spencer Jones (1928), and Tremblot (1938)
3. Abt (1973)
4. Harper(1934)
5. private communication
6. Tremblot (1938)
7. Hynek (1942)
8. Reimers & Schröder (1983)
9. Griffin – Cambridge Spectrometer
10. Griffin – Palomar
11. Batten – DAO
12. Griffin – OHP
13. Griffin – ESO
14. Griffin – DAO
15. Griffin – Cambridge *Coravel*
16. Pugh & Gray – Elginfield