

Table 2. C IV absorption lines (continue)

HE0940-1050 ($z_{\text{em}} = 3.0932$)					
z	b (km/s)	$\log N(\text{C IV})$	z	b (km/s)	$\log N(\text{C IV})$
2.2200313	6.9 ± 0.3	12.56 ± 0.01	2.9167483	16.3 ± 1.2	13.04 ± 0.05
2.2202389	8.2 ± 0.3	12.71 ± 0.01	2.9170892	16.1 ± 0.7	13.25 ± 0.03
2.2204978	6.7 ± 0.2	13.48 ± 0.01	2.9308674	18.8 ± 1.2	12.48 ± 0.02
2.2206414	5.90 ± 0.08	13.602 ± 0.008	2.9367115	3.4 ± 1.9	11.73 ± 0.09
2.2210791	19.8 ± 1.7	12.74 ± 0.03	2.9371316	17.4 ± 2.0	12.29 ± 0.04
2.2213078	5.2 ± 0.2	13.17 ± 0.02	2.9377425	11.6 ± 0.3	12.75 ± 0.01
2.2214191	10.0 ± 0.7	13.15 ± 0.03	2.9396427	5.0 ± 0.4	12.34 ± 0.02
2.2216103	6.6 ± 0.1	13.28 ± 0.01	2.9400849	10.2 ± 1.4	12.12 ± 0.04
2.3053203	2.6 ± 0.9	11.85 ± 0.04	2.9404380	7.7 ± 1.4	12.11 ± 0.04
2.3289318	6.0 ± 0.1	13.57 ± 0.01			
2.3291731	11.7 ± 0.2	14.403 ± 0.006			
2.3294554	8.0 ± 0.1	13.916 ± 0.007			
2.3296623	6.1 ± 2.0	12.05 ± 0.11			
2.3299198	3.9 ± 0.3	13.00 ± 0.03			
2.3300431	12.5 ± 0.5	13.50 ± 0.02			
2.3302896	7.5 ± 0.5	13.72 ± 0.03			
2.3304119	4.7 ± 1.3	12.90 ± 0.22			
2.3306653	20.4 ± 0.5	14.213 ± 0.005			
2.3306725	3.4 ± 0.7	13.25 ± 0.04			
2.3311107	12.4 ± 0.9	13.51 ± 0.04			
2.3312418	6.2 ± 0.4	13.14 ± 0.08			
2.3314619	18.1 ± 1.1	13.04 ± 0.03			
2.3319173	9.9 ± 2.2	11.96 ± 0.07			
2.3322535	10.2 ± 0.9	12.18 ± 0.03			
2.4088867	8.7 ± 0.9	13.04 ± 0.15			
2.4090014	13.3 ± 0.6	13.40 ± 0.07			
2.4283316	20.1 ± 1.5	12.35 ± 0.03			
2.5162461	31.5 ± 2.0	12.62 ± 0.03			
2.5166662	7.4 ± 0.5	12.46 ± 0.02			
2.6136270	10.2 ± 0.6	12.51 ± 0.02			
2.6138880	4.5 ± 2.1	11.66 ± 0.10			
2.6428196	18.8 ± 1.6	12.55 ± 0.03			
2.6431727	9.8 ± 0.6	12.92 ± 0.02			
2.6433902	6.8 ± 2.2	11.97 ± 0.15			
2.6437302	13.1 ± 1.4	12.24 ± 0.03			
2.6579094	13.8 ± 0.2	13.27 ± 0.01			
2.6579590	5.0 ± 0.4	12.80 ± 0.04			
2.6671269	9.2 ± 1.5	12.32 ± 0.08			
2.6675596	20.9 ± 1.0	13.53 ± 0.02			
2.6676393	6.0 ± 0.8	12.55 ± 0.09			
2.6679339	11.1 ± 0.3	13.29 ± 0.02			
2.8240759	39.4 ± 4.2	13.15 ± 0.12			
2.8243043	9.5 ± 0.3	12.96 ± 0.02			
2.8251395	24.0 ± 0.8	13.08 ± 0.01			
2.8251448	3.5 ± 1.0	12.11 ± 0.07			
2.8259475	14.7 ± 1.2	12.43 ± 0.03			
2.8265557	5.7 ± 0.2	13.15 ± 0.01			
2.8266401	22.2 ± 1.6	12.76 ± 0.03			
2.8273938	13.1 ± 0.7	12.89 ± 0.02			
2.8277049	8.6 ± 0.5	13.02 ± 0.03			
2.8280306	14.6 ± 0.5	13.61 ± 0.01			
2.8283653	10.1 ± 1.0	13.11 ± 0.04			
2.8285754	5.8 ± 1.5	12.25 ± 0.17			
2.8288565	15.5 ± 0.8	13.11 ± 0.01			
2.8339736	14.1 ± 0.2	13.286 ± 0.005			
2.8345439	12.8 ± 0.1	14.014 ± 0.004			
2.8348098	5.4 ± 0.3	13.37 ± 0.04			
2.8349712	9.5 ± 0.9	13.38 ± 0.08			
2.8350987	19.2 ± 2.3	13.23 ± 0.13			
2.8608515	14.5 ± 0.5	12.78 ± 0.01			
2.8835344	8.2 ± 1.3	12.21 ± 0.04			

Q0420-388 ($z_{\text{em}} = 3.1257$)					
z	b (km/s)	$\log N(\text{C IV})$	z	b (km/s)	$\log N(\text{C IV})$
2.2455449	7.0 ± 1.8	12.01 ± 0.20	2.8242197	5.9 ± 0.2	12.68 ± 0.01
2.2456090	23.6 ± 4.4	12.61 ± 0.03	2.8495958	15.5 ± 1.3	12.60 ± 0.02
2.2460668	2.6 ± 0.2	13.60 ± 0.03	2.9514902	13.7 ± 2.5	12.24 ± 0.08
2.2461684	5.1 ± 0.2	14.07 ± 0.03	2.9518845	16.0 ± 1.5	12.56 ± 0.04
2.2462072	18.8 ± 0.7	13.83 ± 0.04	2.9619770	10.5 ± 2.7	12.13 ± 0.05
2.2463188	6.6 ± 0.2	13.92 ± 0.03			
2.2472372	8.7 ± 0.4	12.48 ± 0.01			
2.2475114	8.0 ± 0.3	12.60 ± 0.01			
2.2480285	11.7 ± 0.5	12.42 ± 0.01			
2.2520902	6.5 ± 0.4	12.39 ± 0.03			
2.2523141	14.6 ± 0.4	12.92 ± 0.01			
2.2594070	8.2 ± 1.1	12.03 ± 0.03			
2.2605889	19.1 ± 1.1	12.69 ± 0.02			
2.2608249	4.9 ± 0.1	12.93 ± 0.01			
2.2610691	9.7 ± 1.0	12.18 ± 0.03			
2.2614143	10.8 ± 0.2	13.45 ± 0.01			
2.2614701	4.6 ± 0.2	13.11 ± 0.02			
2.2617059	10.4 ± 0.4	13.59 ± 0.02			
2.2618365	6.6 ± 0.09	13.78 ± 0.01			
2.2620809	6.5 ± 0.06	13.781 ± 0.005			
2.2621727	19.7 ± 0.8	13.02 ± 0.04			
2.2888818	6.1 ± 0.4	12.38 ± 0.01			
2.2892554	4.5 ± 0.06	13.134 ± 0.003			
2.2901490	6.3 ± 0.3	12.78 ± 0.01			
2.2902899	5.0 ± 1.1	12.02 ± 0.08			
2.2906930	16.1 ± 0.4	13.39 ± 0.01			
2.2908359	5.0^a	12.81 ± 0.02			
2.2909703	12.9 ± 0.2	13.33 ± 0.01			
2.2913485	12.4 ± 1.3	12.34 ± 0.03			
2.2915888	4.1 ± 2.2	11.58 ± 0.15			
2.2918398	5.4 ± 0.7	12.20 ± 0.06			
2.2919250	19.3 ± 0.5	12.91 ± 0.01			
2.4090548	9.2 ± 0.4	12.51 ± 0.01			
2.4094987	9.1 ± 1.2	11.99 ± 0.05			
2.4098842	13.1 ± 0.5	12.68 ± 0.01			
2.4112501	14.6 ± 1.3	12.32 ± 0.03			
2.4116900	10.4 ± 1.1	12.18 ± 0.03			
2.4120760	7.4 ± 0.5	12.34 ± 0.02			
2.4129474	7.4 ± 0.1	13.76 ± 0.01			
2.4130986	11.8 ± 1.1	13.01 ± 0.07			
2.5261929	9.8 ± 0.3	13.28 ± 0.02			
2.5264084	10.9 ± 0.8	13.46 ± 0.08			
2.5265911	17.9 ± 1.9	13.28 ± 0.10			
2.5364895	5.5 ± 0.3	13.39 ± 0.03			
2.5366142	13.6 ± 3.7	12.94 ± 0.06			
2.5368271	7.5 ± 1.0	12.98 ± 0.12			
2.5370603	5.0 ± 0.9	12.32 ± 0.05			
2.5373652	14.6 ± 1.3	12.69 ± 0.04			
2.5374558	5.6 ± 0.1	13.40 ± 0.01			
2.6675107	12.1 ± 0.6	13.63 ± 0.08			
2.6675448	6.4 ± 0.7	13.75 ± 0.07			
2.6682014	5.5 ± 0.7	12.76 ± 0.05			
2.6683726	7.3 ± 0.7	12.89 ± 0.04			
2.6690197	8.6 ± 0.7	12.55 ± 0.02			
2.6864710	10.5 ± 1.6	12.00 ± 0.05			
2.8099823	9.0 ± 0.3	12.70 ± 0.01			
2.8224823	6.1 ± 1.1	12.44 ± 0.09			
2.8226628	8.1 ± 0.7	12.82 ± 0.04			
2.8230243	14.8 ± 0.7	12.89 ± 0.01			
2.8235393	7.9 ± 0.08	13.394 ± 0.003			
2.8238146	6.4 ± 0.2	12.833 ± 0.008			

PKS2126-158 ($z_{\text{em}} = 3.292$)					
z	b (km/s)	$\log N(\text{C IV})$	z	b (km/s)	$\log N(\text{C IV})$
2.3888781	6.7 ± 0.1	13.036 ± 0.004	2.9636838	11.1 ± 0.5	12.81 ± 0.02
2.3931258	6.1 ± 0.5	12.99 ± 0.07	2.9672160	22.2 ± 1.7	12.92 ± 0.06
2.3932192	11.4 ± 0.3	13.39 ± 0.03	2.9676888	22.7 ± 1.2	13.11 ± 0.04
2.3936486	2.9 ± 0.9	12.16 ± 0.06	2.9730186	6.2 ± 1.2	11.92 ± 0.06
2.3938522	7.4 ± 0.2	13.60 ± 0.01	2.9981403	21.3 ± 2.0	12.38 ± 0.03
2.3939853	38.1 ± 0.6	13.68 ± 0.01	3.0094903	13.2 ± 1.8	12.11 ± 0.04
2.3939998	3.0^a	13.51 ± 0.02	3.0987184	7.5 ± 1.2	12.10 ± 0.04
2.3940456	11.5 ± 0.2	13.81 ± 0.02	3.2164140	15.8 ± 1.3	13.10 ± 0.07
2.3951516	8.9 ± 0.3	12.99 ± 0.01	3.2166204	9.7 ± 1.2	12.75 ± 0.16
2.3953335	5.2 ± 0.2	12.93 ± 0.01	3.2169509	11.9 ± 2.1	12.20 ± 0.07
2.3956380	12.3 ± 1.7	11.97 ± 0.05			
2.3967733	9.9 ± 1.6	11.86 ± 0.05			
2.4200075	11.9 ± 2.2	12.16 ± 0.09			
2.4595737	10.6 ± 0.2	13.289 ± 0.006			
2.4598229	9.4 ± 0.3	12.99 ± 0.01			
2.4854565	12.7 ± 0.7	12.54 ± 0.02			
2.4859679	9.3 ± 1.6	12.14 ± 0.04			
2.5537047	7.4 ± 0.3	13.00 ± 0.01			
2.5538697	5.2 ± 0.6	12.47 ± 0.04			
2.5554769	4.7 ± 0.8	12.02 ± 0.05			
2.6788118	11.9 ± 0.6	13.75 ± 0.04			
2.6789486	5.9 ± 0.2	13.97 ± 0.02			
2.6790783	11.5 ± 1.3	13.01 ± 0.12			
2.7227995	8.4 ± 1.2	12.20 ± 0.04			
2.7275286	5.7 ± 0.7	12.15 ± 0.04			
2.7278655	13.1 ± 0.2	13.287 ± 0.006			
2.7282567	9.7 ± 0.3	12.96 ± 0.01			
2.7666645	12.8 ± 0.5	12.66 ± 0.02			
2.7669799	5.9 ± 0.4	11.72 ± 0.05			
2.7675183	7.2 ± 0.2	13.15 ± 0.01			
2.7678440	41.3 ± 0.9	13.77 ± 0.01			
2.7681777	6.4 ± 0.6	12.80 ± 0.05			
2.7684028	6.6 ± 0.4	13.29 ± 0.04			
2.7685256	15.2 ± 1.1	13.56 ± 0.03			
2.7688107	8.5 ± 0.4	13.47 ± 0.03			
2.7690651	4.7 ± 0.5	13.86 ± 0.06			
2.7690806	54.7 ± 7.4	13.50 ± 0.09			
2.7691929	16.0 ± 0.3	14.26 ± 0.02			
2.7700512	7.8 ± 0.6	12.66 ± 0.04			
2.7703662	11.2 ± 0.6	12.82 ± 0.03			
2.7709792	40.1 ± 3.8	13.08 ± 0.05			
2.7714310	26.0 ± 0.6	13.38 ± 0.02			
2.7719903	8.9 ± 0.3	12.86 ± 0.01			
2.7754226	5.4 ± 1.2	12.52 ± 0.08			
2.7755871	18.8 ± 0.8	13.05 ± 0.03			
2.7762036	8.8 ± 0.7	12.49 ± 0.02			
2.8180490	10.5 ± 1.2	12.29 ± 0.04			
2.8187008	7.2 ± 0.5	12.53 ± 0.02			
2.8191400	14.4 ± 2.3	12.69 ± 0.09			
2.8194125	11.3 ± 0.8	13.03 ± 0.05			
2.8197575	13.4 ± 0.5	13.04 ± 0.02			
2.9062107	8.8 ± 2.1	12.03 ± 0.07			
2.9067543	19.7 ± 3.4	12.76 ± 0.10			
2.9069772	8.6 ± 0.6	12.86 ± 0.07			
2.9072976	14.5 ± 0.9	13.15 ± 0.07			
2.9073954	24.1 ± 2.1	13.15 ± 0.07			
2.9141576	25.5 ± 1.6	12.77 ± 0.03			
2.9554906	8.5 ± 1.0	12.23 ± 0.03			
2.9626009	10.9 ± 1.0	12.29 ± 0.03			
2.9631495	12.0 ± 1.0	12.80 ± 0.04			
2.9633873	7.5 ± 0.9	12.65 ± 0.06			

B1422+231 ($z_{\text{em}} = 3.623$)					
z	b (km/s)	$\log N(\text{C IV})$	z	b (km/s)	$\log N(\text{C IV})$
2.6652148	11.1 ± 1.7	12.24 ± 0.05	3.3816390	6.4 ± 0.4	12.96 ± 0.05
2.6654558	6.3 ± 2.8	11.68 ± 0.16	3.3819208	5.4 ± 1.2	12.35 ± 0.09
2.6827831	13.9 ± 0.5	12.84 ± 0.01	3.3822076	10.4 ± 0.3	13.192 ± 0.008
2.6827877	13.8 ± 0.5	12.84 ± 0.01	3.3826613	10.9 ± 0.5	12.73 ± 0.01
2.6971991	13.7 ± 0.9	12.55 ± 0.02	3.4107735	9.9 ± 1.4	12.10 ± 0.04
2.6976306	11.2 ± 0.2	13.059 ± 0.006	3.4114347	20.9 ± 0.6	12.88 ± 0.01
2.6983895	11.6 ± 0.5	13.04 ± 0.02	3.4468806	8.7 ± 0.2	12.99 ± 0.01
2.6986344	8.2 ± 1.3	12.70 ± 0.13	3.4473283	15.0 ± 0.6	13.29 ± 0.02
2.6988266	12.5 ± 2.9	12.57 ± 0.15	3.4473314	4.9 ± 0.7	12.79 ± 0.07
2.7196367	7.5 ± 2.8	11.72 ± 0.10	3.4795728	25.0 ± 0.8	12.75 ± 0.01
2.7200615	15.6 ± 1.4	12.64 ± 0.06	3.4805155	20.7 ± 1.2	12.48 ± 0.02
2.7202125	5.9 ± 0.9	12.47 ± 0.08	3.4948680	3.5 ± 0.6	12.19 ± 0.02
2.7484794	7.3 ± 0.6	12.51 ± 0.02	3.5146127	7.2 ± 0.3	12.85 ± 0.01
2.7488859	6.1 ± 0.3	13.21 ± 0.02	3.5149243	9.7 ± 0.8	12.45 ± 0.03
2.7489488	17.9 ± 0.6	13.17 ± 0.02	3.5344877	9.3 ± 1.6	12.11 ± 0.06
2.7494979	8.5 ± 0.6	12.64 ± 0.03	3.5349526	16.7 ± 1.2	12.75 ± 0.04
2.7497702	11.7 ± 0.9	12.60 ± 0.03	3.5354767	6.5 ± 1.6	12.23 ± 0.14
2.7716296	7.2 ± 0.8	12.16 ± 0.03	3.5358369	10.8 ± 1.4	13.20 ± 0.08
2.7965872	12.9 ± 1.9	13.00 ± 0.06	3.5360649	9.1 ± 0.9	13.10 ± 0.11
2.7969377	13.0 ± 2.4	12.20 ± 0.07	3.5362062	46.2 ± 1.8	13.55 ± 0.03
2.8097544	12.5 ± 0.9	12.34 ± 0.02	3.5372319	3.0 ^a	12.36 ± 0.05
2.8953924	11.1 ± 1.1	12.57 ± 0.07	3.5373900	12.9 ± 0.6	12.99 ± 0.02
2.8954406	29.4 ± 1.2	13.03 ± 0.02	3.5385587	27.3 ± 0.3	13.472 ± 0.008
2.9096594	8.9 ± 0.5	12.48 ± 0.02	3.5386782	7.2 ± 0.1	13.535 ± 0.006
2.9434292	8.8 ± 1.5	12.07 ± 0.04	3.5392799	8.8 ± 0.4	13.42 ± 0.02
2.9453149	30.2 ± 1.4	12.64 ± 0.02	3.5394800	4.9 ± 0.6	12.98 ± 0.05
2.9475060	8.9 ± 0.4	12.57 ± 0.01	3.5396664	3.0 ^a	12.10 ± 0.05
2.9606502	14.0 ± 0.9	12.56 ± 0.02	3.5400693	21.6 ± 0.9	12.78 ± 0.01
2.9610691	10.5 ± 0.8	12.62 ± 0.02	3.5406404	3.0 ^a	11.69 ± 0.06
2.9614320	8.2 ± 0.4	12.65 ± 0.01	3.5413506	4.5 ± 0.6	12.19 ± 0.02
2.9619436	18.2 ± 0.4	13.286 ± 0.008			
2.9623201	9.4 ± 0.4	12.80 ± 0.02			
2.9713657	19.2 ± 0.7	12.62 ± 0.01			
2.9758182	20.7 ± 3.3	12.34 ± 0.06			
2.9761946	9.1 ± 0.3	12.81 ± 0.02			
2.9992027	16.0 ± 0.7	12.62 ± 0.01			
3.0350099	7.2 ± 1.0	12.05 ± 0.03			
3.0366518	24.2 ± 1.9	12.36 ± 0.03			
3.0633316	27.9 ± 0.9	12.94 ± 0.01			
3.0634501	4.9 ± 1.3	11.97 ± 0.08			
3.0710123	7.0 ± 0.4	12.54 ± 0.01			
3.0866315	13.1 ± 0.5	12.95 ± 0.01			
3.0899141	14.8 ± 0.4	13.17 ± 0.01			
3.0902104	8.0 ± 0.8	12.81 ± 0.07			
3.0904417	13.1 ± 1.3	12.94 ± 0.05			
3.0907657	4.1 ± 0.9	12.20 ± 0.05			
3.0910444	10.1 ± 0.2	13.012 ± 0.007			
3.0946712	12.6 ± 1.3	12.08 ± 0.04			
3.1192782	15.6 ± 4.1	11.87 ± 0.09			
3.1197319	9.7 ± 2.5	11.92 ± 0.07			
3.1337855	19.5 ± 1.2	12.83 ± 0.02			
3.1341009	7.1 ± 1.3	12.23 ± 0.09			
3.1344497	15.0 ± 0.4	12.98 ± 0.01			
3.1370919	18.6 ± 0.5	12.908 ± 0.008			
3.1380806	26.5 ± 2.6	12.42 ± 0.03			
3.1914058	7.6 ± 1.2	12.08 ± 0.04			
3.2654114	11.8 ± 2.6	12.16 ± 0.15			
3.2657483	15.6 ± 2.0	12.55 ± 0.06			
3.3798850	17.9 ± 1.7	12.59 ± 0.03			
3.3804076	15.5 ± 1.2	12.44 ± 0.04			
3.3815892	14.6 ± 1.1	13.04 ± 0.05			

Q0055-269 ($z_{\text{em}} = 3.66$)

z	b (km/s)	$\log N(\text{C IV})$
2.7057939	13.1 ± 1.0	12.50 ± 0.02
2.7439697	28.8 ± 1.6	12.99 ± 0.02
2.8955638	20.4 ± 1.0	12.97 ± 0.02
2.9138873	21.8 ± 1.9	12.78 ± 0.03
2.9452658	17.9 ± 0.8	12.89 ± 0.02
2.9490402	24.5 ± 2.4	12.98 ± 0.05
2.9492223	3.4 ± 1.9	12.09 ± 0.15
2.9495463	12.0 ± 2.4	12.46 ± 0.11
2.9502394	26.8 ± 4.6	12.94 ± 0.07
2.9505892	7.7 ± 1.0	12.91 ± 0.12
2.9507957	17.2 ± 1.4	13.41 ± 0.05
2.9514136	19.2 ± 1.0	13.08 ± 0.02
2.9519327	8.5 ± 0.8	12.51 ± 0.03
3.0049863	17.1 ± 1.3	12.68 ± 0.03
3.0388069	14.5 ± 0.9	12.72 ± 0.02
3.0858836	9.7 ± 0.3	13.10 ± 0.01
3.0861866	5.0 ± 1.3	12.11 ± 0.06
3.0956688	10.4 ± 1.0	12.76 ± 0.03
3.1901069	18.7 ± 1.1	12.63 ± 0.03
3.1904156	10.2 ± 0.8	13.77 ± 0.02
3.1904907	4.1 ± 0.3	13.33 ± 0.02
3.1908648	2.0 ^a	12.91 ± 0.03
3.1909626	8.54 ± 0.08	13.842 ± 0.005
3.1911917	7.6 ± 0.1	13.564 ± 0.005
3.1914573	5.6 ± 0.2	13.197 ± 0.009
3.1915784	2.0 ^a	12.89 ± 0.02
3.1917915	2.0 ^a	12.74 ± 0.04
3.1918273	24.4 ± 0.2	13.921 ± 0.003
3.1921153	5.7 ± 0.2	13.02 ± 0.01
3.1928906	15.0 ± 1.5	12.39 ± 0.03
3.1941857	7.1 ± 0.3	13.29 ± 0.02
3.1942236	40.3 ± 2.0	13.32 ± 0.04
3.1944509	8.0 ± 1.2	13.20 ± 0.07
3.1946399	7.7 ± 2.1	12.74 ± 0.22
3.1950085	5.9 ± 1.1	12.20 ± 0.09
3.2505059	21.3 ± 1.8	12.62 ± 0.03
3.2560194	18.2 ± 3.2	13.13 ± 0.09
3.2562275	6.7 ± 1.0	12.82 ± 0.15
3.2564743	5.1 ± 2.4	12.23 ± 0.16
3.2566423	3.7 ± 1.8	12.31 ± 0.13
3.2569377	14.5 ± 1.1	13.06 ± 0.02
3.2573798	10.8 ± 0.9	12.80 ± 0.03
3.3988688	227.6 ± 5.3	13.932 ± 0.008
3.5263937	45.2 ± 7.8	12.96 ± 0.07
3.5271127	14.4 ± 1.0	13.17 ± 0.04
3.5277026	22.2 ± 4.1	12.71 ± 0.07
3.5553715	7.6 ± 1.1	12.82 ± 0.06
3.5556479	9.7 ± 2.1	13.01 ± 0.14
3.5560229	25.9 ± 6.6	13.07 ± 0.13
3.5570598	9.5 ± 1.9	12.37 ± 0.06
3.5582709	9.1 ± 1.7	12.37 ± 0.06

PKS2000-330 ($z_{\text{em}} = 3.783$)					
z	b (km/s)	$\log N(\text{C IV})$	z	b (km/s)	$\log N(\text{C IV})$
2.7599218	11.1 ± 0.6	12.40 ± 0.02	3.5512660	14.2 ± 1.1	12.81 ± 0.03
2.8070316	16.0 ± 0.5	12.78 ± 0.01	3.5520420	18.8 ± 2.0	13.22 ± 0.06
2.9127362	10.3 ± 1.3	12.08 ± 0.05	3.5522285	5.3 ± 0.5	12.76 ± 0.07
2.9769135	6.7 ± 0.5	12.54 ± 0.03	3.5524602	13.4 ± 0.5	13.28 ± 0.04
2.9773920	13.5 ± 1.1	12.66 ± 0.05	3.5569866	8.0 ± 0.5	12.85 ± 0.05
2.9776766	6.4 ± 0.2	13.04 ± 0.01	3.5573812	8.3 ± 0.5	12.52 ± 0.05
2.9781325	62.8 ± 1.5	13.63 ± 0.01	3.5620553	17.6 ± 1.6	12.52 ± 0.05
2.9782002	8.5 ± 0.4	12.93 ± 0.02	3.5623465	8.8 ± 0.8	12.39 ± 0.06
2.9784982	9.9 ± 0.3	13.09 ± 0.01			
2.9797068	9.9 ± 2.2	11.93 ± 0.07			
3.0088615	5.7 ± 1.2	12.11 ± 0.04			
3.0460188	13.9 ± 1.3	12.38 ± 0.03			
3.0469508	16.2 ± 0.8	12.68 ± 0.02			
3.1723988	15.6 ± 3.4	12.32 ± 0.14			
3.1727748	14.9 ± 1.0	12.93 ± 0.03			
3.1740799	13.2 ± 2.0	12.17 ± 0.05			
3.1792889	18.2 ± 1.7	12.43 ± 0.03			
3.1901259	13.1 ± 0.4	13.04 ± 0.02			
3.1902456	3.9 ± 1.1	12.35 ± 0.10			
3.1910565	10.0 ± 0.8	12.69 ± 0.04			
3.1913018	55.1 ± 2.7	13.42 ± 0.03			
3.1916087	10.7 ± 0.2	13.39 ± 0.01			
3.1922672	20.5 ± 0.7	13.13 ± 0.03			
3.2059495	5.0 ± 1.6	11.80 ± 0.07			
3.2288761	13.6 ± 2.6	12.26 ± 0.05			
3.2301271	50.8 ± 2.3	12.97 ± 0.02			
3.2500398	6.5 ± 2.5	11.71 ± 0.10			
3.2506962	15.1 ± 0.6	12.77 ± 0.01			
3.2600553	13.7 ± 1.0	12.40 ± 0.03			
3.2868750	24.2 ± 2.0	12.57 ± 0.03			
3.3321838	15.9 ± 0.3	12.990 ± 0.006			
3.3325262	8.2 ± 0.2	12.63 ± 0.02			
3.3329420	17.1 ± 0.3	13.367 ± 0.004			
3.3329682	3.0 ^a	12.27 ± 0.02			
3.3333178	8.4 ± 0.2	12.77 ± 0.02			
3.3337369	15.3 ± 0.5	13.25 ± 0.02			
3.3340542	11.7 ± 0.8	12.69 ± 0.07			
3.3343928	18.2 ± 1.2	12.68 ± 0.04			
3.3348148	3.0 ^a	11.83 ± 0.03			
3.3368738	14.6 ± 0.4	12.77 ± 0.01			
3.3373313	9.8 ± 0.3	13.13 ± 0.04			
3.3374536	16.7 ± 0.4	13.06 ± 0.04			
3.3892479	6.48 ± 0.06	12.638 ± 0.002			
3.3923001	9.8 ± 0.1	12.738 ± 0.003			
3.3926878	10.5 ± 0.3	12.340 ± 0.008			
3.3965211	24.1 ± 0.5	12.60 ± 0.01			
3.4320951	8.0 ± 0.3	12.70 ± 0.01			
3.5054057	14.8 ± 0.3	12.992 ± 0.007			
3.5060170	6.8 ± 1.0	11.99 ± 0.04			
3.5082238	16.5 ± 1.0	12.60 ± 0.02			
3.5087438	11.0 ± 1.0	12.38 ± 0.03			
3.5095146	10.0 ± 1.0	12.23 ± 0.03			
3.5468705	13.5 ± 0.1	12.918 ± 0.006			
3.5478613	9.7 ± 0.1	13.700 ± 0.007			
3.5480733	8.1 ± 0.09	13.45 ± 0.01			
3.5480745	64.5 ± 3.9	13.09 ± 0.02			
3.5488014	11.3 ± 1.3	12.30 ± 0.06			
3.5495768	7.7 ± 0.2	13.22 ± 0.01			
3.5499356	12.5 ± 0.7	13.36 ± 0.05			
3.5501153	35.3 ± 1.8	13.66 ± 0.02			
3.5508077	13.6 ± 1.8	12.73 ± 0.11			

PKS1937-101 ($z_{\text{em}} = 3.787$)		
z	b (km/s)	$\log N(\text{C IV})$
3.0060122	19.3 ± 0.6	13.16 ± 0.01
3.0063009	6.1 ± 0.6	12.45 ± 0.05
3.0066099	14.6 ± 1.1	12.68 ± 0.03
3.0085249	6.3 ± 0.06	13.480 ± 0.003
3.0231485	13.1 ± 2.4	12.11 ± 0.06
3.0235586	9.3 ± 0.7	12.43 ± 0.02
3.0954344	8.3 ± 0.4	12.86 ± 0.03
3.0956724	12.3 ± 1.7	12.52 ± 0.07
3.1098020	24.2 ± 0.7	12.91 ± 0.01
3.2352250	19.5 ± 1.3	12.79 ± 0.03
3.2356508	11.8 ± 0.8	12.61 ± 0.04
3.2362154	16.1 ± 2.0	12.22 ± 0.04
3.2557511	5.8 ± 1.2	12.00 ± 0.06
3.2560647	11.3 ± 0.5	12.83 ± 0.01
3.2565982	11.6 ± 1.9	12.20 ± 0.05
3.2913566	5.8 ± 0.4	12.41 ± 0.02